

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

DESC
3526

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

WATER RESOURCES DEPARTMENT
SALEM, OREGON 97310
within 30 days from the date
of well completion.

State Well No. 15s/12e-12cb

State Permit No. _____

(1) OWNER:

Name Richard Huff
Address 911 W. Fir St.
Redmond, Ore. 97756

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
 Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED:

Threaded Welded

8" Diam. from 2 ft. to -19 ft. Gage .250
6" Diam. from 0 ft. to -273 ft. Gage .188
5" Diam. from -257 ft. to -278 ft. Gage .188

(6) PERFORATIONS:

Perforated? Yes No.

Type of perforator used _____

Size of perforations in. by in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name Johnson
Type stainless Model No. _____
Diam. 6" Slot size 8 Set from -278 ft. to -283 ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
" " " "
" " " "
Per test 7 gal./min. with 3 ft. drawdown after 1 hrs.
Artesian flow g.p.m. _____

Temperature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used cement
Well sealed from land surface to -19 ft.
Diameter of well bore to bottom of seal 12 in.
Diameter of well bore below seal 8 in.
Number of sacks of cement used in well seal 6 sacks
How was cement grout placed? pressure grout

Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.

Did any strata contain unusable water? Yes No

Type of water? _____ depth of strata _____

Method of sealing strata off _____

Was well gravel packed? Yes No Size of gravel: _____

Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County Deschutes Driller's well number _____
NW 1/4 SW 1/4 Section 12 T. 15S R. 12E W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 260 ft.
Static level 257 ft. below land surface. Date 10-10-80
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 6
Depth drilled 283 ft. Depth of completed well 283 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
grey hard rock	0	19	
grey soft rock	19	68	
brown soft rock	68	78	
brown hard broken rock	78	170	
brown coarse sandstone	170	245	
black coarse sandstone	245	260	257
black fine sand WB	260	283	

RECEIVED

OCT 31 1980

WATER RESOURCES DEPT
SALEM, OREGON

Work started 10-6 19 80 completed 10-10 1980

Date well drilling machine moved off of well 10-10 1980

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Dale Druel Date 10-23, 1980
(Drilling Machine Operator)

Drilling Machine Operator's License No. 934

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Crawford Well Drilling, Inc.
(Person, firm or corporation) (Type or print)

Address 1245 Lower Bridge Terrebonne, Ore.

[Signed] Larry K. Crawford
(Water Well Contractor)

Contractor's License No. 570 Date 10-23, 1980