NOTICE TO WATER WELL CONTINUE TO The original and first copy of this report are to be	L REPORTUL 1 1974) ESC 3983 DREGONSTATE ENGINEER State Well No. 158/13E-29da
filed with the JAN31 1975	DREGON STATE ENGINEER State Well No 158/13E-29do or print) STATE ENGINEER
STATE ENGINEER, SALEM, OREGOTATE ENGINEER (Please type	or print) STATE ENGINEER
of well completion. SALEM, OREGON (Do not write about the completion)	ove this line) LEM. OREGON State Permit No.
(1) OWNER:	(10) LOCATION OF WELL:
Transma Williams Mobile Deals	
/ m	County Deschutes Driller's well number NT 4 SE 4 Section 29 T. 15SR. 13E W.M.
Address C/O Tennyson, Eng. 000 Wall St. Benu 97701	Will Table
	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check): New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	695/UNofthwest brum:P.o124:075 Wisit97
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 401 ft.
Rotary Driven Domestic Industrial Municipal	Static level 256 ft. below land surface. Date 6/14/7
Cable Li Jetted Litrailer park	
Pig Bored I Irrigation Test Well Other Fall	Artesian pressure Ibs. per square inch. Date
CASING INSTALLED: Threaded □ Welded ☑	(12) WELL LOG: Diameter of well below casing
10." Diam. from+1 ft. to20 ft. Gage250.	Depth drilled 466 ft, Depth of completed well 466 ft.
8 " Diam. from 0 ft. to 4.66 ft. Gage	Formation: Describe color, texture, grain size and structure of materials;
" Diam. fromft. toft_ Gage	and show thickness and nature of each stratum and aquifer penetrated,
PERFORATIONS: Perforated? F Yes No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used torch	MATERIAL From To SWL
Size of perforations $\frac{1}{4}$ in. by 12 in.	brown sandy soil 0 2
1.05 perforations from 405 ft. to 466 ft.	brown soil & boulders 2 14
perforations fromft. toft.	gray rock med, hard 14 26
i i i i i i i i i i i i i i i i i i i	brown sandstone & boulders 26 34
perforations fromft. toft.	brown broken rock med. 34 41
(7) SCREENS: Well screen installed? Yes Y No	brown sandstone & boulders 41 84
Manufacturer's Name	broken brown rock Med hard 84 119
Type Model_No.	no return 119 251
Diam. Slot size Set from ft. to ft.	brown broken rock 251 254
Diam. Slot size Set from ft. to ft.	broken hard basalt 254 286
	red lava rock & boulders 286 291
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	broken basalt - red cinders 291 310
Was a pump test made? ☐ Yes 🛐 No If yes, by whom?	red course sandstone 310 345
eld: gal./min. with ft. drawdown after hrs.	brown course sandstone 345 401
n n	fine to sourse conglomerate 401 466 256
n " " " " " " " " " " " " " " " " " " "	(water)
Bailer test 5 gal./min. with () ft. drawdown after 1 hrs.	And the second of the second o
	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Artesian flow g.p.m.	
perature of water 56 Depth artesian flow encountered ft.	Work started 6/5 1974 Completed 6/14 1974
(9) CONSTRUCTION:	Date well drilling machine moved off of well 6/14 1974
Well seal-Material usedComent	Drilling Machine Operator's Certification:
Well sealed from land surface to 20 ft.	This well was constructed under my direct supervision. Materials used and information reported above are true to my
Diameter of well bore to bottom of seal16in.	best knowledge and belief.
Diameter of well bore below seal10 in.	[Signed] Willing Machine Operator) Date 6/26, 19.74
Number of sacks of cement used in well seal8sacks	(Drilling Machine Operator)
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No864
Brand name of bentonite	
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:
of waterlbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used? ☐ Yes 🛱 No Plugs Size: location ft.	Name Crawford Well Drilling
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or print)
	Address Box 17 Terrebonne Ore 97760)
	La Colo Charles
Method of sealing strata off	[Signed] (Water Well Contractor)
Was well gravel packed? ☐ Yes 🛽 No Size of gravel:	Contractor's License No. 451 Date 6/26 19.74
Gravel placed fromft. toft.	
CUSE ADDITIONAL SHEETS IF NECESSARY) SP*45656-119	