

Corrected by WRD staff

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED DESC 4006 WATER WELL REPORT STATE OF OREGON JUN 27 1969

12 E

State Well No. 15/13-36

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date of well completion.

(Please type or print) Do not write above this line

State Permit No.

CK/oc. Leafarr

(1) OWNER:

Name PAUL RAMSEY Address Bend Oregon 57 Brook St.

(2) TYPE OF WORK (check):

New Well [X] Deepening [ ] Reconditioning [ ] Abandon [ ]

(3) TYPE OF WELL:

Rotary [ ] Driven [ ] Cable [X] Jetted [ ] Dug [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [X] Industrial [ ] Municipal [ ] Irrigation [ ] Test Well [ ] Other [ ]

CASING INSTALLED:

8" Diam. from 0 ft. to 18 ft. Gage 250 4" Diam. from 0 ft. to 400 ft. Gage 212

PERFORATIONS:

Type of perforator used Factory Size of perforations 3/16 in. by 2.2" in. 120 perforations from 279 ft. to 400 ft.

(7) SCREENS:

Well screen installed? [ ] Yes [X] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 381 ft. below land surface Date 6-2-69 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [ ] Yes [X] No If yes, by whom? Bailer test 15 gal./min. with 0 ft. drawdown after 1 hrs.

(10) CONSTRUCTION:

Well seal—Material used Cement + Benosite Depth of seal 18 ft. Diameter of well bore to bottom of seal 10 in. Were any loose strata cemented off? [ ] Yes [ ] No Depth Was a drive shoe used? [ ] Yes [X] No Did any strata contain unusable water? [ ] Yes [X] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [X] Yes [ ] No Size of gravel: 1/4 min. 4/8 Gravel placed from 400 3/8 ft. to 460 ft.

(11) LOCATION OF WELL:

County DESC Driller's well number 1/4 1/4 Section 36 T. 15 S. R. 13 E W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing to bottom Depth drilled 400 ft. Depth of completed well 400 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include: Overburden (0-6), Lava rock (6-96), Balder cong (96-230), Brown Sandstone (230-381), Water bearing Black sand (381-400).

Work started 5-22 1969 Completed 6-2 1969 Date well drilling machine moved off of well 6-2 1969

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Forest H. Hall Date 6-2, 1969 (Drilling Machine Operator)

Drilling Machine Operator's License No. 558

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME H.H. Construction Co. (Person, firm or corporation) (Type or print)

Address P.O. Box 51 Redmond

[Signed] Forest H. Hall (Water Well Contractor)

Contractor's License No. 488 Date 6-2, 1969