WATER WELL REPORT
STATE OF OREGON 4624

JAN 16 1981

TER RESOURCES DEPT SALEM, OREGON

State Well No. 165-128-33
State Permit No. Alepened

(1) OWNER:	(10) LOCATION OF WELL:	
Name Avion Water Company	County Deschutes Driller's well number	
Address 60813 Parrell Road		R. 12E W.M.
City Bend StateOre. 97701	Tax Lot # Lot Blk	Subdivision
(2) TYPE OF WORK (check):	Address at well location: @ a pt. 700 E	& 100' S. of the
New Well □ Deepening ♥ Reconditioning □ Abandon □	NW corner	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	rell.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	ft.
	Static level 600 ft. below land surface. Date 1-9-81	
Air X Driven Domestic Industrial Municipal Rotary Mud Dug Irrigation Test Well Other	Artesian pressure lbs. pe	er square inch. Date
Cable 🕱 Bored 🗆 Thermal: Withdrawal 🗆 Reinjection 🗆	(12) WELL LOG: Diameter of well below	casing 8' 6"
(5) CASING INSTALLED: Steel Z Plastic		completed well 700 ft.
Threaded Welded Welded	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry	
" Diam. from	for each change of formation. Report each change in	position of Static Water Level
"Diam from	and indicate principal water-bearing strata.	
LINER INSTALLED:	MATERIAL	From To SWL
6	Brown Sandstone Conglomerate	551 596
(6) PERFORATIONS: Perforated? □ Yes X□ No	Lava	596 597
Type of perforator used	Brown Sandstone Water-Bearing	597 675
Size of perforations in. by in.	Lava	675 700
perforations from ft. to ft.		
perforations from ft. to ft.		
perforations from ft. to ft.		
(7) SCREENS: Well screen installed? Yes X No		
Manufacturer's Name		
Type		
Diam. Slot Size Set from ft. to ft.		
Diam. Slot Size Set from ft. to ft.		
WELL TESTS: Drawdown is amount water level is lowered below static level		
SCIOW Statute 10 VCI		
Was a pump test made? ☐ Yes XNo If yes, by whom?		
Yield: gal/min. with ft. drawdown after hrs.		
Aintent 11 12 12 12 12 12 12 12 12 12 12 12 12		
Air test gal./min. with drill stem at ft. hrs. r test 10 gal./min. with 0 ft. drawdown after 1 hrs.		
Artesian flow g.p.m.		
Temperature of water Depth artesian flow encountered ft.		
	Work started 12-2 19 80 Complete	
(9) CONSTRUCTION: Special standards, Yes \(\text{No} \) No \(\text{No} \) not disturbed	Date well drilling machine moved off of well 1-	9 19 81
Well seal—Material used Well sealed from land surface to ft.	Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed]	
Diameter of well bore to bottom of seal		
Diameter of well bore below sealin.		
Number of sacks of cement used in well seal	(Drilling Machine Operator)	•
How was cement grout placed?	Drilling Machine Operator's License No. 803	
	Water Well Contractor's Certification:	
, 450000 (comments)	This well was drilled under my jurisdiction and this report is true to	
Was pump installed? ft.	the best of my knowledge and belief.	
Was a drive shoe used?	Name .OrvailBucknerWell Drilling ,Inc	
Did any strata contain unusable water? Yes No	Address 1686 N.E. Neggs Way Redmond, Ore. 97756	
Type of Water? depth of strata	() 1/47	
Method of sealing strata off	[Signed] (Water Well Contract	
Was well gravel packed? ☐ Yes Y No Size of gravel:	Contractor's License No 608 Date 1:	-13 , 19.81
parameter At Otto		