

NOTICE TO WATER WELL CONTRACTOR: The original and first copy of this Report are to be filed with the

RECEIVED

WATER WELL REPORT

Revised (Two Drillers)

WATER RESOURCES DEPARTMENT SALEM, OREGON 97310

STATE OF OREGON (Please type or print)

State Well No. 1165/12E-33

within 30 days from date of well completion.

WATER RESOURCES DEPT SALEM, OREGON

(Do not write above this line)

DESC 4626

(1) OWNER:

Name Avion Water Company Address 60813 Parrell Road Bend, Oregon 97701

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon [] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Driven [X] Jetted [] Bored [] Dug []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [] Test Well [] Other [X]

(5) CASING INSTALLED:

8" Diam. from +2 ft. to 25 ft. Gage .250

(6) PERFORATIONS:

Type of perforator used Size of perforations in. by in. perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level Is a pump test made? [] Yes [X] No Yield: gal./min. with ft. drawdown after hrs.

(9) CONSTRUCTION:

Well seal—Material used Cement Well sealed from land surface to 25 ft. Diameter of well bore to bottom of seal 12 in. Diameter of well bore below seal 8 in. Number of sacks of cement used in well seal 16 sacks How was cement grout placed? Pressure Grouted

(10) LOCATION OF WELL:

County Deschutes Driller's well number 1/4 Section 33 T.16S R. 12E W.M. Bearing and distance from section or subdivision corner at a point 700 ft. East and 100 ft. South of the NW corner of Section 33, etc.

(11) WATER LEVEL: Completed well.

Depth at which water was first found 448 ft. Static level 427 ft. below land surface. Date 11-7-79 Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 8" Depth drilled 520 ft. Depth of completed well 467 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include Soil & Gravel, Lava Rock, Med., Lava, Hard, Red Cinders, Brown Sandstone Conglomerate, Fractured Lava, Lava, Med., Fractured Lava, Brown Conglomerate, Lava, Hard, Fractured Lava, Water-Bearing Red Cinders, Lava, Med., Brown Sandstone Conglomerate.

Work started 10-25 19 79 Completed 11-7 1979 Date well drilling machine moved off of well 11-7 1979

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] William D. Adams Date 11-15, 1979 (Drilling Machine Operator) Drilling Machine Operator's License No. 803

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Name Orvail Buckner Well Drilling, Inc. (Person, firm or corporation) (Type or print) Address 1686 N.E. Negus Way, Redmond, Ore. 97756 [Signed] Orvail Buckner (Water Well Contractor) Contractor's License No. 608 Date 11-7 1979