

NOTICE

WATER WELL CONTRACTOR original and duplicate of this report are to be filed with the

RECEIVED

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

State Well No. 175/128-23bc

State Permit No.

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date

of well completion

WATER RESOURCES DEPT. (Do not write above this line)

SALEM, OREGON

(1) OWNER:

Name U.S. Forest Service Bend Pine Address

(2) TYPE OF WORK (check):

New Well [] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

(5) CASING INSTALLED:

Threaded [] Welded []

" Diam. from ft. to ft. Gage " Diam. from ft. to ft. Gage " Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? [] Yes [] No.

Type of perforator used

Size of perforations in. by in. perforations from ft. to ft. perforations from ft. to ft. perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [] Yes [] No

Manufacturer's Name Model No. Type Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [] Yes [] No If yes, by whom? Id: gal./min. with ft. drawdown after hrs. Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used Well sealed from land surface to ft. Diameter of well bore to bottom of seal in. Diameter of well bore below seal in. Number of sacks of cement used in well seal sacks Number of sacks of bentonite used in well seal sacks Brand name of bentonite Number of pounds of bentonite per 100 gallons of water lbs./100 gals. Was a drive shoe used? [] Yes [] No Plugs Size: location ft. Did any strata contain unusable water? [] Yes [] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [] No Size of gravel: Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Driller's well number 1/4 1/4 Section T. R. W.M. Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft. Static level ft. below land surface. Date Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing

Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include: Broken Basalt (806-815), Basalt Grey hard (815-840), Basalt broken reddish (840-846), Basalt Grey Hrd (846-859), Broken (859-869), Hard (869-874), Broken (874-877), Hard (877-879), Broken porous (879-885), Hard (885-890), Porous Broken (890-897), Hard (897-898), Broken (898-901), Hard (901-908), Basalt Reddish soft (908-933), Basalt Grey Hard (933-938), Basalt Broken (938-944), Basalt Hard (944-958), Basalt Broken Reddish (958-963).

Work started 19 Completed 19 Date well drilling machine moved off of well 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Date 19 (Drilling Machine Operator)

Drilling Machine Operator's License No.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name (Person, firm or corporation) (Type or print)

Address

[Signed] (Water Well Contractor)

Contractor's License No. Date 19

