NOTICE TO WATER WELL CONTRACTOR DESC

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310

STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.

G-508/
ATER WELL REPORT 11 1967
State Well No. \_\_\_\_\_\_
STATE OF OREGON TE ENGINEER
(Please type or print). TE ENGINEER
State Permit No. \_\_\_\_

| (1) OWNER: Cimarrow City Water Co.   | (11) WELL TESTS: Drawdown is amount wat lowered below static level   | er level is                       |  |
|--|--|-----------------------------------|--|
| Name DE EVILTA 775E3W  | Was a pump test made? Yes A to If yes, by whom?  | E. are, Mills                     |  |
| Address Ren & Control 97701  | Yield: ZZ5 gal./min. with ft. drawdown   | after 24 hrs.                     |  |
| - Cacyon, -  | " " "  |                                   |  |
| (2) LOCATION OF WELL:  | " " "  |                                   |  |
| County Oa sales to Publicate well number   | Bailer test 3 0 gal./min. with 7 ft. drawdown  | after 🖇 hrs.                      |  |
| County feschules Driller's well number  14 14 Section 1/6 T. 17 S. R. 1.3 E. W.M.  | Artesian flow /// g.p.m. Date  |                                   |  |
| 1/4 1/4 Section / T. / S R. / S W.M.  Bearing and distance from section or subdivision corner  | Temperature of water 45 Was a chemical analysis made   | le? ☐ Yes ② No                    |  |
| Bearing and distance from Section of Subdivision corner  | (12) WELL LOG: Diameter of well below casing   | g 10                              |  |
|  | Depth drilled \$5.5 ft. Depth of completed well  | ر ج ج ft.                         |  |
| 100 to 10 |  | rd structure, and                 |  |
|  | Formation: Describe by color, character, size of material an<br>show thickness of aguifers and the kind and nature of the<br>stratum penetrated, with at least one entry for each char | material in each ge of formation. |  |
|  |  |                                   |  |
| (3) TYPE OF WORK (check):  | MATERIAL F   | ROM TO                            |  |
| Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐  | s and  | 0 7                               |  |
| Abandon in the conditioning in the Abandon in the A | to make of to store  | 7 2/5                             |  |
|  | Candle VII   | 75 511                            |  |
| (4) PROPOSED USE (check): (5) TYPE OF WELL:  | Sand Alone   | 20330                             |  |
| Domestic   Industrial   Municipal   Rotary   Driven  | 1) rope of land  | 3 1 4 8 m                         |  |
| Irrigation   Test Well   Other   Cable   Jetted   Dug   Bored  | Jordan Charles   | 75 5 5 C                          |  |
|  | Company of the second  |                                   |  |
| (6) CASING INSTALLED: Threaded   Welded  | Broken Lower 1 - Water 3   | 35 383                            |  |
|  |  |                                   |  |
| ft. to ft. Gage  |  |                                   |  |
|  |  | <del></del>                       |  |
| (7) PERFORATIONS: Perforated?  Yes Into  |  |                                   |  |
| Type of perforator used  |  |                                   |  |
| Size of perforations in. by in.  |  |                                   |  |
| perforations from ft. to ft.   |  |                                   |  |
| perforations from ft. to ft.   |  |                                   |  |
| perforations from ft. to ft.   |  |                                   |  |
| perforations from ft. to ft.   |  |                                   |  |
| perforations from ft. to ft.   |  |                                   |  |
| (0) GGDTTYG  |  |                                   |  |
|  |  |                                   |  |
| Manufacturer's Name  |  | · -                               |  |
|  |  |                                   |  |
| Diam, Slot size Set from ft. to ft.  | Work started June 10 1966. Completed Feb.  | 16 196                            |  |
|  | Date well drilling machine moved off of well   | Z 5 1967                          |  |
| (9) CONSTRUCTION:  | (13) PUMP:   |                                   |  |
| Well seal—Material used in seal Bartageile   | Manufacturer's Name  |                                   |  |
| Depth of seal 20 ft. Was a packer used? 77.6   | Туре: Н.Р.   |                                   |  |
| Diameter of well bore to bottom of sealin.   |  |                                   |  |
| Were any loose strata cemented off?  Yes  Depth Depth  | Water Well Contractor's Certification:   |                                   |  |
| Was a drive shoe used? ☐ Yes ☐ No  | This well was drilled under my jurisdiction and  | d this report is                  |  |
| Was well gravel packed? ☐ Yes ☐-No Size of gravel:   | true to the best of my knowledge and belief.   | _                                 |  |
| Gravel placed from ft. to ft.  | NAME TrandT DrillingCo.  |                                   |  |
| Did any strata contain unusable water?   Yes   No  | (Person, firm or corporation) (Type  | or print)                         |  |
| Type of water? depth of strata   | Address 675 CrosTview Park   | rew Helm                          |  |
| Method of sealing strata off   | Drilling Machine Operator's License No. 45   | 1                                 |  |
| (10) WATER LEVELS:   | 100 /  |                                   |  |
| Static level 555 ft. below land surface Date   | [Signed] (Water Well Contractor)   | <b>,</b>                          |  |
| Artesian pressure Artesian pressure inch Date  | Contractor License No 4/25 Date + 10 ni  | 11 117                            |  |