

NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

RECEIVED
WATER WELL REPORT
NOV 26 1973
STATE OF OREGON
STATE ENGINEER (Please type or print)
SALEM, OREGON

RECEIVED
DESC
525
AUG 23 1973
State Well No. 18S/12E-17
State Permit No.

STATE ENGINEER, SALEM, OREGON
within 30 days from the date
of well completion.

STATE OF OREGON
STATE ENGINEER (Please type or print)
SALEM, OREGON

STATE ENGINEER
SALEM, OREGON

State Well No. 18S/12E-17
State Permit No.

(1) OWNER:

Name The Bend Golf Club
Address Parrell Rd. Bend, Oregon 97701

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Cable Dug
Driven Jetted Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
10" Diam. from 0 ft. to 27 ft. Gage 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? Yes No.

Type of perforator used

Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
" " " "
" " " "
Bailer test 25 gal./min. with 0 ft. drawdown after 2 hrs.
Artesian flow g.p.m.
Temperature of water 51 Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used Cement Slurry
Well sealed from land surface to 27 ft.
Diameter of well bore to bottom of seal 12 in.
Diameter of well bore below seal 10 in.
Number of sacks of cement used in well seal 24 sacks
Number of sacks of bentonite used in well seal sacks
Brand name of bentonite
Number of pounds of bentonite per 100 gallons of water lbs./100 gals.
Was a drive shoe used? Yes No Flugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Deschutes Driller's well number
1/4 1/4 Section 17 T.18S R. 12E W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well

Depth at which water was first found 360 ft.
Static level 341 ft. below land surface. Date 7/22/73
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 10

Depth drilled 377 ft. Depth of completed well 377 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top Soil	0	5	
Lava & boulders	5	15	
Grey lava	15	60	
Broken grey lava	60	180	
Red cinders	180	195	
Broken grey lava	195	302	
Grey lava	302	320	
Broken grey lava, cinders	320	335	
Grey lava	335	360	341
Red cinders, sediments	360	377	

Work started Jan 16 1973 Completed July 23 1973

Date well drilling machine moved off of well July 24 1973

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] William D. [Signature] Date 8-21, 1973
(Drilling Machine Operator)

Drilling Machine Operator's License No. 400

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Read's Well Drilling
(Person, firm or corporation) (Type or print)

Address Rt. 2 Box 1573-A Bend, Oregon

[Signed] Slaf Reed
(Water Well Contractor)

Contractor's License No. 443 Date 8-21-73, 1973