NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

## RECEINATED VELL REPORTS SEP 14 1978 TATE OF OREGON

STATE ENGINEER, SALEM, OREGON 47310 TE ENCINCED at type or print)
within 30 days from the date of Well completion.

SALEM OF (Do not write above this line)

State Well No. 185/11E-13 bb

(1) OWNER:	(10) LOCATION OF WELL:	
Name August Evert	County Deschutes Driller's well number	
Address Entrada Lodge	NW 14 NW 14 Section 13 T. 18S R. 11E W.M.	
Bend Ore 97701	Bearing and distance from section or subdivision corner 250	
(2) TYPE OF WORK (check):	north and 400' east of S.W.corner of section	
New Well █ Deepening □ Reconditioning □ Abandon □	13	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 344 ft.	
Rotary Driven Domestic Industrial Municipal Domestic Industrial Municipal Domestic Industrial Domestic Industrial Domestic Industrial Industria	Static level 340 ft. below land surface. Date 8/27/72	
Cable	Artesian pressure lbs. per square inch. Date	
8 " Diam. from 0 ft. to 20 ft. Gage 250 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. to 563 ft. Gage 156 m Diam. from ft. Gage 156 m Diam. from ft. Gage 156 m Diam. from ft. Gage 156 m Diam. ft. Gage 1	(12) WELL LOG: Diameter of well below casing	
Perforated? W Yes No.	position of Static Water Level and indicate principal water-bearing strata.  MATERIAL From To SWL	
Type of perforator used totch=		0 2
Size of perforations 4 in. by 6 in.	DIOWII COMICY COLL	2 23
42 perforations from 343 ft. to 365 ft.	DIOWII OCCURS - DOMESTIC	23 108
perforations fromft. toft.		108 141
perforations from ft. to ft.		141 162
(7) SCREENS: Well screen installed?   Yes  No		162 191
Manufacturer's Name		191 204
Type Model No.		204 273
Diam Slot size Set from ft. to ft.		273 284
Diam. Slot size Set from ft. to ft.		284 317
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	2	317   344   344   365   340
Was a pump test made?   Yes XNo If yes, by whom?		
Yield: gal./min. with ft. drawdown after hrs.		
" " "		
" " " " "		
Bailer test 8 gal./min. with 0 ft. drawdown after 1 hrs.		
Artesian flow g.p.m.		
emperature of water 52 Depth artesian flow encountered ft.	Work started 7 /12 1972 Completed 8 /27 1972	
(9) CONSTRUCTION:	Date well drilling machine moved off of well 8/28 1972	
Well seal—Material usedCement_&_drilling_cuttings	This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.  [Signed] Date 9/5	
Was well gravel packed?   Yes   Yo Size of gravel:	(Water Well Contractor)	
Gravel placed from ft. to ft.	Contractor's License No. 451 Date 9/	5 , 19 72