DESC

JUN 1 2 2000

STATE OF OREGON

WATER SUPPLY WELL REPORT

(as required by ORS 537.765)

WATER RESOURCES DEPT.

WELLI.D. #L40877 START CARD #W130956

Instructions for c	completing this re	eport are on the last	page of this form. SA	LEM, OHEGON	JIAKI CARD#				
(1) OWNER: Well Number				(9) LOCATION OF V	WELL by legal des	crintion:			
Name GORDON WANEK				(9) LOCATION OF WELL by legal description: County DESCHUTE Statististe Longitude					
Address P.O. BOX 1098				Township 21 N or S Range 10 E or W. WM.					
City LA PINE State OR. Zip 97739								. W M.	
(2) TYPE OF WORK									
New Well Deepening Alteration (repair/recondition) Abandonment				Tax Lot 200 Lot Block Subdivision Street Address of Well (or property address) 17071 BOST AND BD					
(3) DRILL METHOD:				Street Address of Well (or nearest address) 17071 ROSLAND RD.					
				LA PINE, OR. 97739 (10) STATIC WATER LEVEL:					
Rotary Air Rotary Mud Cable Auger Other				l ` ` · .					
(4) PROPOSED USE:				$\frac{12}{12}$ ft. below land surface. Date $\frac{5-11-00}{12}$					
/		31-4	u.e. ye	Artesian pressure lb. per square inch lt. pate lb. per square inch lb.					
= -	Community [rrigation	(II) WAIER BEARL	NG ZUNES:				
(5) BORE HOLE			Other			_			
Special Construction	CONSTRUC.	TION:	1 . 1337 11	Depth at which water was	first found/	<u> </u>			
Special Construction	approvai [] ies	No Depth of Con	mpleted Well 35 ft.	From To Estimated Flow Rate SWI					
HOLE	Explosives used Yes No Type Amount				To		Flow Rate	SWL	
	n	SEAL		/2	35	12 98	<u> </u>	12	
1 1	To Materia 8 Hokel	,	Sacks or pounds	 	<u> </u>				
	35	4) 0 10	350 LBS					+	
<u> </u>	1					 		+	
		 				<u> </u>			
How was seel placed	l. Mathad		36 Ca Ca	(12) WELL LOG:					
How was seal placed			BC □D □E	Ground	Elevation				
Other		<u> </u>			-				
Backfill placed from ft. to ft. Material				Material		From	To	SWL	
Gravel placed from ft. to ft. Size of gravel (6) CASING/LINER:				fumico Soil		-,0	4	12	
				sind cla	/	<u> </u>	12		
Diameter i			Welded Threaded	Coalse	Sand	12	35		
Casing: Lo	+ \ 30 /			· · · · · · · · · · · · · · · · · · ·					
									
=	 								
Liner: 5	15 35 1	160 0		ļ					
Final location of sho									
(7) PERFORATION									
Perforations	Method	SAW cut							
Screens Type 160 Material (7-4) f									
From 10	size Number	Diameter size	Casing Liner	 					
15 35	020 1340	5							
			_						
			_						
			_ 🖳 🖳		· · · · · · · · · · · · · · · · · · ·				
	l		_ 0 0						
(0) WELL THE	2 34: :								
(8) WELL TESTS: Minimum testing time is 1 hour				Date started 5. 11 - C		•	11-00		
Flowing				(unbonded) Water Well					
Pump Bailer Air Artesian				I certify that the work l					
Yield gal/min	Drawdown	Drill stem at	Time	of this well is in complian Materials used and inform	ation reported above a	re true to the be	struction star est of my kno	wledge	
	_ 7		72 MR + Har.	and belief.	•		,	. 0	
				WWC Number					
				SignedDate					
Temperature of water		Depth Artesian Flow I	(bonded) Water Well Constructor Certification:						
Was a water analysis	_	es By whom		I accept responsibility	or the construction, a	teration, or abar	ndonment wo	rk	
Did any strata contain			Too little	performed during this time	performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well				
Salty Muddy	Odor 0	Colored Other	construction standards T	his report is true to the	best of mykno	wledge and b	ælief.		
Depth of strata:	- +			1/-		WWC Num	nber 155	-9	
				Signad -			D		