55228 DESC

STATE OF OREGON **Water Supply Well Report** (as required by ORS 537.765)

DESC

Received Date: 04-17-2003

Well ID Tag # L **64220**

Start Card # 1/10/133

| Instructions for completing this report are on the last page of this form. | Start Gard # 149 133 |
|--|---|
| (1) Owner Well Number: | (9) Location of Hole by legal description |
| Name: ARRON BOER | County: DESC Latitude: Longitude: |
| Stroot: Tagge LOWED DDIDGE | Township: 14.00 S Range: 12.00 E |
| Street: 70395 LOWER BRIDGE City: TERREBONNE State: OR Zip Code: 97760 | Section: 21 SWSW Lot: Block: |
| (2) Type of Work | Tax Lot: 2600 Subdivision: |
| New Alter (Recondition) Alter (Repair) | Street Address of Well (or nearest address): BUCKHORN RD TERREBONNE |
| X Deepening Abandonment | MAP, with location identified, must be attached. |
| (3) Drill Method | |
| Rotary Air Rotary Mud X Cable Auger Other: | (10) Static Water LevelFeet below land surface:115.0Date: 02 / 28 / 2003Artesian Pressure:Date: |
| (4) Proposed Use | (11) Water Bearing Zones |
| Domestic Community Industrial X Irrigation Injection | Depth at which water was first found: 165.00 ft. |
| Livestock Thermal Other: | From To est Flow swl |
| (5) Bore Hole Construction | <u> </u> |
| Special Standards: Depth of completed well: 203.00 ft. | |
| | (12) Well Log Ground Elevation: |
| Explosives Used: Amount: Type: Hole Seal | Material From To swl |
| Diameter From To Mtrl From To Sacks/lbs | SAND 165.00 175.00 |
| 16.00 165.00 203.00 | LAVA RED 175.00 189.00 |
| | LAVA GRAY 189.00 203.00 115 |
| | ORIGINAL LOG DESC285 0.00 0.00 |
| | |
| How was seal placed? Other: DID NOT DISTURB | |
| Back fill placed from: Material: Filter pack from: Size: | |
| (6) Casing / Liner | 7 |
| Csng/ Shoe Shoe | e |
| Liner Diameter From To Gauge Mtrl Weld Thrd at use | <u>d</u> |
| | |
| | |
| | |
| (7) Perforation / Screens | _ |
| Perforations: Csng/ | |
| Mtrl From To Width Height #Slots Dia. t/pSize Lnr Method | _ |
| | |
| Screens: Mtrl From To S Size #Slots Dia. t/pSize Type Gauge | |
| The state of the s | |
| (8) Well Tests (Minimum testing time is one hour) | 7 |
| <u></u> | Date Started: 02 / 18 / 2003 Date Completed: 02 / 28 / 2003 |
| Type Yield Units Drawdown Stem at Duration B 50.00 G 0.00 1.00 | (unbonded) Water Well Constructor Certification: |
| | I certify that the work I perform on the construction, alteration, or abandonment |
| | of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to the best knowledge and belief. |
| Temperature of Water: 53 F | Signed by: THOMAS R PECK WWC #:758 |
| Was water analysis done? Depth of artesian flow: | (bonded) Water Well Constructor Certification: |
| by whom? | I accept responsibilty for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work |
| Did any strata contain water unsuitable for use? Too Little Salty | performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief. |
| Muddy Odor Colored other: | Signed by: JACK ABBAS WWC #: 1720 |
| Depth of strata: | 1 of 1 ABBAS WELL DRILLING CO Phone: 541-548-2787 |