NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

WATER WELL REPORT

STATE OF OREGON

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

(Please type or print)
(Bo not write above this line)

STATE ENGINEER
SALEM State Permit No.
G-4087

(1) OWNER:	(11) LOCATION OF WELL:			,
Name PAUL C. RAMSAK	County DES C- Driller's well number			
Address BOX 138 A BEAR TR. RD.		8 R.	12-	(W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision	on corner		
New Well Deepening □ Reconditioning □ Abandon □	· · · · · · · · · · · · · · · · · · ·			
If abandonment, describe material and procedure in Item 12.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):			To	307701
Rotary Cl Driven Cl	(12) WELL LOG: Diameter of well	below car	sing	20/0/
Cable M Jetted Domestic M Industrial Municipal Dug Bored Irrigation Test Well Other	Depth drilled 636 ft. Depth of comp	leted wel	1 63	ft.
	Formation: Describe color, texture, grain size			
CASING INSTALLED: Threaded Welded	and show thickness and nature of each strat with at least one entry for each change of for			
Diam. from 5 ft. to 23 ft. Gage 250	in position of Static Water Level as drilling pr	oceeds. I	Note drilli	ng rates.
6 "Diam from O ft to 636 ft. Gage OC	MATERIAL	From	То	SWL
ft. Gage	OVER BURDEN	0	2	
PERFORATIONS: Perforated? Yes 🗆 No.	SOFT LAVA	12	105	
Type of perforator used	CONG	105	290	
Size of perforations # in. by 3 in.	HARD LAVA	290	296	
150 perforations from 612 ft. to 636 ft.	CONG	296	360	·
perforations fromft. toft.	BROWN SHNDSTONE	360	405	-
perforations fromft. toft.	BROKEN LAVA	105	680	 -
perforations fromft. toft.	SANDSTONE	610	625	
perforations from	BROWN CLAY	625	636	
(E) ((C) TITLE (C)	BRUKA Chay	227		
(7) SCREENS: Well screen installed? Yes D No				
Manufacturer's Name		1.		
Type Model No				
Diam. Slot size Set from ft. to ft.				
Diam. Slot size Set from ft. to ft.		· ·		
(8) WATER LEVEL: Completed well.	***************************************			
Static level 6/4 ft. below land surface Date 3-25-6				
ian pressure Ibs. per square inch Date		 		
(9) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made? Yes No If yes, by whom?				
	Work started 2 - 2 3 19 (Complete	ted 3	-28	1968
teld: gal./min. with ft. drawdown after hrs.	Date well drilling machine moved off of well	3 -	26	19 68
т и и и	Drilling Machine Operator's Certification			7 77
	This well was constructed under my o		pervision.	Mate-
Bailer test / O gal./min. with NOft. drawdown after / hrs.	rials used and information reported about knowledge and belief.	ve are	true to r	ny best
Artesian flow g.p.m. Date	000005	- 1	2-9/	19 68
Temperature of water 54 Was a chemical analysis made? Yes X No	[Signed] (Drilling Machine Operator)	. Date	26	, 19.60
(10) CONSTRUCTION:	Drilling Machine Operator's License No.	468	\$	
Well seal—Material used <u>CEMENT</u>	- Political Control of the Control o			
Depth of sealtt.	Water Well Contractor's Certification:			
Diameter of well bore to bottom of seal	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			
Were any loose strata cemented off? Yes No Depth	NAME JACITSON DULLING SERV			
Was a drive shoe used? Yes No	(Person, firm or corporation)	(Ty	e or print)	l
Did any strata contain unusable water? Yes No	Address REDMOND	01	<u>ک</u> ر ک	٠
Type of water? depth of strata				
Method of sealing strata off	[Signed] Lon /ochson		***********	***********
Was well gravel packed? Yes No Size of gravel:	(Water Well Control		2/	172
Cravel placed from ft to ft.	Contractor's License No. 442 Date	ノー・	26	19 68