

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date of well completion.

RECEIVED WATER WELL REPORT
 RECEIVED
 RECEIVED
 RECEIVED

DE 50 5747

Well No. 19/11-31cad

JUL 5 1968

DATE OF ORIGIN (Please type or print)

AUG 13 1968

State Permit No. G 5882

STATE ENGINEER SALEM OREGON

STATE ENGINEER G 5882

(1) OWNER:

Name Sunriver Properties Inc.
Address 220 Oregon Bend, Oregon

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

5" Threaded Welded
Diam. from 0 ft. to 54 ft. Gage 250
Diam. from ft. to ft. Gage
Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? Yes No
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Water level 2 1/2 ft. below land surface Date 6/29/68
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Id: gal./min. with ft. drawdown after hrs.
Bailer test 40 gal./min. with 15 ft. drawdown after 1 1/2 hrs.
Artesian flow g.p.m. Date
Temperature of water 48 Was a chemical analysis made? Yes No

(10) CONSTRUCTION:

Well seal—Material used Bentonite Per 71-008
Depth of seal 53 1/2 ft.
Diameter of well bore to bottom of seal 6" in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off casing
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Deshutes Driller's well number
1/4 Section 31 T. 19S R. 11E W.M.
Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 6"
Depth drilled 70 ft. Depth of completed well 70 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
Sand, fine	0	3	
Pumice, white	3	7	
Sand, gravel, water	7	17	15'
Sand, fine, pumice white	17	22	
Clay, yellow	22	50	
gravel, fine	50	56	
Sand course, water	56	70	2'

Work started 6/28 1968 Completed 6/29/ 1968
Date well drilling machine moved off of well 6/29 1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] William J. Davis Date , 19
(Drilling Machine Operator)

Drilling Machine Operator's License No. 400

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME Reeds Drilling (Person, firm or corporation) (Type or print)
Address 1142 Oakston Bend,
[Signed] Lloyd Reeds (Water Well Contractor)
Contractor's License No. 443 Date 6/29/68, 19