STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

DESC 60615

6/2/2016

WELL I.D. LABEL# L
START CARD # 1
ORIGINAL LOG # 1

			1 450	-	OI	_
L	121600					
	1030640					
	DESCHUTES	2160				

1) LAND OWNER Owner Well I.D.				
First Name GEORGE Last Name SPENCER	(9) LOCATION OF WELL (legal description)			
Company	County DESCHUTES Twp 14.00 S N/S Range 12.00 E E/S	www		
Address 5506 NW 83RD	Sec 26 NE 1/4 of the SW 1/4 Tax Lot 1920	** ** 141		
City REDMOND State OR Zip 97756				
2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot Lat	or DD		
Alteration (complete 2a & 10) Abandonment(complete 5a)				
2a) PRE-ALTERATION	Long ' ' or121.26188889 DMS or DD Street address of well Nearest address			
Dia + From To Gauge Stl Plstc Wld Thrd Casing:	Street address of well Nearest address			
Material From To Amt sacks/lbs	3300 NW 83RD, REDIVIOND, OR 97/30			
Seal:				
3) DRILL METHOD	(10) STATIC WATER LEVEL			
Rotary Air Rotary Mud Cable Auger Cable Mud	Date $SWL(psi) + SWL(ft)$			
Reverse Rotary Other	Existing Well / Pre-Alteration 6/1/2016 151			
	Completed Well 6/1/2016 151			
1) PROPOSED USE	Flowing Artesian? Dry Hole?			
Industrial/ Commercial Livestock Dewatering	WATER BEARING ZONES Depth water was first found 225.00			
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL((ft)		
5) BORE HOLE CONSTRUCTION Special Standard (Attach copy				
	0 6/1/2016 225 290 40 151	1		
Depth of Completed Well 290.00 ft.		_		
BORE HOLE SEAL sacks/ Dia From To Material From To Amt lbs				
6 0 290				
Calculated	1			
	1			
Calculated	(11) WELL LOG Ground Elevation 2734.00			
How was seal placed: Method A B C D E	Material From To	•		
X Other DID NOT DISTURB	NONE 0 225			
Backfill placed from ft. to ft. Material	BASALT CONGLOMERATE 225 280			
Filter pack from ft. to ft. Material Size	BASALT BROKEN 280 290			
5a) ABANDONMENT USING UNHYDRATED BENTONITE		_		
Proposed Amount Actual Amount				
(i) CASING/LINER		_		
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd		_		
		_		
Shoe Inside Outside Other Location of shoe(s)				
Temp casing Yes From To				
) PERFORATIONS/SCREENS				
Perforations Method				
Screens Type Material	Date Started6/1/2016			
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/				
Screen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification			
	I certify that the work I performed on the construction, deepening, alterati			
	abandonment of this well is in compliance with Oregon water supply			
	construction standards. Materials used and information reported above are the best of my knowledge and belief.	true to		
	License Number 758 Date 6/2/2016			
3) WELL TESTS: Minimum testing time is 1 hour	Signed THOMAS R PECK (E-filed)			
Pump Bailer • Air Flowing Artesian	Signed THOMAS R PECK (E-filed)			
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification			
40 290 1	I accept responsibility for the construction, deepening, alteration, or aband	lonmer		
	work performed on this well during the construction dates reported above. A			
	performed during this time is in compliance with Oregon water supp	oly we		
Temperature 55 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and b	belief.		
	License Number 1720 Date 6/2/2016			
Water quality concerns? Yes (describe below) TDS amount 178 ppm From To Description Amount Units	0/2/2010	—		
	Signed JACK ABBAS (E-filed)			
	Contact Info (optional)			

DESC 60615

6/2/2016

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL

Latitude: 44.32441667 Datum: WGS84

Longitude: -121.26188889

Township/Range/Section/Quarter-Quarter Section:

WM 14S 12E 26 NESW

Address of Well:

5506 NW 83RD, REDMOND, OR 97756

Well Label: 121600

Printed: June 2, 2016

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

