NOTICE TO WATER WELL CONTRACTOR The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON

(Please type or pant ATE ENGINE

(Do not write above this shall FM OREGON

	¥2 \$			_					244	-	
tnis e	me)	1	-					* G.A.	Fager :	DI.m.	1
•	3M	L.	r 1	A	\sim		_	- 220	te.	Permi	L,
-			min E A	4.	, ┪	T	C. (·	-()	N		
\sim		_	Ζ.	.()	· -	~ ~'	_		· v		
	11	-,	~ /								

(1) OWNER:	(11) LOCATION OF WELL:		
Name Sunriver Properties	County Driller's well nu		
Address Bend, Oregon	SW 1/2 SE 1/2 Section 6 T 20S	R.11E	W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivisio	n corner	
New Well E Deepening	- X		- 4
		1	211
Rotary □ Driven □	(12) WELL LOG: Diameter of well 1	oelow casing	2
Cable Jetted Domestic Industrial Municipal	Depth drilled 283 ft. Depth of compl	leted well 283	ft.
Dug Bored Irrigation I Test Well Other	Formation: Describe color, texture, grain size	and structure of	materials;
CASING INSTALLED: Threaded Welded	and show thickness and nature of each stratu with at least one entry for each change of form		
12 " Diam, from 0 ft. to 75½ ft. Gage • 250	in position of Static Water Level as drilling pro		
ft. toft. Gage	MATERIAL	From To	SWL
" Diam. from ft. to ft. Gage	Sand	0 1	
PERFORATIONS: Perforated? Tyes No.	Sand & gravel	1 5	
Toroh	Clay, Sravel	5 11	7
Ct	Clay, blue	11 25	
99 75	Gravel & clay	25 28	
	Broken lava	28 33	
perforations from ft. to ft.	l	33 42	
perforations fromft. toft.	Lava, red, fractured	42 51	
perforations from ft. to ft.	Lava, black, dense	51 53	+
	Lava, grey, fractured Gravel, med. sand	53 55	
(7) SCREENS: Well screen installed? ☐ Yes □X No	Lava, broken, grey	55 57 57 62	
Manufacturer's Name	Clay, sediments	62 70	
Type Model No.	Lava, grey, porus, clay	70 78	-
Diam. Slot size Set from ft. to ft.	Clay, blue & grey, sediment	78 81	
Diam. Slot size Set from ft. to ft.	Clay, brown, sediments	81 92	
(8) WATER LEVEL: Completed well.	Lava, grey	92 100	
State level 7 ft. below land surface Date 10/1/69	Lava, clay	100 104	<u> </u>
Artesian pressure lbs. per square inch Date	Lava, porus, clay	104 110	
(9) WELL TESTS: Drawdown is amount water level is	Lava, brown, porus	110 117	
lowered below static level	Lava, brown	117 125	 -
Was a pump test made? ☐ Yes 🖟 No If yes, by whom?	Continued——next page— Work started 7/26 1969 Complet	10/1	1969
t: gal./min. with ft. drawdown after hrs.			10 60
п — и и	Date well drilling machine moved off of well	X XXXXX 10/	1 19 69
" " " " "	Drilling Machine Operator's Certification:		
Bailer test 42 gal./min. with 0 ft. drawdown after 1 hrs.	This well was constructed under my di rials used and information reported above	irect supervision ve are true to	ւ Mate-
Artesian flow g.p.m. Date	knowledge and belief.	, , , , , , , , , , , , , , , , , , , ,	/ 0
Temperature of water 49 Was a chemical analysis made? Yes No	[Signed] loy till	Date 10-10-	- 694
(10) CONSERDICATION.	(Drilling Machine Operator)		
(10) CONSTRUCTION: Well seal—Material used Cement grout	Drilling Machine Operator's License No	130	***********
3/1	Woton Well Control of Control		
Depth of seal	Water Well Contractor's Certification: This well was drilled under my jurisdi	iction and this	roport is
Were any loose strata cemented off? Yes X No Depth	true to the hest of my knowledge and belie		eport is
Was a drive shoe used? A Yes No	NAME Reeds Drill	1719	·····
Did any strata contain unusable water? Yes No	(Person, firm or corporation)	(Eype or print)
Type of water? depth of strata	Address 142 CalVeSTO	17	
Method of sealing strata off	Land Don	V	
Was well gravel packed? No Size of gravel: 3/4	[Signed] (Water Well Contract	etor)	10
34 75	Contractor's License No. 443 Date	10-6-	-606
		······································	<u>, w/</u>
(USE ADDITIONAL SE	IEETS IF NECESSARY)		

NOTICE TO WATER WELL CONTRACTOR The original and first copy

of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORTS E VE D
STATE OF OREGON OCT 9 1969 State Well No. 20/11-6-dc
(Please type or print) ACTE ENGINEER
(Do not write above Did inte) TE ENGINEER

SALEM. PREGON Permit No.

(1) OWNER:	(11) LOCATION OF WELL:	
Name	County Driller's well	l number
Address	¼ ¼ Section T.	R. W.M.
	Bearing and distance from section or subdiv	ision corner
(2) TYPE OF WORK (check):		
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐		
If abandonment, describe material and procedure in Item 12.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of we	
Rotary Driven Domestic Industrial Municipal	, ,	ell below casing
Dug	Depth drilled ft. Depth of con	
CASING INSTALLED: Threaded Welded the Gage the Ga	Formation: Describe color, texture, grain si and show thickness and nature of each str with at least one entry for each change of fe in position of Static Water Level as drilling	atum and aquifer penetrated, ormation. Report each change
"Diam fromft. toft. Gage	MATERIAL	From To SWL
ft. toft. Gage	Lava, brown, porus	125 133
	Lava, clay	133 138
PERFORATIONS: Perforated? Yes No.	Clay, brown	138 141
Type of perforator used	Lava, fractured	141 143
Size of perforations in. by in.	Lava, grey, dense	143 148
perforations fromft. toft.	Lava, red	148 150
perforations from ft. to ft.	Lava, red, fractured	150 152
perforations from ft. to ft.	Lava, red porus	152 159
perforations from ft. to ft.	Lava, grey dense	159 163
perforations fromft. toft.	Clay brown	163 167
(7) SCREENS: Well screen installed? The Pro-	Lava, grey	167 172
boront instance. [1cs [170	Lava, grey porus	172 175
Manufacturer's Name	Lava, grey	175 182
Type Model No.	Lava, porus, clay	182 184
Diam. Slot size Set from ft. to ft.	Lava, grey & black, clay	184 190
Diam. Slot size Set from ft. to ft.	Clay, grey	190 191
(8) WATER LEVEL: Completed well.	Lava, grey frac.	191 202
Static level ft. below land surface Date	Lava, grey	202 215
Artesian pressure lbs. per square inch Date	Lava, grey porus	215 220
	Clay, light brn.	220 221
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	Lava, brn, porus	221 225
Was a pump test made? Yes No If yes, by whom?	Contnext page	
gal./min. with ft., drawdown after hrs.	Work started 19 Comp	pleted 19
" " " " " " " " " " " " " " " " " " " "	Date well drilling machine moved off of well	19
" " " "	Drilling Machine Operator's Certificatio	n:
Bailer test gal./min. with ft. drawdown after hrs.	This well was constructed under my	direct supervision. Mate-
And a	rials used and information reported a knowledge and belief.	bove are true to my best
	in the same of the	
Temperature of water Was a chemical analysis made? Yes No	[Signed] (Drilling Machine Operator)	Date, 19
(10) CONSTRUCTION:	Duilling Machine Out of Y from N	
Well seal—Material used	Drilling Machine Operator's License No)
Depth of seal ft.	Water Well Contractor's Certification:	
Diameter of well bore to bottom of seal in.	This well was drilled under my juri	sdiction and this report is
Were any loose strata cemented off? Yes No Depth	true to the best of my knowledge and b	
Was a drive shoe used? Yes No	NAME (Person, firm or corporation)	(Type or print)
Did any strata contain unusable water? Yes No		
Type of water? depth_of_strata	Address	
Method of sealing strata off	FG1 17	
Was well gravel packed? ☐ Yes ☐ NoSize of gravel:	[Signed] (Water Well Con	tractor)
Gravel placed fromft. toft.	(Water Well Con	
The state of the s	Contractor's License No Date	, 19

NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

世 5

WATER WELL REPORT E I VE D STATE OF OREGON OT 9 1969 State Well No. 20/11-6d0

(Please type openin) TE ENGINEER Permit No.

(1) OWNER:	(11) LOCATION OF WELL:					
Name	County Driller's well number					
Address	1/4 1/4 Section T.	R.	*	W.M.		
	Bearing and distance from section or subdivis	ion corner				
(2) TYPE OF WORK (check):						
New Well Deepening Reconditioning Abandon	N 40 10 10 10 10 10 10 10 10 10 10 10 10 10			· ·		
If abandonment, describe material and procedure in Item 12.						
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well	l below cas	sing	,		
Rotary Driven Domestic Industrial Municipal	Depth drilled ft. Depth of completed well ft. Formation: Describe color, texture, grain size and structure of materials;					
Dug						
CASING INSTALLED: Threaded Welded	and show thickness and nature of each stra with at least one entry for each change of for	tum and a	quifer pe	netrated,		
" Diam. from ft. to ft, Gage	in position of Static Water Level as drilling r	roceeds. 1	Note drilli	ng rates.		
	MATERIAL	From	То	swL		
ft. Gageft.	Lava, grey	225	229			
PERFORATIONS: Perforated? Yes No.	Lava, grey dense	229	232			
	Lava, grey, porus	232	235			
Type of perforator used	Olay & Sediments	235	243			
Size of perforations in. by in.	Lava, grey	243	245			
perforations from ft. to ft.	Olay, sediments	245	265	ļ		
ft. to ft.	Clay & pumice	265	270			
perforations from	Gravel, pumice, sand	270	283			
perforations fromft. toft.						
perforations fromft, toft.			 -	ļ		
(7) SCREENS: Well screen installed? ☐ Yes ☐ No			ļ			
Manufacturer's Name	to the second se		 	,÷		
Type Model No				· ·		
Diam. Slot size Set from ft. to ft.				-		
Diam. Slot size Set from ft. to ft. to ft.						
(8) WATER LEVEL: Completed well.						
Stetic level ft. below land surface Date			-			
A esian pressure lbs. per square inch Date			-	<u> </u>		
(0) WELL TECTS. Drawdown is amount water level is			 			
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	-1		 			
Was a pump test made? ☐ Yes ☐ No If yes, by whom?	Work started 19 Comp	leted		19		
yield: gal./min. with ft. drawdown after hrs.	Date well drilling machine moved off of well	icica		19		
" " "	Date wen drining machine moved on or wen					
n 11 11 11 11	Drilling Machine Operator's Certification			Mata		
Bailer test gal./min. with ft. drawdown after hrs.	This well was constructed under my rials used and information reported at	ove are	true to	my bes		
Artesian flow g.p.m. Date	knowledge and belief.					
Temperature of water Was a chemical analysis made? Yes No	[Signed](Drilling Machine Operator)	Date		, 19		
(10) CONSTRUCTION:						
Well seal—Material used	Drilling Machine Operator's License No					
Depth of sealft.	Water Well Contractor's Certification:		-			
Diameter of well bore to bottom of sealin.	This well was drilled under my juri		nd this	report i		
Were any loose strata cemented off? Yes No Depth	true to the best of my knowledge and be	elief.				
Was a drive shoe used? Yes No	NAME	('Ty	pe or print)		
Did any strata contain unusable water? Yes No			-			
Type of water? depth of strata	Address					
Method of sealing strata off	,			*,		
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	[Signed] (Water Well Con	tractor)	~~~~~~~	************		
<u> </u>	Contractor's License No Date			. 19		
Gravel placed fromft, toft.	1 Commencial procupe stor minimizer pare			,		