STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

DESC 62194

WELL I.D. LABEL# L 137706

START CARD # 1047296

ORIGINAL LOG #

Page 1 of 2

(as required by ORS 537.765 & OAR 690-205-0210)	8/23/2020	ORIGINAL LOG#	:	
(1) LAND OWNER Owner Well I.D.				
First Name Last Name	_ (9) LOC	ATION OF WELL (legal	description)	
Company PONDEROSA PINES WATER COMPANY		ESCHUTES Twp 22.00 S	_	E E/W WM
Address 53275 PONDEROSA WAY City LA PINE State OR Zip 97739		SE 1/4 of the NW		
(2) TYPE OF WORK New Well Deepening Conversi	Tax Map N	umber	Lot	
Alteration (complete 2a & 10) Abandonment(comp	lete 5a) Lat	umber " or 43.6829866	53	DMS or DD
(2a) PRE-ALTERATION	Long	° " or121.57863	3749	DMS or DD
Dia + From To Gauge Stl Plstc Wld Thrd		Street address of well N		
Casing:	51840 BL	ACK PINE WAY, LA PINE, OR 9	7739	
Material From To Amt sacks/lbs Seal:				
(3) DRILL METHOD	$$ $ _{(10)}$ STA	ATIC WATER LEVEL		
Rotary Air Rotary Mud Cable Auger Cable Mud	l` ´	Dat	te SWL(psi) +	SWL(ft)
Reverse Rotary Other		g Well / Pre-Alteration		
	Compi	eted Well 6/8/2020 Flowing Artesian?		86
(4) PROPOSED USE Domestic Irrigation X Community		_	_	225.00
Industrial/ Commericial Livestock Dewatering Thermal Injection Other			vater was first found	
	SWL Da	te From To Es	st Flow SWL(psi)	+ SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Atta	(ch copy) 5/17/202	0 235 262	100	50
Depth of Completed Well 410.00 ft.	5/28/202	0 378 410	1500	86
BORE HOLE SEAL Dia From To Material From To Amt	sacks/ lbs			
15 0 372 Cement 0 372 220				
10 372 410 Calculated 198.4	1			
Calculated	(11) WEI	LLOG		
	」	Glound Elevan		
How was seal placed: Method A B C D E	Top Soil &	Material	From 0	To 9
Backfill placed from ft. to ft. Material	Coarse San		9	17
Filter pack from ft. to ft. Material Size	Brown San		17	48
Explosives used: Yes Type Amount		d & Cinders	48	61
		n Soft Clay	61	90
(5a) ABANDONMENT USING UNHYDRATED BENTONITE Proposed Amount Actual Amount	Yellow Cla Brown Cla	-	90	235
<u> </u>	I	dstone Tuff & Cinders	235	262
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wlo	Tan Clay		262	280
	- II Diook Conc	Istone Tuff & Cinders	280	290
	Brown Cla		290	365
	Tital a Gray	salt some Cinders	365 378	378 403
		salt & Void	403	407
		en Gray Basalt	407	410
Shoe Inside Outside Other Location of shoe(s)				
Temp casing Yes Dia From + To				
(7) PERFORATIONS/SCREENS				
Perforations Method Factory Saw				
Screens Type Material Perf/ Casing/ Screen Scrn/slot Slot # of	Tele/ Date Star	rted <u>5/11/2020</u> Con	npleted <u>6/18/2020</u>	
<u> </u>		d) Water Well Constructor Certi	fication	
Perf Liner 8 372 410 .125 3 2100		nat the work I performed on the c		
		ent of this well is in complian on standards. Materials used and i		
		my knowledge and belief.	mormation reported	above are true to
	License Nu		Date	
(8) WELL TESTS: Minimum testing time is 1 hour			-	
Pump Bailer Air Flowing Artes	Signed			
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)		Vater Well Constructor Certifica		
550 3 190 4	¬ l` ′	sponsibility for the construction,		n or abandonmen
	work perfo	rmed on this well during the constr	ruction dates reported	d above. All work
	performed	during this time is in complian	nce with Oregon w	ater supply wel
Temperature 51 °F Lab analysis Yes By		n standards. This report is true to t	the best of my knowl	ledge and belief.
	mg/L License Nu	ımber <u>1385</u> I	Date 8/23/2020	
From To Description Amount U	nits Signed 1	OOREDT RIJCKNED (E. £124)		
	Contact Inf	ROBERT BUCKNER (E-filed) o (optional)		
		(-P.101111)		

8/23/2020

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL Well Label: 137706

Latitude: 43.68298663 Datum: WGS84 Longitude: -121.57863749 Printed: August 23, 2020

Township/Range/Section/Quarter-Quarter Section: WM22.00S10.00E7SENW

Address of Well:

51840 BLACK PINE WAY, LAPINE, OR 97739

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

