STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210) **DESC 62591**

4/27/2021

		Page 1 01 5
WELL I.D. LABEL# L	142131	
START CARD#	1051395	
ORIGINAL LOG#		

(1) LAND OWNER Owner Well I.D.		,		
First Name C/O JIM Last Name KRAFT	(9) LOCATION OF WELL (legal description	a)		
Company JUNIPINE ACRES HOA	County DESCHUTES Twp 14.00 S N/S Range 10.00 E E/W WM			
Address PO BOX 1913	County DESCRIPTES TWP 14.00 S N/S Range 10.00 E E/W WM Sec 26 SE 1/4 of the NE 1/4 Tax Lot 700			
City SISTERS State OR Zip 97759	Toy Man Number	01 700		
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number	DMS or DD		
Alteration (complete 2a & 10) Abandonment(complete 5a)	Tax Map Number Lot Lat " or 44.33029230 Long " or -121.49809000	DMS of DD DMS of DD		
(2a) PRE-ALTERATION	Street address of well Nearest address	DMS of DD		
Dia + From To Gauge Stl Plstc Wld Thrd Casing:	16700 FAIR MILE RD			
Material From To Amt sacks/lbs	10700 PAIR WILE RD			
Seal:				
(3) DRILL METHOD	(10) STATIC WATER LEVEL			
X Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft)		
Reverse Rotary Other	Existing Well / Pre-Alteration			
	Completed Well 4/20/2021	523		
(4) PROPOSED USE Domestic Irrigation Community	Flowing Artesian? Dry Hole?			
Industrial/Commericial Livestock Dewatering	WATER BEARING ZONES Depth water was first f	found 533.00		
Thermal Injection Other	SWL Date From To Est Flow SWL((psi) + SWL(ft)		
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)	4/14/2021 533 694 50	522		
Depth of Completed Well 694.00 ft.	4/14/2021 333 694 30	523		
BORE HOLE SEAL sacks/				
Dia From To Material From To Amt lbs				
10 0 677 Bentonite Chips 0 195 105 S				
6 677 694 Calculated 82				
Cement	(11) WELL LOG Ground Flavation			
Calculated 62	Ground Elevation			
How was seal placed: Method A B X C D E	Material From			
X Other POURED DRY		0 13		
Backfill placed from ft. to ft. Material		13 22 22 28		
Filter pack from ft. to ft. Material PEA GRAV ize pea gravel		28 53		
Explosives used: Yes Type Amount		53 58		
(5a) ABANDONMENT USING UNHYDRATED BENTONITE		58 64		
Proposed Amount Actual Amount	I 	54 87		
		37 172		
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	BASALT GRAY 1	72 180		
(a) (b) (c) (6) (X) 1.5 (677 .250) (e) (X)	CONGLOMERATE 1:	80 195		
		95 265		
		65 330		
		30 370		
		70 430 30 478		
Shoe Inside Outside Other Location of shoe(s)		78 493		
Temp casing Yes Dia From + To		93 519		
		19 533		
(7) PERFORATIONS/SCREENS Perforations Method MACHINE	SANDSTONE GRAY 5:	33 580		
	Data Starta 14/0/2021	/2021		
Screens Type Material Perf/ Casing/Screen Scrn/slot Slot # of Tele/	Date Started 4/9/2021 Completed 4/20/	2021		
Screen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification			
Perf Casing 6 657 677 .125 3 228	I certify that the work I performed on the construction, deepening, alteration, or			
	abandonment of this well is in compliance with Oreg			
	construction standards. Materials used and information rep	orted above are true to		
	the best of my knowledge and belief.			
	License Number 758 Date 4/27/20	21		
(8) WELL TESTS: Minimum testing time is 1 hour	Cionad			
Pump Bailer • Air Flowing Artesian	Signed THOMAS PECK (E-filed)			
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification			
50 670 1.5	I accept responsibility for the construction, deepening, alteration, or abandonment			
	work performed on this well during the construction dates re			
	performed during this time is in compliance with Oregon water supply well			
Temperature 54 °F Lab analysis Yes By	construction standards. This report is true to the best of my	knowledge and belief.		
Water quality concerns? Yes (describe below) TDS amount 113 ppm	License Number 1720 Date 4/27/2021			
From To Description Amount Units	1/20			
	Signed JACK ABBAS (E-filed)			
	Contact Info (optional)			
ORIGINAL - WATER RESOURCES D	EPARTMENT			

DESC 62591

4/27/2021

WELL I.D. LABEL# L	142131	
START CARD #	1051395	
ORIGINAL LOG#		

2a) PRE-ALTERATION	Water Quality Concerns	
Dia + From To Gauge Stl Plstc Wld Thrd		nount Units
Material From To Amt sacks/lbs		
5) BODE HOLE CONCEDUCATION	(10) STATIC WATER LEVEL	
5) BORE HOLE CONSTRUCTION BORE HOLE SEAL sacks:	SWL Date From To Est Flow SWL(ps	si) + SWL(ft)
BORE HOLE SEAL sacks/ Dia From To Material From To Amt lbs		
100		-
Calculated		
Calculated	J	-
Calculated	1	-
Calculated	1	
FILTER PACK	(11) WELL LOG	
From To Material Size		T.
	Material From SANDSTONE BROWN 580	To 652
	BASALT CINDER MIX 652	
6) CASING/LINER	·	
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd		
7) PERFORATIONS/SCREENS		
Perf/ Casing/Screen Scrn/slot Slot # of Tele/		
Screen Liner Dia From To width length slots pipe si		
	-	
	$-\parallel$	
	╢	
	Comments/Remarks	
(O) WIELT TEETES, Maintenance Annal Control of the	3 YARDS CONCRETE 0 FEET - 140 FEET	
(8) WELL TESTS: Minimum testing time is 1 hour	5 YARDS SANDGROUT 250 FEET - 450 FEET	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)		

4/27/2021

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL

Latitude: 44.33029230 Datum: WGS84

Longitude: -121.49809000

Township/Range/Section/Quarter-Quarter Section:

WM14.00S10.00E26SENE

Address of Well: 16700 FAIR MILE RD Well Label: 142131

Printed: April 27, 2021

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

