| Amended 5/9/2022 | | | | | | Page 1 of 2 |
|--|--|---------------------------|--|-------------------|-------------------|-------------------|
| STATE OF OREGON | DESC | 63316 | WELL I.D. LABEL | | | |
| WATER SUPPLY WELL REPORT | | | START CARD | 103027 | 4 | |
| (as required by ORS 537.545 & 537.765 and OAR 690-205-0210) | 4/18/ | 2022 | ORIGINAL LOG | # | | |
| 1) LAND OWNER Owner Well I.D. Last Name Last Name | | | | | | |
| | | (9) LOCA | ΓΙΟΝ OF WELL (lega | ıl descript | tion) | |
| Company LJ DENS LACAMAS LLC | | County DESCH | HUTES Twp 18.00 S | _N/S Rar | nge 12.00 F | E E/W WN |
| Address PO BOX 2239 City KALAMA State WA Zip 98625 | | Sec <u>30</u> | NW 1/4 of the NW | 1/4 T | ax Lot <u>370</u> | 00 |
| 2) TYPE OF WORK State WA Zip 98625 State WA Zip 98625 State W | version | Tax Map Num | ber " or 43.98994 | L | ot | |
| Alteration (complete 2a & 10) Abandonment(complete 2a & 10) | omplete 5a) | Lat° | " or <u>43.98994</u> | 227 | | _ DMS or DD |
| 2a) PRE-ALTERATION | <u></u> | Long° | ' or121.340 | 18682 | | _ DMS or DD |
| Dia + From To Gauge Stl Plstc Wld Thrd Casing: | | | treet address of well | | ress | |
| Material From To Amt sacks/lbs | | 00293 CH Y E. | NNE RD, BEND, OR 97702 | | | |
| Seal: | | | | | | |
| 3) DRILL METHOD | | (10) STAT | IC WATER LEVEL | | | |
| Rotary Air Rotary Mud Cable Auger Cable Mud | | Eviatina V | | Date SWI | L(psi) + | SWL(ft) |
| Reverse Rotary Other | | | Well / Pre-Alteration d Well 4/12/20 | 22 | — + | 417 |
| 4) PROPOSED USE Domestic Irrigation Community | v | Complete | Flowing Artesian? | | Hole? | 417 |
| Industrial/Commericial Livestock Dewatering | | WATED BEAD | RING ZONES Depth | | | 417.00 |
| Thermal Injection Other | | SWL Date | = | | | + SWL(ft) |
| | | | FIOIII 10 | Est Flow 5 | w L(psi) | - SWL(II) |
| 5) BORE HOLE CONSTRUCTION Special Standard (| (Attach copy) | 4/12/2022 | 435 560 | 30 | | 417 |
| Depth of Completed Well 560.00 ft. BORE HOLE SEAL | analra/ | | | | | |
| Dia From To Material From To A | sacks/ Amt lbs | | | | | |
| 12 0 28 Bentonite 0 28 | 18 S | | | | | |
| 8 28 560 Calculated 1 | 15.88 | | | | | |
| Calculated | | (11) WELL | LOG | 4: | | |
| | E | () | Ground Eleva | | F | |
| X Other BENTONITE DRY | E | Sand top soil | Material | | From 0 | To 5 |
| Backfill placed from ft. to ft. Material | | Lava Rock | | | 5 | 55 |
| Filter pack from ft. to ft. Material Size | | Maroon Lava | l | | 55 | 106 |
| Explosives used: Yes Type Amount | | Brown sandsto | | | 106 | 153 |
| | | Brown sandsto | one congl | \longrightarrow | 153 | 191 |
| 5a) ABANDONMENT USING UNHYDRATED BENTONI Proposed Amount Actual Amount | IIE | Brown lava Dark brown sa | undstone congl | | 191 198 | 198 258 |
| · · · · · · · · · · · · · · · · · · · | | Fractured lava | | | 258 | 295 |
| 6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc | Wld Thrd | Broken NR | | | 295 | 323 |
| ● 8 × 2 28 .250 ● | \mathbf{X} | Soft NR | | | 323 | 345 |
| 6 13 553 .188 © O | | Lava | | | 345 | 368 |
| | | NR Hard basalt | | - | 368 375 | 375 435 |
| | | Caving cinders | S | | 435 | 465 |
| | шШ | Lava Rock Bro | oken | | 465 | 475 |
| Shoe Inside Outside Other Location of shoe(s) | | Basalt Fracture | | \longrightarrow | 475 | 514 |
| Temp casing Yes Dia From + To | | Brown sandsto Cinder | one | | 514 528 | 528 539 |
| 7) PERFORATIONS/SCREENS | | Lava congl Cir | nder | | 539 | 560 |
| Perforations Method Factory cut | | | | | | 300 |
| Screens Type Material Perf/ Casing/ Screen Scrn/slot Slot # of | Tele/ | Date Started | 14/8/2022 Co | ompleted <u>-</u> | 4/12/2022 | |
| Screen Liner Dia From To width length slots | | ` / | Water Well Constructor Cer | | | |
| Perf Liner 6 513 553 .125 2.5 608 | | | the work I performed on the | | | |
| | | | of this well is in compliant | | | |
| | | | tandards. Materials used and knowledge and belief. | 1 IIIIOIIIIauoi | n reported a | ibove are true to |
| | | License Numb | • | Date 4/1 | 4/2022 | |
| 8) WELL TESTS: Minimum testing time is 1 hour | | | 2009 | 4/14 | +/2022 | |
| · · · · · · · · · · · · · · · · · · · | Artagian | Signed ME | GAN NOBLITT (E-filed) | | | |
| | | (bonded) West | ter Well Constructor Certifi | ication | | |
| Yield gal/min Drawdown Drill stem/Pump depth Duration (1) | <u>111<i>)</i></u> | ` ′ | ensibility for the construction | | alteration | or abandonma |
| | | | ed on this well during the con | | | |
| | | performed du | ring this time is in compli | ance with | Oregon wat | ter supply we |
| Temperature 50 °F Lab analysis Yes By | | construction st | andards. This report is true to | o the best of | my knowled | dge and belief. |
| Water quality concerns? Yes (describe below) TDS amount 62 | ppm | License Numb | per 1970 | Date 4/18/2 | 2022 | |
| From To Description Amount | Units | Signed | T EACENCE ("L 1) | | | |
| | | | L FAGEN (E-filed) | | | |

4/18/2022

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL

Latitude: 43.98994227 Datum: WGS84

Longitude: -121.34018682

Township/Range/Section/Quarter-Quarter Section:

WM18.00S12.00E30NWNW

Address of Well:

60295 CHYENNE RD, BEND, OR 97702

Well Label: 145642

Printed: April 14, 2022

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

