STATE OF OREGON WATER SUPPLY WELL REPORT **DESC 63587**

WELL I.D. LABEL# L START CARD # ORIGINAL LOG #

			rage	1	OI	J
L	148522					
	1058173					
	DESCHITTES	2021				

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210) 8/29	0/2022 ORIGINAL LOG # DESCHUTES 3931
(1) LAND OWNER Owner Well I.D.	
First Name RON Last Name WESTENDORF	(9) LOCATION OF WELL (legal description)
Company BENTWOOD WATER	County DESCHUTES Twp 15.00 S N/S Range 13.00 E E/W WM
Address 2866 SW BENTWOOD DR	Sec 19 SW 1/4 of the SE 1/4 Tax Lot 100
City REDMOND State OR Zip 97756	Tax Map Number Lot
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot Lat " or 44.25090256 DMS or DD
Alteration (complete 2a & 10) Abandonment(complete 5a)	Long " or -121.21544428 DMS or DD
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address
Casing:	2650 SW BENTWOOD DR DESC
Material From To Amt sacks/lbs	
Seal:	(40) 000 1 000 000 000 000 000 000 000 000
(3) DRILL METHOD	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)
Rotary Air Rotary Mud Cable Auger Cable Mud	Existing Well / Pre-Alteration 8/24/2022 SWL(psi) + SWL(ft) 575
Reverse Rotary Other	Completed Well 8/25/2022 575
(4) PROPOSED USE Domestic Irrigation X Community	Flowing Artesian? Dry Hole?
Industrial/ Commercial Livestock Dewatering	WATER BEARING ZONES Depth water was first found 575.00
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL(ft)
	2112(1)
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy	7) 8/25/2022 600 787 500 575
Depth of Completed Well 787.00 ft. BORE HOLE SEAL sacks	
BORE HOLE SEAL sacks Dia From To Material From To Amt lbs	
8 0 787	1
Calculated	
	(11) WELL LOG Ground Flavorion
Calculated	Ground Elevation
How was seal placed: Method A B C D E	Material From To
X Other <u>DID NOT DISTURB</u> Backfill placed from ft. to ft. Material	NONE 0 600 SANDSTONE CONGLOMERATE BROWN 600 645
Filter pack from ft. to ft. Material Size	BASALT GRAY FRACTURED 645 690
	CONGLOMERATE BROWN 690 770
Explosives used: Yes Type Amount	BASALT GRAY FRACTURED BROKEN 770 787
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	
Proposed Amount Actual Amount	
(6) CASING/LINER	
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	
Shoe Inside Outside Other Location of shoe(s)	
Temp casing Yes Dia From + To	
(7) PERFORATIONS/SCREENS Perforations Method	
Screens Type Material	Date Started8/24/2022
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/	
Screen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification
	I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well
	construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
	License Number 758 Date 8/27/2022
(8) WELL TESTS: Minimum testing time is 1 hour	
Pump Bailer () Air Flowing Artesian	Signed THOMAS PECK (E-filed)
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification
500 780 1	I accept responsibility for the construction, deepening, alteration, or abandonment
	work performed on this well during the construction dates reported above. All work
	performed during this time is in compliance with Oregon water supply well
Temperature 54 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and belief.
Water quality concerns? Yes (describe below) TDS amount 110 ppm From To Description Amount Units	License Number 1720 Date 8/27/2022
From To Description Amount Units	Signed IACK ABBAS (E-filed)
	Signed JACK ABBAS (E-filed) Contact Info (optional)
	Contact mile (optional)

DESC 63587

WELL I.D. LABEL# L 14852
START CARD # 1058*
ORIGINAL LOG # DESCH

L	148522	
#	1058173	
#	DESCHUTES	3931

continuation page	8/29/2022	•	ORIGINAL L		CHUTES 39	31
2a) PRE-ALTERATION	Water (Quality Conc	erns	•	-	
Dia + From To Gauge Stl Plstc Wld Thrd	From	То	Descrip	otion	Amou	int Units
Material From To Amt sacks/lbs						
5) BORE HOLE CONSTRUCTION			ER LEVEL	-	a	
BORE HOLE SEAL SEAL	sWL Da	nte From	То	Est Flow	SWL(psi)	+ SWL(ft)
Dia From To Material From To Amt						
Calculated	 			-		
Calculated						
Calculated						
	$\neg \vdash \vdash$					
Calculated						
FILTER PACK From To Material Size	(11) WE	LL LOG				
Prom 10 Material Size		Mater	ial		From	To
					-	
6) CASING/LINER						
Casing Liner Dia + From To Gauge Stl Plstc Wld Th	nrd					
Casing Enter Dia + 110m 10 Gaage Sti 11ste Wel 11						
	-					
	-					
	_					
	-					
	╛ ╟──				+	
7) PERFORATIONS/SCREENS						
	Γele/				+	
	pe size					
					-	
	—— <u> </u>					
	Comme	ents/Remar	ks			
			ER FLOODED (OUR AT BO	OTTOM OF	HOLE
(8) WELL TESTS: Minimum testing time is 1 hour						
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)						

DESC 63587

8/29/2022

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



Well Label: 148522

Printed: August 27, 2022

DISCLAIMER: This map is intended to represent the WM15.00S13.00E19SWSE approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

LOCATION OF WELL

Latitude: 44.25090256 Datum: WGS84

Longitude: -121.21544428

Township/Range/Section/Quarter-Quarter Section:

Address of Well:

2650 SW BENTWOOD DR DESC

