

STATE OF OREGON WATER SUPPLY WELL REPORT

DESC 64085

WELL I.D. LABEL# L

START CARD #

1060589

ORIGINAL LOG #

DESCHUTES

6503

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)

4/22/2023

(1) LAND OWNER

Owner Well I.D.

First Name Last Name

Company AVION WATER

Address 60812 PARRELL RD

City BEND State OR Zip 97702

(2) TYPE OF WORK

New Well Deepening Conversion

Alteration (complete 2a & 10) Abandonment (complete 5a)

(2a) PRE-ALTERATION

Dia + From To Gauge Stl Plstc Wld Thr

Casing: Material From To Amt sacks/lbs

Seal: Material From To Amt sacks/lbs

(3) DRILL METHOD

Rotary Air Rotary Mud Cable Auger Cable Mud

Reverse Rotary Other POURED AND POUND

(4) PROPOSED USE

Domestic Irrigation Community

Industrial/ Commercial Livestock Dewatering

Thermal Injection Other MUNICIPAL

(5) BORE HOLE CONSTRUCTION

Special Standard (Attach copy)

Depth of Completed Well ft.

BORE HOLE

Dia From To Material SEAL Amt sacks/lbs

Table with columns for Dia, From, To, Material, SEAL, Amt sacks/lbs. Includes rows for Calculated values.

How was seal placed: Method A B C D E

Other

Backfill placed from ft. to ft. Material

Filter pack from ft. to ft. Material Size

Explosives used: Yes Type Amount

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount 50.00 Sacks Actual Amount 87.00 Sacks

(6) CASING/LINER

Casing Liner Dia + From To Gauge Stl Plstc Wld Thr

Table with columns for Casing, Liner, Dia, From, To, Gauge, Stl, Plstc, Wld, Thr. Includes rows for Shoe location.

Shoe Inside Outside Other Location of shoe(s)

Temp casing Yes Dia From To

(7) PERFORATIONS/SCREENS

Perforations Method

Screens Type Material

Perf/ Casing/ Screen Screen Liner Dia From To Scrn/slot width Slot length # of slots Tele/ pipe size

Table with columns for Perf/ Casing/ Screen, Screen Liner, Dia, From, To, Scrn/slot width, Slot length, # of slots, Tele/ pipe size.

(8) WELL TESTS: Minimum testing time is 1 hour

Pump Bailer Air Flowing Artesian

Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)

Table with columns for Yield gal/min, Drawdown, Drill stem/Pump depth, Duration (hr).

Temperature 50 F Lab analysis Yes By

Water quality concerns? Yes (describe below) TDS amount 180 ppm

Table with columns for From, To, Description, Amount, Units.

(9) LOCATION OF WELL (legal description)

County DESCHUTES Twp 21.00 S N/S Range 9.00 E E/W WM

Sec 23 SW 1/4 of the NE 1/4 Tax Lot 3600

Tax Map Number Lot

Lat or 43.74196000 DMS or DD

Long or -121.60830000 DMS or DD

Street address of well Nearest address

NON ASSIGNED OFF BURGESS RD DESC# 6503

(10) STATIC WATER LEVEL

Date SWL(psi) + SWL(ft)

Table with columns for Existing Well / Pre-Alteration, Date, SWL(psi), SWL(ft). Includes row for Completed Well.

Flowing Artesian? Dry Hole?

WATER BEARING ZONES

Depth water was first found

SWL Date From To Est Flow SWL(psi) + SWL(ft)

Table with columns for SWL Date, From, To, Est Flow, SWL(psi), SWL(ft).

(11) WELL LOG

Ground Elevation

Material From To

Table with columns for Material, From, To.

Date Started 4/6/2023 Completed 4/6/2023

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

License Number 1987 Date 4/22/2023

Signed MATHEW ROGERS (E-filed)

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above.

License Number 1720 Date 4/22/2023

Signed JACK ABBAS (E-filed)

Contact Info (optional) JACK ABBAS

**WATER SUPPLY WELL REPORT -
continuation page**

DESC 64085

WELL I.D. LABEL# _____

START CARD # 1060589

4/22/2023

ORIGINAL LOG # DESCHUTES 6503

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd

Material From To Amt sacks/lbs

Material	From	To	Amt	sacks/lbs

Water Quality Concerns

From	To	Description	Amount	Units

(5) BORE HOLE CONSTRUCTION

BORE HOLE				SEAL			
Dia	From	To	Material	From	To	Amt	sacks/ lbs

(10) STATIC WATER LEVEL

SWL Date	From	To	Est Flow	SWL(psi)	+	SWL(ft)

(11) WELL LOG

Material	From	To

(6) CASING/LINER

Casing Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd

(7) PERFORATIONS/SCREENS

Perf/ Screen	Casing/ Liner Dia	Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)

Comments/Remarks

SPECIAL STANDARDS-POURED 87 BAGS BENTONITE 110' TO 0

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

DESC 64085

4/22/2023

Map of Hole

