

STATE OF OREGON WATER SUPPLY WELL REPORT

DESC 64727

WELL I.D. LABEL# L

112224

START CARD #

1072867

ORIGINAL LOG #

DESCHUTES 59909

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)

4/8/2024

(1) LAND OWNER

Owner Well I.D.

First Name HARRIS Last Name KIMBLE Company Address 63560 JOHNSON RD City BEND State OR Zip 97703

(2) TYPE OF WORK

New Well Deepening Conversion Alteration Abandonment

(2a) PRE-ALTERATION

Casing: Dia + From To Gauge Stl Plstc Wld Thrld Seal: Material From To Amt sacks/lbs

(3) DRILL METHOD

Rotary Air Rotary Mud Cable Auger Cable Mud Reverse Rotary Other

(4) PROPOSED USE

Domestic Irrigation Community Industrial/ Commercial Livestock Dewatering Thermal Injection Other

(5) BORE HOLE CONSTRUCTION

Depth of Completed Well 890.00 ft. Special Standard (Attach copy)

Table with columns: Dia, From, To, Material, SEAL, Amt, sacks/lbs. Rows for 12, 8, and 6 inch diameters.

Seal placement method A B C D E Other: NOT DISTURBED

Backfill placed from ft. to ft. Material

Filter pack from ft. to ft. Material Size

Explosives used: Type Amount

Seal Placement Begin Date 3/4/2024 Begin Time 12:00

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount Actual Amount

(6) CASING/LINER

Table with columns: Casing, Liner, Dia, From, To, Gauge, Stl, Plstc, Wld, Thrld. Includes shoe location and temp casing options.

(7) PERFORATIONS/SCREENS

Perforations Method

Screens Type Material

Table with columns: Perf/Screen, Casing/Liner, Dia, From, To, Scrn/slot width, Slot length, # of slots, Tele/pipe size.

(8) WELL TESTS: Minimum testing time is 1 hour

Pump Bailer Air Flowing Artesian

Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)

Table with 4 columns: Yield, Drawdown, Depth, Duration. Row 1: 10, , 890, 1.

Temperature 53 °F Lab analysis Yes By

Water quality concerns? Yes (describe below) TDS amount 105 ppm

Table with columns: From, To, Description, Amount, Units.

(9) LOCATION OF WELL (legal description)

County DESCHUTES Twp 17.00 S N/S Range 11.00 E E/W WM

Sec 13 SW 1/4 of the NW 1/4 Tax Lot 829

Tax Map Number Lot

Lat " or 44.10527778 DMS or DD

Long " or -121.35861111 DMS or DD

Street address of well Nearest address

19275 KLIPPEL RD BEND, OR 97703

(10) STATIC WATER LEVEL

Table with columns: Existing Well / Pre-Alteration, Date, SWL(psi), SWL(ft). Rows for 3/4/2024 with values 710 and 806.

Flowing Artesian? Dry Hole?

WATER BEARING ZONES

Depth water was first found 806.00

SWL Date From To Est Flow SWL(psi) + SWL(ft)

Table with columns: SWL Date, From, To, Est Flow, SWL(psi), SWL(ft). Row 1: 3/4/2024, 806, 890, 10, 806.

(11) WELL LOG

Ground Elevation 3514.05 FT

Table with columns: Material, From, To. Rows: NOT DISTURBED (0-750), CLEANED ORIGINAL HOLE (750-751), WB FRACTURED BROWN BASALT (751-890).

Construction

Begin Date 3/4/2024 Begin Time 12:00 End Date 3/4/2024

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

License Number 1987 Date 4/5/2024

Signed MATHEW ROGERS (E-filed)

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above.

License Number 1720 Date 4/8/2024

Signed JACK ABBAS (E-filed)

Contact Info (optional) JACK ABBAS

WATER SUPPLY WELL REPORT -
continuation page

DESC 64727

WELL I.D. LABEL# L

112224

START CARD #

1072867

4/8/2024

ORIGINAL LOG #

DESCHUTES

59909

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
Material		From	To	Amt		sacks/lbs		

(5) BORE HOLE CONSTRUCTION

BORE HOLE		SEAL		sacks/lbs
Dia	From To	Material	From To	
			Calculated	
			Calculated	
			Calculated	
			Calculated	

FILTER PACK

From	To	Material	Size

(6) CASING/LINER

Casing Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd

(7) PERFORATIONS/SCREENS

Perf/ Screen	Casing/ Liner Dia	Screen Dia	From	To	Scrns/slot width	Slot length	# of slots	Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)

Water Quality Concerns

From	To	Description	Amount	Units

(10) STATIC WATER LEVEL

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)

(11) WELL LOG

Material	From	To

Name of person(s) who assisted with construction and Trainee License # / Helper #

Assistant Name	Type	#

Comments/Remarks


OWRD CAME OUT TO CAMERA WELL WITH US TO CHECK OUT SWL MEASUREMENTS

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

DESC 64727

4/8/2024

Map of Hole

<p>STATE OF OREGON WELL LOCATION MAP</p>	<p>Oregon Water Resources Department 725 Summer St NE, Salem OR 97301 (503)986-0900</p>	
<p>This map is supplemental to the WATER SUPPLY WELL REPORT</p>		
<p>LOCATION OF WELL</p>	<p>Well Label: 112224</p>	
<p>Latitude: 44.10527778 Datum: WGS84</p>	<p>Printed: April 5, 2024</p>	
<p>Longitude: -121.35861111</p>	<p><small>DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.</small></p>	
<p>Township/Range/Section/Quarter-Quarter Section: WM17.00S11.00E13SWNW</p>	<p><small>Provided by well constructor</small></p>	
<p>Address of Well: 19275 KLIPPEL RD BEND, OR 97703</p>		



Map of Hole

