

STATE OF OREGON WATER SUPPLY WELL REPORT

DESC 64929

WELL I.D. LABEL# L

153394

START CARD #

1074692

ORIGINAL LOG #

DESCHUTES 2378

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)

8/12/2024

(1) LAND OWNER

Owner Well I.D.

First Name JOE & HEATHER Last Name PEREZ
Company
Address 1245 NW LOWER BRIDGE WAY
City TERREBONNE State OR Zip 97760

(2) TYPE OF WORK

New Well Deepening Conversion
Alteration (complete 2a & 10) Abandonment(complete 5a)

(2a) PRE-ALTERATION

Casing: Dia + From To Gauge Stl Plstc Wld Thrd
Material From To Amt sacks/lbs
Seal:

(3) DRILL METHOD

Rotary Air Rotary Mud Cable Auger Cable Mud
Reverse Rotary Other

(4) PROPOSED USE

Domestic Irrigation Community
Industrial/ Commercial Livestock Dewatering
Thermal Injection Other

(5) BORE HOLE CONSTRUCTION

Depth of Completed Well 350.00 ft. Special Standard (Attach copy)

Table with columns: Dia, From, To, Material, SEAL, Amt, sacks/lbs. Rows include 12, 8, 6, 6 diameters.

Seal placement method A B C D E Other: NOT DISTURBED

Backfill placed from ft. to ft. Material

Filter pack from ft. to ft. Material Size

Explosives used: Type Amount

Seal Placement Begin Date 7/29/2024 Begin Time 14 30

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount Actual Amount

(6) CASING/LINER

Table with columns: C/L, Dia, From, To, Gauge, Mat. Type, Wld, Thrd, Shoe, Location

Temp casing Yes Dia From To

(7) PERFORATIONS/SCREENS

Perforations Method

Screens Type Material

Table with columns: Perf/ Screen, Casing/ Liner, Dia, From, To, Scrn/slot width, Slot length, # of slots, Tele/ Pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Table with columns: Type of Test, Yield (gal/min), Drawdown, Drill Stem/ Pump Depth, Duration (hr). Row: Air, 50, 350, 1

Temperature 52 °F Lab analysis Yes By

Water quality concerns? Yes (describe below) TDS amount 105 ppm

Table with columns: From, To, Description, Amount, Units

(9) LOCATION OF WELL (legal description)

County DESCHUTES Twp 14.00 S N/S Range 13.00 E E/W WM
Sec 16 NE 1/4 of the NW 1/4 Tax Lot 105
Tax Map Number Lot
Lat " or 44.36103000 DMS or DD
Long " or -121.18184000 DMS or DD

Street address of well Nearest address

1245 NW LOWER BRIDGE WAY, TERREBONNE, OR 97760

(10) STATIC WATER LEVEL

Table with columns: Date, SWL(psi), SWL(ft). Rows: Existing Well / Pre-Alteration 7/29/2024 196, Completed Well 7/29/2024 196

Flowing Artesian? Dry Hole?

WATER BEARING ZONES

Depth water was first found 196.00

Table with columns: SWL Date, From, To, Est Flow, SWL(psi), SWL(ft). Row: 7/29/2024, 196, 350, 50, 196

(11) WELL LOG

Ground Elevation 2799.79 FT

Table with columns: Material, From, To. Rows: NOT DISTURBED, CLEAN OUT, WB BROWN BASALT, WB FRACTURED BASALT CLAYSTONE CONG, WB COURSE BROWN CONGLOMERATE

Construction

Begin Date 7/29/2024 Begin Time 10 30 End Date 7/29/2024

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

License Number 1987 Date 8/8/2024

Signed MATHEW ROGERS (E-filed)

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above.

License Number 1720 Date 8/12/2024

Signed JACK ABBAS (E-filed)

Drilling Company: ABBAS WELL DRILLING

WATER SUPPLY WELL REPORT - continuation page

DESC 64929

WELL I.D. LABEL# L 153394

START CARD # 1074692

8/12/2024

ORIGINAL LOG # DESCHUTES 2378

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
6		0	195	.188	●	○	✗	
					○	○		
					○	○		

Material	From	To	Amt	sacks/lbs

(5) BORE HOLE CONSTRUCTION

BORE HOLE				SEAL				
Dia	From	To	Material	From	To	Amt	sacks/lbs	
						Calculated		
						Calculated		
						Calculated		
						Calculated		

FILTER PACK

From	To	Material	Size

(6) CASING/LINER

C/L	Dia	+	From	To	Gauge	Mat. Type	Wld	Thrd	Shoe	Shoe Location

(7) PERFORATIONS/SCREENS

Perf/Screen	Casing/Liner Dia	Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/Pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Type of Test	Yield (gal/min)	Drawdown	Drill Stem/Pump Depth	Duration (hr)

Water Quality Concerns

From	To	Description	Amount	Units

(10) STATIC WATER LEVEL

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)

(11) WELL LOG

Material	From	To

Name of person(s) who assisted with construction and Trainee License # / Helper #

Assistant Name	Type	#

Comments/Remarks


[Blank area for comments/remarks]

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

DESC 64929

8/12/2024

Map of Hole

STATE OF OREGON WELL LOCATION MAP	Oregon Water Resources Department 725 Summer St NE, Salem OR 97301 (503)986-0900	
This map is supplemental to the WATER SUPPLY WELL REPORT		
LOCATION OF WELL	Well Label: 153394	
Latitude: 44.36103000 Datum: WGS84	Printed: August 8, 2024	
Longitude: -121.18184000	<small>DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.</small>	
Township/Range/Section/Quarter-Quarter Section: WM14.00S13.00E16NENW	<small>Provided by well constructor</small>	
Address of Well: 1245 NW LOWER BRIDGE WAY, TERREBONNE, OR 97760		



Map of Hole

