WELL I.D. LABEL# L ₁₅₆₇₇₅ STATE OF OREGON **DESC 65234** START CARD# WATER SUPPLY WELL REPORT 1077189 4/22/2025 ORIGINAL LOG# DESCHUTES 7629 (as required by ORS 537.545 & 537.765 and OAR 690-205-0210) (1) LAND OWNER Owner Well I.D. First Name Last Name (9) LOCATION OF WELL (legal description) Company US FOREST SERVICE County DESCHUTES Twp 21.00 S N/S Range 11.00 E E/W WM Address 63095 DESCHUTES MARKET RD Sec <u>28</u> NW 1/4 of the SW 1/4 Tax Lot <u>100</u> City BEND State OR Tax Map Number _ New Well |X| Deepening (2) TYPE OF WORK " or 43.72483400 Alteration (complete 2a & 10) Abandonment(complete 5a) " or <u>-121.42400100</u> DMS or DD (2a) PRE-ALTERATION Street address of well
 Nearest address Stl Plstc Wld Thrd Gauge PRAIRIE CAMPGROUND - PAULINA-EAST LAKE RD LA PINE, OR Material From Amt sacks/lbs (10) STATIC WATER LEVEL (3) DRILL METHOD SWL(psi) SWL(ft) X Rotary Air Rotary Mud Cable Auger Existing Well / Pre-Alteration 4/21/2025 Reverse Rotary Other Completed Well 4/21/2025 Flowing Artesian? **X** Domestic Dry Hole? (4) PROPOSED USE Irrigation Industrial/ Commercial Livestock Dewatering WATER BEARING ZONES Depth water was first found 115.00 Thermal Injection X Other RECREATIONAL SWL Date + SWL(ft) To Est Flow SWL(psi) From (5) BORE HOLE CONSTRUCTION Special Standard (Attach copy) 4/21/2025 240 Depth of Completed Well 240.00 ft. BORE HOLE **SEAL** sacks Dia From Material From To Amt lbs 8 0 240 Calculated (11) WELL LOG Ground Elevation 4309.06 FT Seal placement method: A B C D E Other: From To DESC 7629 Clean out 0 150 Backfill placed from _____ ft. to ____ ft. Material __ Fractured gray lava 210 Filter pack from _ _ ft. to _____ ft. Material Red cinder 240 Explosives used: ____ Type ____ Seal Placement Begin Date Begin Time (5a) ABANDONMENT USING UNHYDRATED BENTONITE Actual Amount Proposed Amount (6) CASING/LINER Mat Shoe Type Wld Thrd Shoe Location From Gauge L 0.188 STTemp casing Yes From+ (7) PERFORATIONS/SCREENS Perforations Method Factory cut Construction End Date 4/21/2025 Begin Date 4/21/2025 Screens Type _ Material Begin Time 09 Perf/ Casing/ Screen Scrn/slot Slot # of Tele/ (unbonded) Water Well Constructor Certification Screen Liner From To width length slots Pipe size I certify that the work I performed on the construction, deepening, alteration, or Perf | Liner 240 608 6 .125 abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief. License Number 2025 Date 4/22/2025 (8) WELL TESTS: Minimum testing time is 1 hour SHAUN ALEXANDER (E-filed) Drill Stem/ Duration Yield Drawdown Pump Depth (hr) (bonded) Water Well Constructor Certification Type of Test (gal/min)

ORIGINAL - WATER RESOURCES DEPARTMENT

235

°F Lab analysis Yes By

Yes (describe below) TDS amount 35

Air

Water quality concerns?
From To

ppm

License Number 1970

Signed NEIL FAGEN (E-filed)
Drilling Company: 541-548-1245

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Date 4/22/2025

DESC 65234

WELL I.D. LABEL# L 156775

START CARD # 1077189

156775	
1077189	

continuation page	4/22/2025	ORIGINAL LOG # DESCHI	
2a) PRE-ALTERATION	Water Quality		1,023
Dia + From To Gauge Stl Plstc Wld Thrd	From To	Description	Amount Units
Material From To Amt sacks/lbs			
Material Pioli 10 Allit Sacks/108			
	(10) STATIC	WATER LEVEL	
	SWL Date		SWL(psi) + SWL(ft)
5) BORE HOLE CONSTRUCTION			
BORE HOLE SEAL	sacks/		
Dia From To Material From To Am	t lbs		
Calculated			
Calculated			
Calculated			
Calculated	(11) WELL L		_
FILTER PACK		Material	From To
From To Material Size			
CASING/LINED			
6) CASING/LINER			
Mat. C/L Dia + From To Gauge ^{Type} Wld Thrd Shoe	Shoe		
	Location		
7) PERFORATIONS/SCREENS			
Perf/ Casing/ Screen Scrn/slot Slot # of	Tele/		
Screen Liner Dia From To width length slots	Pipe size		
		who assisted with construction and T	
	Assist	ant Name Type	# I
(8) WELL TESTS: Minimum testing time is 1 hour			
Yield Drill Stem/ Duration Type of Test (gal/min) Drawdown Pump Depth (hr)	Comments/R		DENIED WIRIT 1330
Type of Test (gal/min) Drawdown Pump Depth (hr)	REMOVED EXI BIT, RESET WI	STING 6" .188 STEEL LINER, DEEI TH NEW 6" 188	PENED WITH AN 8"

4/22/2025

Map of Hole

STATE OF OREGON WELL LOCATION MAP

LOCATION OF WELL

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900

Printed: April 22, 2025

Well Label: 156775



Latitude: 43.72483400 Datum: WGS84

Longitude: -121.42400100

Township/Range/Section/Quarter-Quarter Section:

This map is supplemental to the WATER SUPPLY WELL REPORT

WM21.00S11.00E28NWSW

Address of Well:

PRAIRIE CAMPGROUND - PAULINA-EAST LAKE RD LA PINE, OR Provided by well constructor

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

