## STATE OF OREGON

## RECEIVEDRECEIVED D. 21

SEP 9138th Permit No.

WATER RESOL	IRCES DEPT
(1) OWNER: A SALEM,	(10) LOGATION OF WELL:
Name to And Thuston Center	County De County Driller's well number
Address Parist LaDINE, Oregon, 97789	58,4 110 4 Section (3) T. 20 R. 10 5 W.M.
City State	Tax Lot # Lot Blk Subdivision
	Address at well location:
(2) TYPE OF WORK (check):	
New Well	(11) WATER LEVEL: Completed well.
,	Depth at which water was first found ft
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level ft. below land surface. Date 1
Rotary Air   Driven   Domestic   Industrial   Municipal   Rotary Mud   Dug   Irrigation   Test Well   Other	Artesian pressure lbs. per square inch. Date
Rotary Mud   Dug   Irrigation   Test Well   Other P	(12) WELL LOG: Diameter of well below casing
(5) CASING INSTALLED: Steel   Plastic	Depth drilled ft. Depth of completed well C ft.  Formation: Describe color, texture, grain size and structure of materials; and show
Threaded   Welded    "Diam from +1 ft to ft Gauge 255	formation: Describe color, texture, grain size and structure of materials, and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
LINER INSTALLED:	MATERIAL From To SWL
"Diam from	Stratular 03
	Band Damue 37
(6) PERFORATIONS: Perforated? □ Yes Perforated?	Francis As James 7 13
Type of perforator used	Bruss Salt Red har 13 19
Size of perforations in. by in.	VAC 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
perforations from ft. to ft.	
perforations from ft. to ft.	
(7) SCREENS: Jell screen installed? Tres \( \square\) No	
Manufacturer's Name Show Macle	
Type AUC Model No.	
Diam. Slot Size A 32 Set from 2.8 ft. to ft.	
Diam. Slot Size Set from ft. to ft. to	47.
(8) WELL TESTS:  Drawdown is amount water level is lowered below static level	
Was a pump test made? Wes \( \square\) No If yes, by whom?	
gal./min. with 15 ft. drawdown after 24 hrs.	
11 n n	
Air test gal./min. with drill stem at ft. hrs.	
Bailer test gal/min. with ft. drawdown after hrs.	1,000
esian flow g.p.m.	
Depth artesian flow encounteredft.	Work started Olegy 198/ Completed Olegy 6 1981
(9) CONSTRUCTION: Special standards: Yes   No	Date well drilling mackine moved off of well auto 198/
Well seal—Material used	Drilling Machine Operator's Certification:
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used
Diameter of well bore to bottom of sealin.	and information reported above are true to my best knowledge and belief.
Diameter of well bore below sealin.	[Signed] Date Description Date Description (19.5)
Number of sacks of cement used in well seal	Drilling Machine Operator's License No. 10.6
How was cement grout placed?	
CALCON CONTRACTOR CONT	Water Well Contractor's Certification:
	This feell was drifted under my jurisdiction and this report is true to the best of my knowledge and belief.
Was pump installed? Type	Name of 4 Apula
Was a drive shoe used? Yes Plugs	(Type or print)
Did any strata contain unusable water?	Address
Type of water? depth of strata	(Signed)
Method of sealing strata off  Was well gravel packed?   Yes No Size of gravel:	(Watter Weil Contractor)
Gravel placed fromft. toft.	Contractor's License No
The state of the s	