NOTICE TO WATER WELL_CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT.
SALEM, OREGON 97310

WATER WELL REPORT

STATE OF OREGON

State	Well	No.	als	12E-346A
			- 1	

within 30 days from the date of well completion. (Do not write a	bove this line) State Po	ermit No.
(1) OWNER:	(10) LOCATION OF WELL:	
Name PAULINA LAKE RESORT	County DESCHUTES Driller's	well number
Address PO BOX 7	NE 14 Nevy Section 34 T.	
LAPINE, OR 97739	Bearing and distance from section or s	
(2) TYPE OF WORK (check):	LOOD FORT South	
New Well Deepening Reconditioning Abandon	7000 1 250 1 3000 18	UT LODGE
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Comple	tod woll
(3) TYPE OF WELL: (4) PROPOSED USE (check):		22
Rotary Driven Domestic D Industrial D Municipal D	Depth at which water was first found	ft.
Jetted Irrigation Test Well Other BLig		v land surface. Date // - 3
	Artesian pressure lbs. pe	er square inch. Date
(5) CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of	f well below casing
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain	
" Diam. fromft. toft. Gage	and show thickness and nature of each	stratum and aquifer penetrated
(6) PERFORATIONS: Perforated? Yes No.	with at least one entry for each change o position of Static Water Level and indic	f formation. Report each change in
Type of perforator used	MATERIAL	From To SWL
Size of perforations in. by in.	Brown TOPSOIL	0 1
perforations from ft. to ft.	Punice	1 2
perforations from ft. to ft.	Brown Clay	3 18
perforations from ft. to ft.	Red LAUA	18 23
(7) SCREENS: Well screen installed? Yes No	HARD BLACK LAVA	23 45
Manufacturer's Name	PORDIS DLACK LAVI	7 4551 12
TypeModel No.	HARD BUACK LAWA	5152
Diam. Slot size Set from ft. to ft.		
DiamSlot sizeSet fromft. toft.		
(O) THE T THE COLOR		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
a pump test made? Yes \(\simega \) No If yes, by whom?	RELEIVED	
Vield: 35 gal./min. with 8 ft. drawdown after 3 hrs.		
II	NOV 2 5 1980	
" " " "	WATER RESOURCES DEPT	
ler test gal./min. with ft. drawdown after hrs.	SALEM, OREGON	"
and the state of t		
Temperature of water 40 Depth artesian flow encounteredft.	***	
temperature of water 40 Depth artesian flow encountered	Work started // -/ 19 80 Co	ompleted $1/-13$ 19 $3/6$
(9) CONSTRUCTION:	Date well drilling machine moved off of	well 11-13 1920
Vell seal—Material used	Drilling Machine Operator's Certific	ation:
Well sealed from land surface to 28 528 ft.	This well was constructed under	r my direct supervision
Diameter of well bore to bottom of seal	Materials used and information rep best knowledge and belief.	orted above are true to my
Diameter of well bore below seal	A . A . B . C	Date 11-14 19.80
Sumber of sacks of cement used in well seal 24/2 sacks	(Drilling Machine Operator)	
low was cement grout placed? Pressure grout	Drilling Machine Operator's License	No. 1.3
	Water Well Contractor's Certification	The state of the s
	This well was drilled under my j	urisdiction and this report is
Vas a drive shoe used? Yes No Plugs Size: location ft.	true to the best of my knowledge ar	ıd belief.
old any strata contain unusable water? 📕 Yes 🔲 No	Name DAV-CO Nell Dr. (Person, firm or corporation)	(Type or print)
ype of water? TONY depth of strata 22'	Address 16632 Clove	rct LAPINE
lethod of sealing strata off Cement	[Signed] David C &	· · · · · · · · · · · · · · · · · · ·
as well gravel packed? Tyes No Size of gravel:	(Water Wel	1 Contractor)
ravel placed from ft. to ft.	Contractor's License No. 785 Da	te 11-14 1980