NOTICE TO WATER WELL CONTRACTOR of this report are to be filed with the

STATE OF OREGON

State Well No. 31/13-20G

within 30 days from the date of well completion.	ENGINEE Rlease typ	e or print) State Permit No		
(1) OWNER:		(11) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Yes No If yes, by whom?		
Name U.S. Fatest Setvice Address Ft. Rock District Ranger		Yield: gal./min. with ft. drawdown after hrs.		
Bend, Oregov.		1))) 11 19		
(2) LOCATION OF WELL:		n n n n		
County Deschew Tes Driller's well number 28		Bailer test / 6 gal./min. with / of ft. drawdown after 2 hrs.		
S.W. % N. E. % Section T.	215 R. 13 F. W.M.	Artesian flow g.p.m. Date		
Bearing and distance from section or subdivisi		Temperature of water 43 Was a chemical analysis	made? 🗌 Y	es No
CINDER Hill Camp growns		(12) WELL LOG: Diameter of well below casing		
East Lake, a	Oredall			-
) 1-951 Lane, C	Oregon	Formation: Describe by color, character, size of maters show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each	the materi change of	al in each formation.
		MATERIAL.	FROM	TO
(3) TYPE OF WORK (check):		Dumice	0	15
Yew Well Deepening Reconditioning Abandon		- July 11 Ce		
bandonment, describe material and procedure in Item 12.		Pumice Sand	15	25
(4) PROPOSED USE (check):	(5) TYPE OF WELL:	Sand (FINE)	25	منتكرسهر
Domestic 💢 Industrial 🗌 Municipal 🗌	Rotary Driven Cable			
Irrigation Test Well Other	Dug Bored	Dumice	58	67
	readed Welded			
	•			
" Diam. from ft. to				
" Diam. from ft. to	ft. Gage			
(7) PERFORATIONS: Perfly of perforator used Cutting	forated? Yes No			
Size of perforations / in. by	6 in.			
perforations from	O. ft. to			
perforations from	ft. to ft.			
perforations from	ft. to ft.		-	
perforations from	ft. to ft.		-	
perforations from	ft. to ft.			
(8) SCREENS: Well screen ins	stalled 🗌 Yes 🌶 No			
Manufacturer's Name				
we Mo				
Stam Slot size Set from		Work started Ging 19 63 Completed Gi	<u>vg [5-</u>	- 19 <i>63</i>
Diam. Slot size Set from	ft. toft.	Date well drilling machine moved off of well and	<u>7'/6</u>	19 6
(9) CONSTRUCTION:	•	(13) PUMP:	,	
Well seal—Material used in seal Bentonite		Manufacturer's Name		
Depth of seal		Type: H.P.		
Diameter of well bore to bottom of seal		Water Well Contractor's Certification:		
Were any loose strata cemented off? Yes No Depth		This well was drilled under my jurisdiction and this report is		
Was a drive shoe used? 💢 Yes 🔲 No Was well gravel packed? 🗎 Yes 🙀 No Size	of gravel:	true to the best of my knowledge and belief.		
Gravel placed fromft. toft.		NAME LIOY J. L. Mathers ((Person, firm or corporation) (Type or print)		
Did any strata contain unusable water? 🔲 Yes 😾 No		(Person, firm or corporation) (Type or print)		
Type of water? Depth of		Address 8.5.5- E. 7.5 S.T.	Dend,	01-6
Method of sealing strata off		Drilling Machine Operator's License No	74	
(10) WATER I EVET S.		Diffing Machine Operator's Encense No		*******
(10) WATER LEVELS: Static level /4 ft. below land surface Date Qua. 15		[Signed] Loyd L. Mattild	تحا	·····/
Static rever 17 It. Delow land	Burrace Dave Truge 10	1 Contractor	,	7

Ibs. per square inch Date

Static level

Artesian pressure