

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

RECEIVED

WATER WELL REPORT

DESC
8048

State Well No. 225/10E-76C
State Permit No.

WATER RESOURCES DEPARTMENT
SALEM, OREGON 97310
within 30 days from the date
of well completion

APR 3 1979

STATE OF OREGON
(Please type or print)

WATER RESOURCES DEPT. (Write above this line)

SALEM, OREGON

(1) OWNER:

Name Brooks Resources Corporation
Address 416 NE Greenwood Bend, OR 97701

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☒ Driven ☐
Cable ☒ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☒
Irrigation ☐ Test Well ☐ Other ☐

(5) CASING INSTALLED:

Threaded ☐ Welded ☒

10" Diam. from +2 ft. to -369 ft. Gage 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? ☐ Yes ☒ No.

Type of perforator used

Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level

Was a pump test made? ☒ Yes ☐ No If yes, by whom? A&H
Yield: 1,290 gal./min. with 8 ft. drawdown after 1/4 hrs.
1,029 " 4.8 " 1/4 "
" 550 " 1.3 " 8 "
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.

Temperature of water 43° Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used Cement
Well sealed from land surface to 35 ft.
Diameter of well bore to bottom of seal 16 in.
Diameter of well bore below seal 10 in. to 370'8"
Number of sacks of cement used in well seal 115 to 403 sacks
How was cement grout placed? pumped

Was a drive shoe used? ☒ Yes ☐ No Plugs Size: location ft.
Did any strata contain unusable water? ☒ Yes ☐ No
Type of water? Iron & Mag. depth of strata 240 & 290
Method of sealing strata off Casing
Was well gravel packed? ☐ Yes ☒ No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Deschutes Driller's well number N/A
SW 1/4 NW 1/4 Section 7 T. 22S R. 10E W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 45 ft.
Static level 77.6 ft. below land surface. Date
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 8"

Depth drilled 403 ft. Depth of completed well 403 ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top soil	0	2	
Pumice	2	7	
Coarse sand	7	9	
Sand & clay - lt. brown	9	16	
Sand & clay - dk. brown	16	45	
Coarse sand & polished cinder w/ thin clay strips (brown)	45	53	50
Sand-med. fine w/cinders	53	57	
Sand & no water at 57'			
Silt-fine, brown	57	80	
Silt - very fine	80	90	
Clay-fine, brown & yellow	90	115	
Clay-med. fine, brown	115	140	
Clay-fine, brown	140	230	
Tuff ash & blk cinder sand w/water	230	247	
Clay-tan w/red tint	247	285	
Tuff ash-black cinder sand	285	290	
Clay-brown	290	365	

Work started Feb. 12 1979 Completed Mar. 15 1979

Date well drilling machine moved off of well Mar. 15 1979

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] *Just Mills* Date March 22, 1979
(Drilling Machine Operator)

Drilling Machine Operator's License No. 962

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name Orvail Buckner
(Person, firm or corporation) (Type or print)

Address 1686 NE Negus Way, Redmond, OR 97756

[Signed] *Orvail Buckner*
(Water Well Contractor)

Contractor's License No. 608 Date 3-27, 1979



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301
(503) 986-0900
www.oregon.gov/owrd

Application for Well ID Number

Do not complete if the well already has a Well Identification Number.

RECEIVED

DEC 8 2025

I. OWNER INFORMATION

OWRD

Current Owner Name (please print): Ponderosa Pines Water Company

Mailing Address: 53299 Ponderosa Way

City, State, Zip: La Pine, Oregon 97739

Mail Well ID to:



SAME AS ABOVE



In Care Of (C/O)

Name & Address: _____

City, State, Zip: _____

II. WELL LOCATION INFORMATION (Please fill out as completely as possible)

Township: 22S (North / South) Range: 10E (East / West) Section: 7 SE 1/4 of the NW 1/4

Tax Lot (usually last 3-5 numbers of Tax Map #): 6000

County Deschutes

GPS Coordinates: 43°40'58.7"N 121°34'43.1"W

Street Address of Well, City: 51840 Black Pine Way

If the property had a different street address in the past: _____

III. GENERAL WELL INFORMATION (Please fill out as completely as possible, AND attach copy of Well Report, if available)

Use of Well (domestic, irrigation, commercial, industrial, monitoring): Domestic

Date Well Constructed (or property built): 3/15/1979 Total Well Depth: 403' Casing Diameter: 10"

Owner at time the well was constructed (if known): Brooks Resources Well Report # (if known): Desc 8048

Other Information: _____

SUBMITTED BY (please print): David Trachsel

PHONE: (760) 936-1870

EMAIL &/or FAX: ppwcpresident@gmail.com

To send the completed application, you may MAIL it to: Oregon Water Resources Dept. 725 Summer St NE, Suite A, Salem, Oregon 97301.
Or EMAIL the completed PDF form to: Ladeena.K.Ashley@water.oregon.gov, or FAX it to: (503) 986-0902.

For Official Use Only by the Oregon Water Resources Department:

Received Date:

12-8-2025

Well Report Number:

DESC 8048

Well Identification #:

L-159987