STATE OF OREGON

WATER WELL REPORT
(as required by ORS 537.765)

WATER RESOURCES DEPT.

OGSCKECEIVED

15s	//DE/10 QL
/	50324 labeled

50324 labeled (START CARD) #_

ODEOOM ODEOOM						
(1) OWNER: SALEM, OREGON Well Number	(9) LOCATION O					
Name Joan R Hull Lazy Z	County Des	Latitude N or S. Range10	L	ongitude_		•
Address P O Box 1840						. WM.
City Sisters State OreZip 97759		NW				
(2) TYPE OF WORK:		LotBlock_				
X New Well □ Deepen □ Recondition □ Abandon		ell (or nearest address).				
(3) DRILL METHOD:	68 <u>520 Hwy 2</u>		ters	<u>, 0</u>		
X Rotary Air	(10) STATIC WAI					
Other	.	elow land surface.				
(4) PROPOSED USE:		lb, per squ	uare inch.	Date_		·
Domestic Community Industrial Irrigation	(11) WATER BEA	RING ZONES:				
☐ Thermal ☐ Injection ☐ Other	ę					
(5) BORE HOLE CONSTRUCTION:	Depth at which water v	vas first found	<u>72 </u>			
Special Construction approval Yes No Depth of Completed Well 10 ft		r				
Explosives used Yes No Type Amount	From	From To Estimated Flow			Rate	SWL
	72	110				<u> </u>
HOLE SEAL Amount Diameter From To Material From To sacks or pounds						
12" 0 45 cement	s					
8" 45 110 bentonite 18 0 14 sacks						
	(12) WELL LOG:				•	
	(12) WELL LOG.	Ground elevati	ion			
How was seal placed: Method A B C D E						
		Material		From	То	SWL
Other poured machinex Backfill placed from ft. to ft. Material	brn soil	174401141		0	3	
Backfill placed from R, to R. Material	gray basalt			3	28	
Gravel placed from ft. to ft. Size of gravel	brn brkn ba					
(6) CASING/LINER:				28	37	
Diameter From To Gauge Steel Plastic Welded Threaded	2 yd			37	50	
Casing: 8" +1 45 .250 \(\) \(\) \(\) \(\)	gray basalt				72	
	brn ss			50		
	dk gray con			72	91	
	crse rubbl			91	105	
Liner: 6" -3 110 188 🖸 🖸 🛣	gray basalt	brkn (WB)		105	110	
Final location of shoe(s)	-					
(7) PERFORATIONS/SCREENS:					—	
X Perforations Method <u>machine</u>	-				ļ	
Screens Type Material	<u>-</u> ·					
Slot Tele/pipe						
From To size Number Diameter size Casing Liner					<u> </u>	
90 110 1/8by3 -228						
		-	-			
(O) YYDY'T DDECODO NE'	-					
(8) WELL TESTS: Minimum testing time is 1 hour	Date started 10=4	-93 Con	npleted	10-	7-93	
Pump Bailer Air Artesian		ll Constructor Certific	·• · · · · · · · · · · · · · · · · · ·			
☐ Pump ☐ Bailer ☐ Artesian		ork I performed on the		ion, alter	ation, or	abandon-
Yield gal/min Drawdown Drill stem at Time	ment of this well is in c	ompliance with Oregon v	well const	ruction st	tandards.	Materials
20 + 110 1 hr.	used and information r	eported above are true t	to my best	t knowled	ige and b	elief.
•	- \ \(\), \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	<i>(</i>		WWC N	lumbert	57E
	Signed // ///	A I take		Date 1	U-22	-03 3-1-3
	Signed ///	1 My			<u> </u>	- 33
Temperature of Water 50 Depth Artesian Flow Found		Constructor Certificati				
		lity for the construction, ing the construction date				
Was a water analysis done? Yes By whom		mpliance with Oregon w				
Did any strata contain water not suitable for intended use?	is true to the best of m	y knowledge and belief			Number 5	_
Salty Muddy Odor Colored Other Irrigation		4.11 . >		Date 10	Number_	02
Depth of strata: 28-37	Signed Signed	Johnson _				
ORIGINAL & FIRST COPY - WATER RESOURCES DEPARTMENT SEC	OND COPY CONSTRU	CITOR THIRD CO	OPY - CU	STOME	R 9	809C 10/91