STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765)

FEB 27 1995

(as required by ORS 537.765)	LER % (1992	(START CARD) #_	596	88_	
Instructions for completing this report are on the last page of this form ATE	ER RESUURCES DEF	'I.			
(1) OWNER: Well Number	SALEM, OREGON (9) LOCATION OF V	WELL by Tegal descri		ngitude	
Address 20 N. W. Greenwood Av.		N or S Range			WM
City Bend State Of Zip 9770/		N W 1/4		E 01 W	. W 171
(2) TYPE OF WORK	Tax Lot 300 L		_	ubdivision	
New Well Deepening Alteration (repair/recondition) Abandonment (3) DRILL METHOD:		(or nearest address)			e Ro
Rotary Air Rotary Mud Cable Auger	(10) STATIC WATER	P LEVEL.			
Other	128 ft. below land surface. Date 11-6-94				-94
(4) PROPOSED USE:	Artesian pressure			Date Date	• •
Domestic Community Industrial Irrigation	(11) WATER BEARING ZONES:				
Thermal Injection Livestock Other	, ,				
(5) BORE HOLE CONSTRUCTION:	Depth at which water was	first found 128			
Special Construction approval Yes No Depth of Completed Well 149 ft.	•				
Explosives used Yes No Type Amount	From	То	Estimate	d Flow Rate	SWL
HOLE SEAL	128'	149'	400	GPM.	128
Diameter From To Material From To Sacks or pounds					
12 0 30 Bentonite 0 50 /24 Sacks 18					_
10" 50' 110" 50' 77"					
8" 40' 149'					
	(12) WELL LOG:	///	. (
How was seal placed: Method A B C D E	Ground	Elevation 4400	7		
Other					
Backfill placed from ft. to ft. Material	Materia	1	From	To	SWL
Gravel placed from ft. to ft. Size of gravel	lop Soil		0.	2	
(6) CASING/LINER:	pumice		2'	5	
Casing: 8'' + 18" /37 250 Plastic Welded Threaded		Gravel with	15'	38'	
	brown cla	<u> ఆ — — </u>			
		Sand &	38'	75-1	
	Cemented	Sand &	128	15	
	Gravel				
Liner:	Broken Re	1 1/	751	95'	
Final location of shoo(s)	DIONEM NE	Lava	12	12	
Final location of shoe(s) (7) PERFORATIONS/SCREENS:	Black Lava	Hand	951	110'	
	Black Lava	Hara	1.5	110	
Perforations Method 5 W Screens Type Material	Dad of Blace	k cinder's	110'	130'	128'
Slot Tele/pipe	Broken	1 CMARTS	7.0	130	120
From, To state Number Diameter size Casing Liner			<u> </u>	1	
128 1310 813 SZPR 0	Red Cinde	v 'S	1301	149'	
(8) WELLTESTS: Minimum testing time is 1 hour	Date started 10-12	-94 Comple	eted 2	-2-99	,
Flowing	(unbonded) Water Well	Constructor Certification	on:		
Pump Bailer Air Artesian	I certify that the work	I performed on the consti	ruction, alte	ration, or abar	idonment
Yield gal/min Drawdown Drill stem at Time	of this well is in complian Materials used and inform	ice with Oregon water su nation reported above are	pply well co	onstruction sta best of my kno	ndards. owledge
400 G.P.M5' 1hr.	and belief.				
			WWC Nu	mber	
	Signed			Date	
Temperature of water 46 Depth Artesian Flow Found	(bonded) Water Well Co	nstructor Certification:	:		
Was a water analysis done? Yes By whom Pine Ridge Pump	I accept responsibility performed on this well du	for the construction, alter			
Did any strata contain water not suitable for intended use? Too little	performed during this tim	e is in compliance with C	Dregon wate	r supply well	
Salty Muddy Odor Colored Other	construction standards. T	his report is true to the be	est of my kr	owledge and	
Depth of strata:	Signed Authors	01- 0	WWC Nu	ımber <u>[62</u>	.0
	7			_Date Z-3	-75
ORIGINAL & FIRST COPY-WATER RESOURCES DEPARTMENT SE	COND COPY-CONSTR	UCTOR THIRD C	OPY-CUS	TOMER	