STATE OF OREGON WATER WELL REPORT WATER RESOURCES DEPT(START CARD) # (as required by ORS 537.7 SALEM(9) POCATION OF WELL by legal description: (1) OWNER: Well Number:\_ County Duglas Latitude \_ K N or S Range\_ (2) TYPE OF WORK: New Well ☐ Deepen ☐ Recondition Abandon Street Address of Well (or nearest address) (3) DRILL METHOD Rotary Air Rotary Mud ☐ Cable (10) STATIC WATER LEVEL: ☐ Other ft. below land surface. (4) PROPOSED USE: lb. per square inch. Oomestic ☐ Community ☐ Industrial ☐ Irrigation (11) WATER BEARING ZONES:  $\square$  Thermal Other ☐ Injection Depth at which water was first found (5) BORE HOLE CONSTRUCTION: Special Construction approval Yes No Depth of Completed Well \_ From Estimated Flow Rate SWL Explosives used  $\Box$ Туре Amount sacks or pounds 9 Sacks (12) WELL LOG: Ground elevation Material From То SWL How was seal placed: Method A B & C D D E Backfill placed from \_\_\_\_ \_ft. to \_ Gravel placed from \_ ft. to \_ Size of gravel (6) CASING/LINER: 101 Gauge Steel Plastic Welded Threaded  $\square$ Liner:  $\Box$ Final location of shoe(s) (7) PERFORATIONS/SCREENS: ☐ Perforations Method \_ ☐ Screens Material Slot Tele/pipe Number Diameter Casing Liner Date started (unbonded) Water Well Constructor Certification: (8) WELL TESTS: Minimum testing time is 1 hour I certify that the work I performed on the construction, alteration, or Flowing Artesian abandonment of this well is in compliance with Oregon well construction ☐ Pump ☐ Bailer **Ø**Air standards. Materials used and information reported above are true to my best Yield gal/min Drawdown Drill stem at Time knowledge and belief. ")hr. Signed . (bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment Temperature of water Depth Artesian Flow Found work performed on this well during the construction dates reported above. all Yes By whom Was a water analysis done? work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and Did any strata contain water not suitable for intended use? 

Too little ☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other Depth of strata: \_