

15

RECEIVED

295/6w/3  
62733

STATE OF OREGON  
WATER WELL REPORT  
(as required by ORS 537.765)

MAY - 4 1994

WATER RESOURCES DEPT.

(START CARD) #

*Doug  
1605*

(1) OWNER: SALEM, OREGON  
Name Dick Sumner / ON The River RV Park  
Address PO Box 1614  
City Roseburg State Ore Zip 97470

(2) TYPE OF WORK:  
 New Well  Deepen  Recondition  Abandon

(3) DRILL METHOD:  
 Rotary Air  Rotary Mud  Cable  
 Other

(4) PROPOSED USE:  
 Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Other

(5) BORE HOLE CONSTRUCTION:  
Special Construction approval  Yes  No Depth of Completed Well 140 ft.  
Explosives used  Yes  No Type \_\_\_\_\_ Amount \_\_\_\_\_

HOLE		SEAL		Amount	
Diameter	From To	Material	From To	sacks or pounds	
10"	0 30	Bentonite	30 0	25 Sacks	
6"	30 140				

How was seal placed: Method  A  B  C  D  E  
 Other Poured

Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Size of gravel \_\_\_\_\_

(6) CASING/LINER:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing: 6"	0	30	250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner: 4"	0	140	SPR-3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s) \_\_\_\_\_

(7) PERFORATIONS/SCREENS:  
 Perforations Method Skill Saw  
 Screens Type \_\_\_\_\_ Material \_\_\_\_\_

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
140	20	6x4	300	4"		<input type="checkbox"/>	<input checked="" type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour

Pump  Bailer  Air  Flowing Artesian

Yield gal/min	Drawdown	Drill stem at	Time
1 1/2 Gpm	120'	139'	1 hr.

Temperature of Water 42° Depth Artesian Flow Found \_\_\_\_\_  
Was a water analysis done?  Yes By whom \_\_\_\_\_  
Did any strata contain water not suitable for intended use?  Too little  
 Salty  Muddy  Odor  Colored  Other \_\_\_\_\_  
Depth of strata: 41'

(9) LOCATION OF WELL by legal description:  
County Douglas Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
Township 29 N or S Range 6 E or W WM.  
Section 3 1/4 \_\_\_\_\_ 1/4 \_\_\_\_\_  
Tax Lot 200 Lot \_\_\_\_\_ Block \_\_\_\_\_ Subdivision \_\_\_\_\_  
Street Address of Well (or nearest address) \_\_\_\_\_

(10) STATIC WATER LEVEL:  
20 ft. below land surface. Date 4/18/94  
Artesian pressure \_\_\_\_\_ lb. per square inch. Date \_\_\_\_\_

(11) WATER BEARING ZONES:  
Depth at which water was first found 41'

From	To	Estimated Flow Rate	SWL
41'	42'	1 1/2 GPM	20'

(12) WELL LOG:  
Ground elevation \_\_\_\_\_

Material	From	To	SWL
Clayrock yellow	0	19	
Clayrock Grey	19	23	
Sandrock med soft	23	25	
Sandrock/Quartz	25	38	
Sandrock soft	38	51	20'
Sandrock/Quartz	51	58	
Sandrock med	58	73	
Sandrock med soft	73	76	
Sandrock/Quartz	76	101	
Sandrock med	101	107	
Sandrock soft	107	140	

Date started 4/18/94 Completed 4/18/94

(unbonded) Water Well Constructor Certification:  
I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief.  
Signed Geary Mohr WWC Number 1211  
Date 4/27/94

(bonded) Water Well Constructor Certification:  
I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief.  
Signed Bruce K. Moore WWC Number 629  
Date 4-27-94