

## STATE OF OREGON

## WATER WELL REPORT (as required by ORS 537.765)



235/AW/10	da
= // / -!	

(START CARD) #\_\_\_23264

(as required of orthogonal							
(1) OWNER: Well Number:		(9) LOCATION					
Name Kesterson Bros. Logging Co.		County Doug 1	as Latitude	, "	Longitude	2	•
Address 20028 Hwy . 138 W		Township 23	N or S, Range/			_E or W,	WM.
ity Oakland State OR Zip 974	462	Section 10	NE 4	<u>SE</u>	1/4		
2) TYPE OF WORK:		Tax Lot <u>400</u>	Lot Bloc	·	Subdi	ivision	20
X New Well Deepen Recondition Abandon		Street Address of W	'ell (or nearest address) _	2002	8 HW	y • 13	S W
3) DRILL METHOD		<u>Oakland</u>	, Or 97462				
Rotary Air Rotary Mud Cable		(10) STATIC W	VATER LEVEL				
Other		75ft.	below land surface.		Date .	12/6	<u>5/90</u>
4) PROPOSED USE:		Artesian pressure _	lb. per squ	are inch.	Date	<u></u>	
Domestic Community X Industrial X Irrigation		(11) WATER B	EARING ZONE	ES:			1,2,2,1
Thermal Injection 🛛 Other Commercial		Depth at which water was			ft.		
5) BORE HOLE CONSTRUCTION:							CWI
pecial Construction approval Yes No Depth of Completed Well 1	<u>80_it.  </u>	From	To	Estim	nated Flow	Rate	SWL
Yes No L K Explosives used X Type Amount Amount		48	49	-	T		75
		165	166	1	00		75_
HOLE SEAL Amou Diameter From To Material From To sacks or p	unt pounds						
9 7/8 0 38 Cement 0 38 9 s		(10) WELL TO	<u> </u>	1			
6 38 180		(12) WELL LO	G: Ground elevat	ion			
			Material		From	То	SWL
		Dark brown	clay		0	8	
How was seal placed: Method 🔲 A 🔲 B 💆 C 🔲 D 🗍 E			n clay (har	<u>d)</u>	8	42	
Other					42	43	
Backfill placed fromft. toft. Material		Med. grave			43	48_	
Gravel placed fromft. toft. Size of gravel			tone		48	165	7.
(6) CASING/LINER:					165	166	75
Diameter From To Gauge Steel Plastic Welded The Saint 6   +1½   53½ 250 XX		Blue sands	tone		166	180	75
'asing: 6 +1½ 53½ 250 XX						<del> </del>	
	<u> </u>				-	-	
Liner:							
inal location of shoe(s) 53½ ft.				,,,,,		ļ	
7) PERFORATIONS/SCREENS:		(Water at	48 ft. seal	ed o	Ef)	-	
Perforations Method			1	<b>1</b>	7 To 16		
Screens Type Material			L	· · · · · · · · · · · · · · · · · · ·	Lat V		<del> </del>
Slot Tele/pipe	T. t			JAN	7 10	31	
From To size Number Diameter size Casing	Liner			JHN	1 1	ات	
			WATE	H RES	<b>DHC</b>	S DE	1.
				ALEM,	OREC	NC	
		Date started 12/6	5/90 Coi	npleted	12/	6/90	
			Well Constructor C				
(8) WELL TESTS: Minimum testing time is 1 hour		I certify that th	he work I performed	on the c	onstructi	ion, alter	ation,
Pump Bailer Air Artesian		abandonment of thi	s well is in complian	ce with	Oregon	well con	structi
		standards. Materials knowledge and belief.	used and information	reported	adove a	re true to	my be
Tield Salimin Diameter		into meage and belief	-	7	WWC Nu	ımber	
100+ 175 1 hr.	·	Signed		I	Date	11.11	
		(bonded) Weter We	ell Constructor Cert	ification	n•		
Temperature of water51 O Depth Artesian Flow Found		I accept respons	sibility for the constr	uction, al	lteration	, or aban	donme
		work performed on t	his well during the co	nstructio:	n dates r	eported a	above.
Was a water analysis done? Yes By whom	<del></del>	work performed du	ring this time is i	n compl e to the l	nance w best of n	nth Ore	gon w ledge a
Did any strata contain water not suitable for intended use?	• .	belief.	0			ımber	
		Signed Derly	selected a			./2/9	
Depth of strata:		Digited		1			