NOTICE TO WATER WELL STEAD TO THE OF OREGON

The original and first spin of this report are the MAY 2.4 1971

STATE OF OREGON

filed with the MAY 2 4 1971

STATE OF OREGON

STATE ENGINEER, SALES TO STATE OF OREGON

within 30 days from the data.

of well completion.

2769 State Permit No. State Permit No.

(1) OWNER:	(10) LOCATION OF WELL:	
Name harley Busers	County / Oct G/ & Driller's well number	
Address OBot 233 Recosport	14 14 Section 8 T. 22S	R. 920 W.M.
Other	Bearing and distance from section or subdivisi	on corner
(2) TYPE OF WORK (check):		· • • · · · · · · · · · · · · · · · · ·
New Well Deepening Reconditioning Abandon	· s- /-	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft.	
Rotary Driven Domestic Industrial Municipal D	Static level 18 ft. below land s	urface. Date 5_20
Cable Jetted	Artesian pressure - lbs. per square inch. Date	
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well 1	pelow casing
"Diam. from Off. to ft. Gage ft. Gage	Depth drilled 92 ft. Depth of compl	eted well 92 ft.
" Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in	
"Diam. fromft. toft. Gage		
PERFORATIONS: Perforated?	position of Static Water Level and indicate prin	cipal water-bearing strata.
Type of perforator used	MATERIAL	From To SWL
Size of perforations in. by in.	Soel a	03
The state of the s	Hellow Chay	3 39
perforations fromft. toft.	The coloresting	39 92
perforations from ft. to ft.	· freeze chay the	
perforations from ft. to ft.		
(7) SCREENS: Well screen installed? Yes No		
Manufacturer's Name		
Type Model No		
Diam. Slot size Set from ft. to ft.		
Diam. Slot size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? Yes No If yes, by whom?		
Yield: gal./min. with ft. drawdown after hrs.		
" " "		
" "		
Bailer test 20 gal./min. with 52 ft. drawdown after / hrs.		
Artesian flow g.p.m.	Work started 5- 19 197/Complete	ted 5 -2 0 19 7/
perature of water 5 Depth artesian flow encountered ft.		
(9) CONSTRUCTION:	Date well drilling machine moved off of well	<u> </u>
Well seal-Material used Sollaw Country	Drilling Machine Operator's Certification This well was constructed under my	
Well sealed from land surface to	Materials used and information reported	above are true to my
Diameter of well bore to bottom of seal in.	best knowledge and belief.	
Diameter of well bore below seal in.	[Signed] (Drilling Machine Operator)	Date 5_20, 19.7
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No.	692
Number of sacks of bentonite used in well seal sacks	Diffing Machine Operator's Incense No.	
Brand name of bentonite	Water Well Contractor's Certification:	
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisc	liction and this report is
of water lbs./100 gals.	true to the best of my knowledge and be	lief.
Was a drive shoe used? Yes No Plugs Size: location ft.	Name John T BECK S	UIBERLIN
Did any strata contain unusable water? Yes No	(Person, firm or corporation)	(Type or print)
Type of water? So of depth of strata 78	Address Address	
Method of sealing strata off	[Signed] Ahrs & Beca	R
Was well gravel packed? ☐ Yes ★No Size of gravel:	(Water Well Con	tractor)
Gravel placed fromft toft.	Contractor's License No	5-20 , 19/
	CHEETS IF NECESSARY)	SP*45656-119