

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

RECEIVED WATER WELL REPORT AUG 19 1968 STATE OF OREGON (Please type or print) (If you write above this line) STATE ENGINEER SALEM OREGON

DOUG 3202

State Well No. 23/5w-28 K State Permit No.

(1) OWNER:

Name ART ANDERSON Address RT 1 OAKLAND

(2) TYPE OF WORK (check):

New Well [X] Deepening [ ] Reconditioning [ ] Abandon [ ] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [ ] Driven [ ] Cable [ ] Jetted [ ] Dug [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [X] Industrial [ ] Municipal [ ] Irrigation [ ] Test Well [ ] Other [ ]

(5) CASING INSTALLED:

Threaded [ ] Welded [X] 6" Diam. from 0 ft. to 29 ft. Gage 200

(6) PERFORATIONS:

Perforated? [X] Yes [ ] No. Type of perforator used MILLS Size of perforations 3/8 in. by 3 in. 38 perforations from 23 ft. to 29 ft.

(7) SCREENS:

Well screen installed? [ ] Yes [X] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 6 ft. below land surface Date 7-26-68 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [ ] Yes [X] No If yes, by whom? gal./min. with ft. drawdown after hrs. Bailer test 3 gal./min. with 30 ft. drawdown after 2 hrs. Artesian flow g.p.m. Date Temperature of water 54 Was a chemical analysis made? [ ] Yes [ ] No

(10) CONSTRUCTION:

Well seal—Material used CEMENT Depth of seal 18 ft. Diameter of well bore to bottom of seal 9 in. Were any loose strata cemented off? [ ] Yes [X] No Depth Was a drive shoe used? [ ] Yes [X] No Did any strata contain unusable water? [ ] Yes [X] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [ ] Yes [X] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County DOUGLAS Driller's well number 71 N.W. 1/4 S.E. 1/4 Section 28 T. 23 R. 5 W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 6 Depth drilled 86 ft. Depth of completed well 86 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include: Top soil, BLUE CLAY, GREY CLAYSTONE, HARD BLUE CLAYSTONE, HARD BASALT, Greenish CLAYSTONE, Blue CLAYSTONE.

Work started 7-19 1968 Completed 7-26 1968 Date well drilling machine moved off of well 7-26 1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Ed. Boehrs Date 8-16, 1968 (Drilling Machine Operator)

Drilling Machine Operator's License No. 30

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Ed. Boehrs (Person, firm or corporation) (Type or print)

Address Box 414 OAKLAND ORE

[Signed] Ed. Boehrs (Water Well Contractor)

Contractor's License No. 267 Date 8-16, 1968