

NOTICE TO WATER WELL CONTRACTOR  
The original and first copy of this report are to be filed with the

**WATER WELL REPORT**

WATER RESOURCES DEPARTMENT  
SALEM, OREGON 97310  
within 30 days from the date of well completion.

**RECEIVED**

STATE OF OREGON  
(Please type or print)

OCT 31 1978  
Do not write above this line

State Well No. 265/3w-10  
State Permit No.

**(1) OWNER:**

Name Bill Forrest  
Address 1187 SE. Cane Street

**(2) TYPE OF WORK (check):**

New Well  Deepening  Reconditioning  Abandon   
If abandonment, describe material and procedure in Item 12.

**(3) TYPE OF WELL:**

Rotary  Cable  Dug   
Driven  Jetted  Bored

**(4) PROPOSED USE (check):**

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

**CASING INSTALLED:**

6" Diam. from 0 ft. to 61 ft. Gage 250  
" Diam. from ft. to ft. Gage  
" Diam. from ft. to ft. Gage

**PERFORATIONS:**

Perforated?  Yes  No  
Type of perforator used  
Size of perforations in. by in.  
perforations from ft. to ft.  
perforations from ft. to ft.  
perforations from ft. to ft.

**(7) SCREENS:**

Well screen installed?  Yes  No  
Manufacturer's Name  
Type Model No.  
Diam. Slot size Set from ft. to ft.  
Diam. Slot size Set from ft. to ft.

**(8) WELL TESTS:**

Drawdown is amount water level is lowered below static level  
Was a pump test made?  Yes  No If yes, by whom?  
Yield: gal./min. with ft. drawdown after hrs.  
Water test 25 gal./min. with 115 ft. drawdown after 1 hrs.  
Artesian flow g.p.m.  
Temperature of water 42° Depth artesian flow encountered ft.

**(9) CONSTRUCTION:**

Well seal—Material used Portland Cement  
Well sealed from land surface to 36 ft.  
Diameter of well bore to bottom of seal 6 9 in.  
Diameter of well bore below seal 9 in.  
Number of sacks of cement used in well seal 9 sacks  
How was cement grout placed? Mixed between 9" diameter and outside casing to cap seal at 36'  
Was a drive shoe used?  Yes  No Plugs Size: location ft.  
Did any strata contain unusable water?  Yes  No  
Type of water? depth of strata  
Method of sealing strata off  
Was well gravel packed?  Yes  No Size of gravel:  
Gravel placed from ft. to ft.

**(10) LOCATION OF WELL:**

County Douglas Driller's well number  
¼ Section 10 T 21S R 3W W.M.  
Bearing and distance from section or subdivision corner

**(11) WATER LEVEL: Completed well.**

Depth at which water was first found 106 ft.  
Static level 18 ft. below land surface. Date Oct 4  
Artesian pressure lbs. per square inch. Date

**(12) WELL LOG:**

Diameter of well below casing 6"  
Depth drilled 130 ft. Depth of completed well 130 ft.  
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
<u>Dark brown</u>	<u>0</u>	<u>7</u>	
<u>Clay rock brown</u>	<u>7</u>	<u>31</u>	
<u>Sandrock clayrock</u>	<u>31</u>	<u>56</u>	
<u>Sandrock quartz</u>	<u>56</u>	<u>130</u>	<u>106</u>

Work started Oct 7 1978 Completed Oct 4 1978  
Date well drilling machine moved off of well Oct 4 1978

**Drilling Machine Operator's Certification:**

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.  
[Signed] Gay Mohr Date Oct 20, 1978  
(Drilling Machine Operator)  
Drilling Machine Operator's License No. 858

**Water Well Contractor's Certification:**

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  
Name Snake Well Drilling Inc  
(Person, firm or corporation) (Type or print)  
Address P.O. Box #69 Rock, Ore  
[Signed] [Signature]  
(Water Well Contractor)  
Contractor's License No. 60 Date 10/31/78