NOTICE TO WATER WELL GOTTECORY The original and first the OCT 31 1968 WATER WELL REPORT 3609 of this report are to be OCT 31 1968 WATER WELL REPORT 3609 filed with the FIGURE ENGINEER TATE OF OREGON STATE ENGINEER, SALEM, OREGON 9310 OREGON (Please type or print) within 30 days from the FIGUREM. OREGON (Do not write above this line) of well completion.

		·	•	dad
State	Well No	, 24/	5w-	70

State Permit No. .. G-4636

water and water

1) OWNER:	(11) LOCATION OF WELL: (HOLE # 9)		
Tame Oregon State Highway Dept.	County Douglas Driller's well number		
Address Salem, Oregon	1/4 1/4 Section T. R. W.M.		
2) WYDE OF WORK (-LL.).	Bearing and distance from section or subdivision corner		
2) TYPE OF WORK (check):			
Iew Well M Deepening □ Reconditioning □ Abandon □			
f abandonment, describe material and procedure in Item 12.			
3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing		
able	Depth drilled 140 ft. Depth of completed well 140 ft.		
Oug Bored Irrigation Test Well Other	Formation: Describe color, texture, grain size and structure of materials;		
CASING INSTALLED: Threaded Welded	and show thickness and nature of each stratum and aquifer penetrated,		
6" Diam. from	with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.		
ft. Gage ft. Gage	MATERIAL From To SWL		
ft. Gage ft. Gage	Yellow clay 0 9		
PERFORATIONS: Perforated? ☐ Yes 57-No.	Hard basalt 9 46		
— X	Basalt mixed with shale 46 77		
Type of perforator used	Gray shale 77 122		
Size of perforations in. by in.	White rock ? 122 133		
perforations from ft. to ft.	Black basalt 133 140		
perforations from			
perforations from			
perforations fromft. toft.			
perforations from ft. to ft.			
7) SCREENS: Well screen installed? Yes No			
Manufacturer's Name			
Type Model No			
Diam Slot size Set from ft, to ft.			
Diam Slot size Set from ft. to ft ft.			
(8) WATER LEVEL: Completed well.			
Static level 1.5 ft. below land surface Date 9/26/68			
Art. dan pressure lbs. per square inch Date			
(9) WELL TESTS. Drawdown is amount water level is			
lowered below static level			
Was a pump test made? MYes DNo If yes, by whom WW Drilling	Work started 0/0): /69 to Gammileted 0/05/69 to		
gal./min. with 42 ft. drawdown after 4 hrs.	Work started 9/24/68 19 Completed 9/25/68 19		
57 " 54 " 6 "	Date well drilling machine moved off of well 9/25/68 19		
" " " "	Drilling Machine Operator's Certification:		
Bailer test gal./min. with ft. drawdown after hrs.	This well was constructed under my direct supervision. Mate- rials used and information reported above are true to my best		
Artesian flow g.p.m. Date	knowledge and belief		
Femperature of water Was a chemical analysis made? ☐ Yes X No	[Signed] (128/68)		
(10) CONGERNACION	(Drilling machine Operator)		
(10) CONSTRUCTION:	Drilling Machine Operator's License No		
Well seal—Material used Cement type 3 Depth of seal 18.5 ft.	VIII-A		
Depth of seal	Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is		
Were any loose strata cemented off? Yes X No Depth	true to the best of my knowledge and belief.		
Was a drive shoe used? ☐ Yes 🔏 No	NAME W. W. Drilling & Pump Service (Person, firm or corporation) (Type or print)		
Did any strata contain unusable water? Yes X No			
Type of water? depth of strata	Address 2320 Main St. Springfield, Ore.		
Method of sealing strata off	in all atthe		
Was well gravel packed? ☐ Yes INO Size of gravel:	[Signed] (Water Well Contractor)		
The Hotel Braver paracut [165 -[170 Size of Braver	Contractor's License No 268 Date 10/28/68 19		