					Page 1 of 3
STATE OF OREGON	DOUG	58228	WELL I.D. LABEL# ]	L 128182	
WATER SUPPLY WELL REPORT			START CARD #	1036538	
(as required by ORS 537.765 & OAR 690-205-0210)	11/3/	2017	<b>ORIGINAL LOG #</b>		
(1) LAND OWNER Owner Well I.D. #20					
First Name CARL Last Name COFFMAN	•			• • • •	
Company NORWAY DEVELOPMENT		. ,	FION OF WELL (legal of	<b>-</b> ,	
		County DOUG	LAS Twp 27.00 S N	/S Range 5.00	W E/W WM
Address P.O. BOX 387   City OREGON CITY State OR Zip 97045		Sec 6	NE 1/4 of the NW	1/4 Tax Lot	2300
$(2) TYPE OF WORK \qquad \qquad$	<del></del> _	Tax Map Num	ber " or 43.2565534 or -123.337134	Lot	
		Lat °	' or 43.2565534	1	DMS or DD
Alteration (complete 2a & 10) Abandonment(co	mplete 5a)	Long	or	479	DMS or DD
(2a) PRE-ALTERATION			treet address of well	arest address	
Dia + From To Gauge Stl Plstc Wld Thrd Casing:		$\sim$	$\bigcirc$		
		0 SOUTHRIL	OGE WAY ROSEBURG, OR 97	470	
Material From To Amt sacks/lbs					
		(10) STAT	IC WATER LEVEL		
(3) DRILL METHOD		(10) SIAI	Date	e SWL(psi)	+ SWL(ft)
Rotary Air Rotary Mud Cable Auger Cable Mud		Existing V	Vell / Pre-Alteration		
Reverse Rotary Other		Complete	d Well 10/3/2017		43
(4) <b>PROPOSED USE</b> Domestic Irrigation Community			Flowing Artesian?		
				· _	
Industrial/ Commericial Livestock Dewatering		WATER BEAF	RING ZONES Depth wa	ater was first four	nd 60.00
Thermal Injection Other	_	SWL Date	From To Es	t Flow SWL(psi	i) + $SWL(ft)$
(5) BORE HOLE CONSTRUCTION Special Standard (A	Attach conv)	10/2/2017	60 61	1	43
Depth of Completed Well 400.00 ft.	nuuen eopy)	10/2/2017			
BORE HOLE SEAL	sacks/		84 85	1	43
Dia From To Material From To A		10/2/2017	191 192	5	43
	8 S	10/3/2017	302 303	7.8	43
	8				
Calculated		(11) WELL	LOG Ground Elevation	on	
How was seal placed: Method A B C D	Е		Material	From	То
X Other POURED		Brown Clay		0	8
Backfill placed from ft. to ft. Material		Basalt (Hard)		8	400
Filter pack from ft. toft. Material					
Explosives used: Yes Type Amount					
(5a) ABANDONMENT USING UNHYDRATED BENTONIT	ГЕ				
Proposed Amount Actual Amount					
1					
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc V					
Tioni To Guige Su Tiste					
	$\square$				
$\bigcirc \ \bullet \ 4 \ 5 \ 400 \ \mathrm{sch40} \ \bigcirc \ \bullet \ 1$	$\vdash$				
	$\vdash$				
	$\vdash$				
Shoe Inside Outside Other Location of shoe(s)					
Temp casing Yes Dia From + To					
(7) PERFORATIONS/SCREENS					
Perforations Method Saw Cut					
Screens Type Material		Date Started	110/2/2017 Com	pleted 10/3/202	17
Perf/ Casing/ Screen Scrn/slot Slot # of	Tele/			1	÷ ·
Screen Liner Dia From To width length slots	pipe size	(unbonded) V	Vater Well Constructor Certif	ication	
Perf Liner 4 180 200 .1 5 34			the work I performed on the co		
Perf Liner 4 340 360 .1 5 34			of this well is in compliance		
Perf Liner 4 380 400 .1 5 34			tandards. Materials used and ir	formation report	ed above are true to
			knowledge and belief.		
		License Numb	Der 1878 D	ate 11/3/2017	
(8) WELL TESTS: Minimum testing time is 1 hour					
	rtesian	Signed KE	RRY SCHATTENKERK (E-file	:d)	
		(bonded) W-4	er Well Constructor Certificat	tion	
Yield gal/min Drawdown Drill stem/Pump depth Duration (h	ir)	· ,			
14.8 400 2			nsibility for the construction, d		
			ed on this well during the constru-		
		performed du	ring this time is in compliant	e with Oregon	water supply well
Temperature <u>54</u> °F Lab analysis Yes By		construction st	andards. This report is true to the	ie dest of my kno	ownedge and belief.
Water quality concerns? Yes (describe below) TDS amount 222 From To Description Amount	ppm	License Numb	Der 1284 D	ate 11/3/2017	
From To Description Amount	Units	a. 1			
			UG P SCHATTENKERK (E-file	/	
		Contact Info (	optional) Southern Oregon Wate	er Wells (541)	672-7834

ORIGINAL - WATER RESOURCES DEPARTMENT THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version:

## WATER SUPPLY WELL REPORT -

continuation page

## (2a) PRE-ALTERATION Dia + From То Gauge Stl Plstc Wld Thrd Material From Amt sacks/lbs То (5) BORE HOLE CONSTRUCTION BORE HOLE SEAL sacks/ Dia From То Material From То Amt lbs Calculated Calculated Calculated Calculated FILTER PACK Size Material From То (6) CASING/LINER Casing Liner Gauge Stl Plstc Wld Thrd Dia + From То (7) PERFORATIONS/SCREENS Perf/ Casing/ Screen Scrn/slot Slot # of Tele/ Screen Liner Dia То width slots From length pipe size (8) WELL TESTS: Minimum testing time is 1 hour Yield gal/min Drill stem/Pump depth Duration (hr) Drawdown

## WELL I.D. LABEL# L 128182 START CARD # 1036538 ORIGINAL LOG #

Page 2 of 3

## 11/3/2017

**DOUG 58228** 

#### Water Quality Concerns

From	То	Description	Amount	Units

#### (10) STATIC WATER LEVEL

SWL Date	From	То	Est Flow	SWL(psi)	+	SWL(ft)
					_	
					-	
					-	

## (11) WELL LOG

Material	From	То

## **Comments/Remarks**

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

**DOUG 58228** 

11/3/2017

Map of Hole

## STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

## LOCATION OF WELL

Latitude: 43.2565534097 Datum: WGS84 Longitude: -123.33713478515 Township/Range/Section/Quarter-Quarter Section: WM 27S 5W 6 NENW Address of Well: 0 SOUTHRIDGE WAY ROSEBURG, OR 97470

#### Oregon Water Resources Department 725 Summer St NE, Salem OR 97301

Well Label: 128182





# Printed: November 3, 2017

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

