

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

DOUG 58841

WELL I.D. LABEL# L

START CARD #

1047238

5/11/2020

ORIGINAL LOG #

(1) LAND OWNER

Owner Well I.D.

First Name Last Name
Company NORWAY DEVELOPMENT COMPANY
Address P.O. BOX 387
City OREGON CITY State OR Zip 97045

(2) TYPE OF WORK

New Well Deepening Conversion
Alteration (complete 2a & 10) Abandonment (complete 5a)

(2a) PRE-ALTERATION

Casing: Dia + From To Gauge Stl Plstc Wld Thrld
Material From To Amt sacks/lbs
Seal:

(3) DRILL METHOD

Rotary Air Rotary Mud Cable Auger Cable Mud
Reverse Rotary Other

(4) PROPOSED USE

Domestic Irrigation Community
Industrial/ Commercial Livestock Dewatering
Thermal Injection Other

(5) BORE HOLE CONSTRUCTION

Special Standard (Attach copy)

Depth of Completed Well ft.

Table with columns: Dia, From, To, Material, From, To, Amt, Sacks/lbs. Rows for Cement and Bentonite.

How was seal placed: Method A B C D E

Other POURED

Backfill placed from ft. to ft. Material

Filter pack from 118 ft. to 127 ft. Material GRAVEL Size pea gravel

Explosives used: Yes Type Amount

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount Actual Amount

(6) CASING/LINER

Table with columns: Casing, Liner, Dia, From, To, Gauge, Stl, Plstc, Wld, Thrld

Shoe Inside Outside Other Location of shoe(s)

Temp casing Yes Dia From + To

(7) PERFORATIONS/SCREENS

Perforations Method air perf

Screens Type Material

Table with columns: Perf/Screen, Casing/Liner, Dia, From, To, Scrn/slot width, Slot length, # of slots, Tele/pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Pump Bailer Air Flowing Artesian

Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)

Table with 4 columns for test results

Temperature F Lab analysis Yes By

Water quality concerns? Yes (describe below) TDS amount 144 ppm

Table with columns: From, To, Description, Amount, Units

(9) LOCATION OF WELL (legal description)

County DOUGLAS Twp 26.00 S N/S Range 5.00 W E/W WM

Sec 31 SE 1/4 of the SW 1/4 Tax Lot 2600

Tax Map Number Lot

Lat or 43.25976168 DMS or DD

Long or -123.33807572 DMS or DD

Street address of well Nearest address

0 SOUTHRIDGE WAY
ROSEBURG, OR 97470

(10) STATIC WATER LEVEL

Date SWL(psi) + SWL(ft)

Table with 4 columns for static water level data

Flowing Artesian? Dry Hole?

WATER BEARING ZONES

Depth water was first found

SWL Date From To Est Flow SWL(psi) + SWL(ft)

Table with 6 columns for water bearing zones

(11) WELL LOG

Ground Elevation

Table with columns: Material, From, To. Row for Abandonment (see seal section).

Date Started 5/11/2020 Completed 5/11/2020

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

License Number 1878 Date 5/11/2020

Signed KERRY SCHATTENKERK (E-filed)

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above.

License Number 1284 Date 5/11/2020

Signed DOUG SCHATTENKERK (E-filed)

Contact Info (optional) Southern Oregon Water Wells 541-672-7834

WATER SUPPLY WELL REPORT - continuation page

DOUG 58841

WELL I.D. LABEL# L

START CARD #

1047238

5/11/2020

ORIGINAL LOG #

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd

Material	From	To	Amt	sacks/lbs

Water Quality Concerns

From	To	Description	Amount	Units

(5) BORE HOLE CONSTRUCTION

BORE HOLE			SEAL			sacks/lbs
Dia	From	To	Material	From	To	Amt
			Bentonite	127	165	10.5 S
					Calculated	10.5
					Calculated	
					Calculated	
					Calculated	
					Calculated	

(10) STATIC WATER LEVEL

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)

FILTER PACK

From	To	Material	Size

(6) CASING/LINER

Casing Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd

(11) WELL LOG

Material	From	To

(7) PERFORATIONS/SCREENS

Perf/ Screen	Casing/ Liner Dia	Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/ pipe size

Comments/Remarks

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

DOUG 58841

5/11/2020

Map of Hole

