

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

DOUG 59166

WELL I.D. LABEL# L 143104
START CARD # 1053098
ORIGINAL LOG #

8/4/2021

(1) LAND OWNER

Owner Well I.D.
First Name Last Name
Company ZAREMBA GROUP, LLC
Address 14600 DETRIOT AVE, SUITE 1500
City LAKEWOOD State OH Zip 44107

(2) TYPE OF WORK

New Well Deepening Conversion
Alteration (complete 2a & 10) Abandonment (complete 5a)

(2a) PRE-ALTERATION

Casing: Dia + From To Gauge Stl Plstc Wld Thrld
Material From To Amt sacks/lbs
Seal:

(3) DRILL METHOD

Rotary Air Rotary Mud Cable Auger Cable Mud
Reverse Rotary Other

(4) PROPOSED USE

Domestic Irrigation Community
Industrial/ Commercial Livestock Dewatering
Thermal Injection Other TRANSIENT NON-COMMUNIT

(5) BORE HOLE CONSTRUCTION

Special Standard (Attach copy)
Depth of Completed Well 270.00 ft.

Table with columns: Dia, From, To, Material, From, To, Amt, sacks/lbs. Rows include Bentonite and Cement.

How was seal placed: Method A B C D E

Backfill placed from ft. to ft. Material

Filter pack from ft. to ft. Material Size

Explosives used: Yes Type Amount

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount Actual Amount

(6) CASING/LINER

Table with columns: Casing, Liner, Dia, From, To, Gauge, Stl, Plstc, Wld, Thrld. Includes shoe location and temp casing info.

(7) PERFORATIONS/SCREENS

Perforations Method Saw Cut

Table with columns: Perf, Casing/Screen, Dia, From, To, Scrn/slot width, Slot length, # of slots, Tele/pipe size.

(8) WELL TESTS: Minimum testing time is 1 hour

Pump Bailer Air Flowing Artesian

Table with columns: Yield gal/min, Drawdown, Drill stem/Pump depth, Duration (hr).

Temperature 56 °F Lab analysis Yes By

Water quality concerns? Yes (describe below) TDS amount 659 ppm

Table with columns: From, To, Description, Amount, Units. Rows include Total Dissolved Solids and Salinity.

(9) LOCATION OF WELL (legal description)

County DOUGLAS Twp 28.00 S N/S Range 7.00 W E/W WM
Sec 31 NW 1/4 of the SE 1/4 Tax Lot 2901
Tax Map Number Lot
Lat or 43.09346376 DMS or DD
Long or -123.56828528 DMS or DD
Street address of well Nearest address

(10) STATIC WATER LEVEL

Table with columns: Existing Well / Pre-Alteration, Date, SWL(psi), SWL(ft). Row for Completed Well on 8/2/2021.

WATER BEARING ZONES

Depth water was first found 54.00

Table with columns: SWL Date, From, To, Est Flow, SWL(psi), SWL(ft). Rows for dates 7/22/2021.

(11) WELL LOG

Ground Elevation

Table with columns: Material, From, To. Rows include Brown Clay, Grey Silty Clay, Grey Clay Sandstone Gravel, Blue/Grey Claystone, Sandstone.

Date Started 7/22/2021 Completed 8/2/2021

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

License Number Date

Signed

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above.

License Number 1878 Date 8/4/2021

Signed KERRY SCHATTENKERK (E-filed)

Contact Info (optional) Southern Oregon Water Wells (541) 672-7834

WATER SUPPLY WELL REPORT - continuation page

DOUG 59166

WELL I.D. LABEL# L 143104

START CARD # 1053098

8/4/2021

ORIGINAL LOG #

143104	
1053098	

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
					○ ○		□	□
					○ ○		□	□
					○ ○		□	□

Material From To Amt sacks/lbs

Water Quality Concerns

From	To	Description	Amount	Units

(5) BORE HOLE CONSTRUCTION

BORE HOLE				SEAL			
Dia	From	To	Material	From	To	Amt	sacks/ lbs
						Calculated	
						Calculated	
						Calculated	
						Calculated	

(10) STATIC WATER LEVEL

SWL Date	From	To	Est Flow	SWL(psi)	+	SWL(ft)

FILTER PACK

From	To	Material	Size

(11) WELL LOG

Material	From	To

(6) CASING/LINER

Casing Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
○ ○						○ ○		□	□
○ ○						○ ○		□	□
○ ○						○ ○		□	□
○ ○						○ ○		□	□
○ ○						○ ○		□	□

(7) PERFORATIONS/SCREENS

Perf/ Screen	Casing/ Liner Dia	Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)

Comments/Remarks

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

DOUG 59166

8/4/2021

Map of Hole

