

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print) (Do not write above this line)

RECEIVED

AUG 25 1975

State Well No. 263/6W-19

WATER RESOURCES DEPT. SALEM, OREGON

State Permit No.

DOUG
006564

(1) OWNER:

Name Leon Chason
Address 1809 N.E. Sunset Ave
Seaside Oregon

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED:

Threaded Welded
8" Diam. from 0 ft. to 30 1/2 ft. Gage 1/4 wall
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated: Yes No

Type of perforator used cutting tool
Size of perforations 3 in. by 1/4 in.
56 perforations from 23 ft. to 30 ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 20 ft. below land surface Date 3-20-69
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom
Yield: gal./min. with ft. drawdown after hrs.
" " " " "
" " " " "
Bailer test 30 gal./min. with 6 ft. drawdown after 1 hrs.
Artesian flow g.p.m. Date
Temperature of water 48 Was a chemical analysis made? Yes No

(10) CONSTRUCTION:

Well seal—Material used Bentonite & Cement
Depth of seal 20 ft.
Diameter of well bore to bottom of seal 12 in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County W Douglas Driller's well number
1/4 Section 19 T. 26 R. 6W W.M.
Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 8

Depth drilled 36 ft. Depth of completed well 36 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
<u>Sandy loam silt</u>	0	5	
<u>Yellow clay silt</u>	5	19	
<u>Yellow clay sand</u>	19	22	
<u>Stratified silt & clay</u>	22	26	20
<u>Blue claystone</u>	26	36	20

Work started 3-19-69 Completed 3-20-69

Date well drilling machine moved off of well 3-21-69

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] [Signature] Date 3-21-69
(Drilling Machine Operator)

Drilling Machine Operator's License No. 168

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Mohr Well Drilling Inc
(Person, firm or corporation) (Type or print)

Address Rt 2 Box 1169 Rose, Ore.

[Signed] [Signature]
(Water Well Contractor)

Contractor's License No. 60 Date 3-21-69