

NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

DOUG

WATER WELL REPORT

RECEIVED

006564

STATE OF OREGON

(Please type or print)

(Do not write above this line)

AUG 25 1975

State Well No.

263/6W-19

RESOURCES DEPT.

State Permit No.

SALEM, OREGON

(1) OWNER:

Name Leon Olson
Address 1809 N. 9th Sunset. ave
Ranching Oregon

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED:

8" Diam. from 0 ft. to 30 ft. Gage 1/4 in.
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated Yes No.
Type of perforator used cutting torch
Size of perforations 3 in. by 1/4 in.
56 perforations from 23 ft. to 30 ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 20 ft. below land surface Date 3-30-69
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?

eld: gal./min. with ft. drawdown after hrs.
" " "
" " "
" " "

Bailer test 30 gal./min. with 6 ft. drawdown after 1 hrs.

Artesian flow g.p.m. Date

Temperature of water 48 Was a chemical analysis made? Yes No

(10) CONSTRUCTION:

Well seal—Material used Bentonite & Cement

Depth of seal 20 ft.

Diameter of well bore to bottom of seal 13 in.

Were any loose strata cemented off? Yes No Depth

Was a drive shoe used? Yes No

Did any strata contain unusable water? Yes No

Type of water? depth of strata

Method of sealing strata off

Was well gravel packed? Yes No Size of gravel:

Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Douglas Driller's well number

1/4 Section 19 T. 269 R. 6W W.M.

Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 8
Depth drilled 36 ft. Depth of completed well 36 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
Sandy loam soil.	0	5	
Yellow clay soil	5	19	
Yellow clay hard	19	33	
Calcareous Boulders	33	36	20
Blow Playa	36	36	20

Work started 3-19-69 Completed 3-30-69

Date well drilling machine moved off of well 3-31-69

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] *John M. Mohr* Date 3-21-69
(Drilling Machine Operator)

Drilling Machine Operator's License No. 168

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME *John M. Mohr* (Person, firm or corporation) (Type or print)

Address RT 2 Box 1169 Rose, Ore.

[Signed] *John M. Mohr* (Water Well Contractor)

Contractor's License No. 60 Date 3-21-69