

RECEIVED  
JAN 27 1960

DOUG 8080

DOUG

WATER WELL REPORT

STATE OF OREGON

008080

State Well No. 28/7W-30R  
State Permit No.

File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

STATE ENGINEER  
SALEM, OREGON

(1) OWNER:

Name Pen School District 116  
Address P.O. Box 667  
Winston, Oregon

(2) LOCATION OF WELL:

County D Owner's number, if any—  
SE 1/4 SE 1/4 Section 30 T. 285 R. 7 W.M.  
Bearing and distance from section or subdivision corner  
110 ft. 2 ft N and 182 W from  
the S.E. corner of Sec. 30

(3) TYPE OF WORK (check):

New Well  Deepening  Reconditioning  Abandon   
If abandonment, describe material and procedure in Item 11.

PROPOSED USE (check):

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

(5) TYPE OF WELL:

Rotary  Driven   
Cable  Jetted   
Dug  Bored

(6) CASING INSTALLED:

Threaded  Welded   
1.0" Diam. from 0 ft. to 14 1/2 ft. Gage 3/16  
wall  
" Diam. from " ft. to " ft. Gage  
" Diam. from " ft. to " ft. Gage

(7) PERFORATIONS:

Perforated?  Yes  No

Type of perforator used

SIZE of perforations in. by in.  
perforations from " ft. to " ft.  
perforations from " ft. to " ft.  
perforations from " ft. to " ft.  
perforations from " ft. to " ft.  
perforations from " ft. to " ft.

(8) SCREENS:

Well screen installed  Yes  No

Manufacturer's Name  
Type Model No.  
Slot size Set from " ft. to " ft.  
I Slot size Set from " ft. to " ft.

(9) CONSTRUCTION:

Was well gravel packed?  Yes  No Size of gravel:  
Gravel placed from " ft. to " ft.  
Was a surface seal provided?  Yes  No To what depth? 14 ft.  
Material used in seal—grout cement  
Did any strata contain unusable water?  Yes  No  
Type of water? Depth of strata  
Method of sealing strata off

(10) WATER LEVELS:

Static level 10 ft. below land surface Date 1/1/1960  
Artesian pressure lbs. per square inch Date

Log Accepted by:

[Signed] George A. Corwin Date 1/5, 1960  
(Owner)

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made?  Yes  No If yes, by whom? -  
Yield: gal./min. with ft. drawdown after hrs.  
" " " " "  
" " " " "  
Bailer test 12 1/2 gal./min. with 17 ft. drawdown after 1 hrs.  
Artesian flow g.p.m. Date  
Temperature of water 58° Was a chemical analysis made?  Yes  No

(12) WELL LOG:

Diameter of well 10 inches.

Depth drilled 60 ft. Depth of completed well 60 ft.

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Brown soil + gravel	0	1
yellow clay + gravel	1	5
River rocks with some clay, gravel + sand	5	9
yellow clay + sand	9	12
Marine blue shale	12	47
Marine blue shale with streaks of soapstone shale	47	60

Work started 12/22 1959 Completed 1/1 1960

(13) PUMP:

Manufacturer's Name pacuzzi  
Type: jet H.P. 3/4

Well Driller's Statement:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Chamblen's Well Drilling  
(Person, firm, or corporation) (Type or print)

Address Ten mile, Oregon

Driller's well number 114

[Signed] Dewey Chamblen  
(Well Driller)

License No. 76 Date 1/5, 1960