The original and first copy of this report are to be filed with the

MAY 1 4 19 88 AFER WELL REPORT

of this report are to be filed with the

STATE OF OREGON

STATE ENGINEER, SALEM, OREGON 9731

Within 30 days from the date CALLIA (Do not write above this line)

of well completion.

STATE OF OREGON

(Please type or print)

STATE State Pérmit No. 2.

(1) OWNER:	(11) LOCATION OF WELL:		- 0 7 7
Name U. S. Dept. of Agriculture	County Douglas Driller's well number 14 14 Section 1.3 T. 295 R. 147 W.M.		
Address P.O. Box 1008 Rosefurs Ore.			
	Bearing and distance from section or subdivisio		
(2) TYPE OF WORK (check):	Boulder Creek Cam		arl .
New Well Deepening Reconditioning Abandon	Mulites east of Ti		
If abandonment, describe material and procedure in Item 12.			<u> </u>
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing		
Rotary Driven Domestic Industrial Municipal Domestic	Depth drilled (C) ft. Depth of compl	-	() ft.
Dug	Formation: Describe color, texture, grain size	and structure	of materials:
CASING INSTALLED: Threaded Welded	and show thickness and nature of each stratu	m and aquife	r penetrated,
6 " Diam. from 1/1 ft. to 20 ft. Gage 1280	with at least one entry for each change of form in position of Static Water Level as drilling pro		
ft. to ft. Gage	MATERIAL	From T	o SWL
	5011 - sondy-brown	0 /	•
PERFORATIONS: Perforated? Ves Veno	Coulders medium		
Type of perforator used Perforated? ☐ Yes ☑-No.	stavel in brown		
<u></u>	Clay	1 1	3
Size of perforations in, by in.	Easalt-6/us	13 3	2
perforations from	Basalt - 6/42- 6roke	32 3	9 21
perforations from	basalt-blue	395	2
perforations from ft. to ft.	Egesalt probe in	<i>p</i> ~~~	
perforations from ft. to ft.	blice Clay - Soft	576	0
		 	
(7) SCREENS: Well screen installed? ☐ Yes ☑ No			
Manufacturer's Name			
Type Model No			
Diam. Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.		1	
(8) WATER LEVEL: Completed well.			
Static level 2/ ft. below land surface Date 5-6-68			
sian pressure lbs. per square inch Date			
(9) WELL TESTS: Drawdown is amount water level is			
lowered below static level			
Was a pump test made? ☐ Yes ☑ No If yes, by whom?	Work started 5-6 1968 Complet	b	<u>6 196</u> 8
Vield: gal./min. with ft. drawdown after hrs.	Date well drilling machine moved off of well	<u> - نه</u>	6 19 68
	Bate wen drining machine moved off of wen		
" " "	Drilling Machine Operator's Certification:		
Bailer test // gal./min. with /8 ft. drawdown after / hrs.	This well was constructed under my dirials used and information reported above		
Artesian flow g.p.m. Date	knowledge and belief.		
Temperature of water Was a chemical analysis made? ☐ Yes ☑ Ño	[Signed] (Drilling Machine Operator)	Bate 5	2., 19.6.8°
(10) CONSTRUCTION:	, - , -	24/4	
Well seal-Material used Concheat grout	Drilling Machine Operator's License No.		
Depth of seal 20 ft.	Water Well Contractor's Certification:		
Diameter of well bore to bottom of sealin.	This well was drilled under my jurisd		nis report is
Were any loose strata cemented off? Yes PNo Depth	true to the best of my knowledge and belief.		
Was a drive shoe used? ☐ Yes	NAME Creeker Meller (Person, firm or corporation)	(Type or r	Jerint)
Did any strata contain unusable water? Yes You	Address 1923 Delta Water	Le Rel	Medfour
Type of water? depth of strata	Audress Augustin Marie M	2016/1	LI SEATURE
Method of sealing strata off	[Signed] I. N. Chilaron		
Was well gravel packed? Yes No Size of gravel:	(Water Well Contract	tor)	.a.
Gravel placed from the to the fit	Contractor's License No. 83 Date >	ュー・フ	1968