Doug

File Original and

STATE ENCINEER WATER WELL REPO

${f RT}009264_{ m State}$ well No. 30,	15N-178
--	---------

STATE ENGINEER, SALEM, OREGON STATE OF	F OREGON State Permit No.
(1) OWNER:	(11) WELL TESTS: Drawdown is amount water level is lowered below static level
Name S. H. HAWKINS	Was a pump test made? Yes 'M' No If yes, by whom?
Address Box 6.2	Yield: gal./min. with ft. drawdown after hrs.
CANYONVIlle, Oneyow	" " " "
<del></del>	" (40 m) PM " "
(2) LOCATION OF WELL:	Bailer test gal./min. with NO Redrawdown after 2 hrs.
County ( ) of ( A ) Owner's number, if any—	Artesian flow Charles Brit Deum Date
14 14 Section / 7 T. 30 R. S W.M.	
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis made? Yes No
anne 200 1 the	(12) WELL LOG: Diameter of well inches.  Depth drilled (50) ft. Depth of completed well (50) ft.
Travel Put in Supprise	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.  MATERIAL FROM TO
(2) TYPE OF WORK (check).	
(3) TYPE OF WORK (check):	Soil AND Chay-SOFT 3 7
New Well Deepening Reconditioning Abandon and and another in the second Reconditioning Abandon and Abandon Reconditioning Abandon Recondition	
andonment, describe material and procedure in item 11.	- CLAY-L-Brown-SAND-MEN 7 27
PROPOSED USE (check): (5) TYPE OF WELL:	SAND+ GrAVEL-BOLDERS 27 34
·	BLUE GENANITE MEDINA 34 60
Domestic W middstrat [ Midmerpar [ ]	
Irrigation Test Well   Other   Cable Dug   Bored	
(a) CACING INCHAILED	
(6) CASING INSTALLED: Threaded Welded	
12" Diam. from 0 ft. to 35 ft. Gage 281	
Tt. Gage ft. Gage	
(7) DEDEODATIONS. Derforated? Fl. Vog. Cl. No.	
(7) PERFORATIONS: Perforated? Yes No	ReDucen To 8" AT 35"
Type of perforator used	
SIZE of perforations III in. by in.	Acvet
perforations from	
120 perforations from 20 ft. to 3.5 ft.	
perforations from ft. to ft.	
perforations from ft. to ft.	
perforations from ft. to ft.	
(8) SCREENS: Well screen installed □ Yes ☑ No	
Manufacturer's Name	
Model No.	
I	· · · · · · · · · · · · · · · · · · ·
Diam, Slot size Set from ft. to ft.	Work started //-25 1960 Completed /2-5 1960
(9) CONSTRUCTION:	(13) PUMP:
Was well gravel packed? 🗌 Yes 🎘 No Size of gravel:	Manufacturer's Name
Gravel placed from ft. to ft.	Type: H.P.
Was a surface seal provided? 🗌 Yes 🔏 No To what depth? ft.	
Material used in seal→	Well Driller's Statement:
Did any strata contain unusable water?   Yes No	This well was drilled under my jurisdiction and this report is
Type of water? Depth of strata	true to the best of my knowledge and belief.
Method of sealing strata off	CULLETT BROTHERS
(10) MARIED I EXIET C.	NAME (Penson (Irin: Idals) (Type or print)
(10) WATER LEVELS:	Address Route 1-Myrile Creek, Ore.
Static level / 3 ft. below land surface Date /2-5-60	- 4
Artesian pressure lbs. per square inch Date	Driller's well number
Log Accepted by:	[Signed]
[Signed] SANGARCANDATE 11-6, 19	(Well Driller)
(Owner)	License No. 252 Date 12-5 , 19 60