./	NOTICE TO WATER WELL CORRAFT The original and first correction of this report are to the correction of the report of the rep	9755 L REPORT	onden	nbd
Ŭ	The original and first of this report are to the SEP 7 - 1972 STATE OF OREGON STATE ENGINEER, SALEM, STGANT ENGINEER EASE type or print) within 30 days from the date ALEM. OR OR OR OG 9755 State Well No State Permit No			
	(1) OWNER:	(10) LOCATION OF WELL:		
	Name Ben Whaley	County Douglas Driller's well number 351		/
	Address Quine's Greek	SE 1/4 NW 1/4 Section 22 T. 32S R. 5W W.M.		
	Illendale, Oregon	Bearing and distance from section or subdivision corner		
	(2) TYPE OF WORK (check): ²			
	New Well 🗶 Deepening 🗌 Reconditioning 🗌 Abandon 🗌			
	If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
	(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 75 ft.		
	Rotary Driven Domestic VIndustrial Municipal		surface. Date 7.	
	Cable	/ _ _		-//-/0
		Artesian pressure lbs. per square inch. Date		
1	CASING INSTALLED: Threaded U Welded Diam. from ft. to ft. Gage2.50	(12) WELL LOG: Diameter of well below casing Depth drilled & ft. Depth of completed well & ft.		
		Formation: Describe color, texture, grain size and structure of materials;		
	" Diam. from ft. to ft. Gage	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in		
	PERFORATIONS: Perforated? XYes DNO.	position of Static Water Level and indicate prin		ng strata.
		MATERIAL CONTLASS AND E	From To	SWL
	Size of perforations // in. by 4 in.	BEY GLADELY SAMD & SOME ROUNDERS	0 80	_ <u>_</u>
		Source Revergens		
	perforations from ft. to ft.			
	perforations from ft. to ft.			
	(7) SCREENS: Well screen installed? Yes X No			
	Manufacturer's Name			
	Type Model No			
	Diam Slot size Set from ft. to ft.			<u> </u>
	Diam Slot size Set from ft. to ft.		ļ!	
	(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
	Was a pump test made? 🗌 Yes 🕼 No If yes, by whom?		L	· ·
	Yield: gal./min. with ft. drawdown after hrs.		 	
	<i>n n n n</i>		├ ─── ├ ───	
	" <u>"</u> "		<u> </u>	<u>-</u>
	Bailer test 6 gal./min. with 55 ft. drawdown after 2, hrs.			<u> </u>
	Artesian flow g.p.m.			<u>_</u> _
(perature of water 4-9 Depth artesian flow encountered ft.	Work started 7/6 1972 Complete	ed 7/12	1972
	CONSTRUCTION:	Date well drilling machine moved off of well		<u>19 72</u>
	Well seal-Material used CEMENT	Drilling Machine Operator's Certification:		
	Well sealed from land surface to ft.	This well was constructed under my direct supervision. Materials used and information reported above are true to my		
	Diameter of well bore to bottom of seal	best knowledge and belief.	above are true	e to my
	Diameter of well bore below seal	[Signed] 2020 Bloth unt	Date 9	5,1972
	Number of sacks of cement used in well seal	Drilling Machine Operator's License No		
	Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No.		
	Brand name of bentonite	Water Well Contractor's Certification:		
	Number of pounds of bentonite per 100 gallons of water	This well was drilled under my jurisdiction and this report is		
	Was a drive shoe used? X Yes D No Plugs Size: location ft.	true to the best of my knowledge and bel		
	Did any strata contain unusable water? Ves 12 No	Name Cole man 's Well Dr. 11/10 (Person, firm or corporation) (Type or print)		
		(Person, firm or corporation) (Type or print) Address 2060 (1/110, Stants Pass, Oreq.		
	Type of water? depth of strata	0 a	2 Í	\mathcal{O}
	Method of sealing strata off	[Signed] Joseph Curractor)		
	Was well gravel packed? Yes No Size of gravel:	Contractor's License No. 280 Date	~	
	Gravel placed from ft. to ft.			, 19
	(USE ADDITIONAL SH	HEETS IF NECESSARY)	S	P*45656-119

. 1

(USE ADDITIONAL SHEETS IF NECESSARY)