

WATER WELL REPORT

STATE OF OREGON

4047

S.W. Green

RECEIVED

SEP 17 1981

WATER RESOURCES DEPT

SW hills Way

Portland, OR 97221

SALEM, OREGON

(1) OWNER:

Name THE PLATEAU FARMS

Address

City

State

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air Driven
Rotary Mud Dug
 Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other
Thermal: Withdrawal Reinjection

CASING INSTALLED:

Steel Plastic
Threaded Welded

20..." Diam. from ..+1..... ft. to ..19..... ft. Gauge ..250.....

16..." Diam. from ..+1..... ft. to ..346..... ft. Gauge ..375.....

LINER INSTALLED:

14..." Diam. from ..+1..... ft. to ..528..... ft. Gauge ..312.....

(6) PERFORATIONS:

Perforated? Yes No

Type of perforator used

Size of perforations in. by in.
..... perforations from ft. to ft.
..... perforations from ft. to ft.
..... perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name

Type Model No.

Diam. Slot Size Set from ft. to ft.

Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered
below static levelWas a pump test made? Yes No If yes, by whom? FARMORE1: gal./min. with ft. drawdown after hrs.
" " " "

Air test 420 gal./min. with drill stem at 1080 ft. 10 hrs.

Bailer test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Nature of water 61 Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes No

Well seal—Material used Cement

Well sealed from land surface to ..19..... and ..346..... ft.

Diameter of well bore to bottom of seal 19 1/2 in.

Diameter of well bore below seal 15 3/8 in.

Number of sacks of cement used in well seal 356 sacks

How was cement grout placed? Positive pressure up with grout
line and pump

Was pump installed? Type HP Depth ft.

Was a drive shoe used? Yes No Plugs Size: location ft.Did any strata contain unusable water? Yes No

Type of Water? depth of strata

Method of sealing strata off

Was well gravel packed? Yes No Size of gravel:

Gravel placed from ft. to ft.

GILL 38

Gill

38

State Well No.

JN/2/8-166

State Permit No.

(10) LOCATION OF WELL:

County Gillam Driller's well number 80-7
NW 1/4 NW 1/4 Section 1 T. 1N R. 21E W.M.
Tax Lot # Lot Blk Subdivision

Address at well location:

(11) WATER LEVEL: Completed well.

Depth at which water was first found 499 ft.
Static level 380 ft. below land surface. Date 16/8/81
Artesian pressure lbs. per square inch. Date(12) WELL LOG: Diameter of well below casing 12".
Depth drilled 1086 ft. Depth of completed well 1066 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Clay W/ Gravel	0	11	
Clay brn	11	25	
Clay brn W/sand	25	41	
Clay tan W/sand	41	57	
Clay tan W/fine gravel	57	66	
Clay tan W/sand	66	73	
Clay white W/gravel	73	79	
Clay pink W/sand	79	88	
Clay brn W/cobbles	88	93	
Clay brn W/fine sand/siltgravel	93	106	
Basalt brn broken	106	126	
Clay brn W/fine gravel	126	147	
Clay brn W/sand	147	160	
Sandstone brn coarse	160	180	
Sandstone brn med	180	246	
Sandstone tan med.	246	272	
Sandstone pink med.	272	298	
Sandstone tan W/gravel	298	320	
Sandstone pink	320	326	
Basalt grey hard	326	376	
Basalt blk hard fract.	376	384	

Work started 6 May 19 81 Completed 24 Aug 1981
Date well drilling machine moved off of well 29 Aug 1981

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed]  Date 15/8/81
(Drilling Machine Operator)

Drilling Machine Operator's License No. 1293

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name MARINELLI & AUSTIN DRILLING
(Person, firm or corporation)Address P.O. Box 302, The Dalles, OR. 97058
(Type or print)[Signed]  Date 15/8/81
(Water Well Contractor)

Contractor's License No. 672 Date 15 Sept. 19 81

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report

are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310

SP#12658-690

within 30 days from the date of well completion.

WATER WELL REPORT
STATE OF OREGON

GILL 38
RECEIVED

SEP 17 1981

WATER RESOURCES DEPT
SALEM, OREGON

4047 SW.

Greenhills Way

Portland, OR

State Well No.

1121-111

State Permit No.

97221

(1) OWNER:

Name THE PLATEAU FARMS Pg. 2 Cont.

Address

City State

(2) TYPE OF WORK (check): See pg. 1 Cont

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air Driven
Rotary Mud Dug
C Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other
Thermal Withdrawal Reinjection

5) CASING INSTALLED: Steel Plastic
Threaded Welded

....." Diam. from ft. to ft. Gauge

....." Diam. from ft. to ft. Gauge

LINER INSTALLED:

....." Diam. from ft. to ft. Gauge

(6) PERFORATIONS: Perforated? Yes No

Type of perforator used

Size of perforations in. by in.
..... perforations from ft. to ft.
..... perforations from ft. to ft.
..... perforations from ft. to ft.

(7) SCREENS: Well screen installed? Yes No

Manufacturer's Name

Type Model No.

Diam. Slot Size Set from ft. to ft.

Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS: Drawdown is amount water level is lowered
below static level

Was a pump test made? Yes No If yes, by whom?
..... gal./min. with ft. drawdown after hrs.

Air test gal./min. with drill stem at ft. hrs.

Bailer test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

erature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION: Special standards: Yes No

Well seal—Material used

Well sealed from land surface to ft.

Diameter of well bore to bottom of seal in.

Diameter of well bore below seal in.

Number of sacks of cement used in well seal sacks

How was cement grout placed?

Was pump installed? Type HP Depth ft.

Was a drive shoe used? Yes No Plugs Size: location ft.

Did any strata contain unusable water? Yes No

Type of Water? depth of strata

Method of sealing strata off

Was well gravel packed? Yes No Size of gravel:

Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County GILLAM Driller's well number 80-7

NW 1/4 NW 1/4 Section 1 T. 1N R. 21 E. W.M.

Tax Lot # Lot Blk Subdivision

Address at well location:

(11) WATER LEVEL: Completed well.

See pg. 1 Depth at which water was first found ft. below land surface. Date

Static level ft. below land surface. Date

Artesian pressure lbs. per square inch. Date

(12) WELL LOG: See Pg. 1 Diameter of well below casing ft.

Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Clay W/sand brn soft	384	399	
Basalt blk. hard	399	410	
Basalt blk. hard fract.	410	415	
Sandstone tan	415	419	
Basalt grey (clay & gravel)	419	430	
Basalt blk. fract hard	430	434	
Basalt blk. hard	434	487	
Basalt blk. hard fract.	487	499	
Gravel cemented WB	499	516	380
Basalt hard blk	516	520	
Cinder red (case d out water)	520	523	
Basalt blk. W/red	523	535	
Basalt grey hard	535	541	dry
Basalt grey very hard	541	561	
Basalt black med fract.	561	564	
Basalt blk. med. hard	564	585	
Basalt blk. hard	585	638	
Basalt blk. very hard	638	727	
Basalt blk. hard sm. fract.	727	735	
Basalt blk. hard	735	830	
Basalt blk. med. hard	830	838	
Work started	Cont. pg. 19	Completed	19
Date well drilling machine moved off of well			19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] (Drilling Machine Operator) Date 19.

Drilling Machine Operator's License No.

Water Well Contractor's Certification: See pg. 3

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name (Person, firm or corporation) (Type or print)

Address

[Signed] (Water Well Contractor)

Contractor's License No. Date , 19.....

WATER WELL REPORT
STATE OF OREGON4047 S.W.
Greenvills Way
Portland, OR 97227
PAGE 3 Cont.GILL 38
RECEIVED

SEP 17 1981

WATER RESOURCES DEPT

SALEM, OREGON

State Well No. *W/218-1bb*State Permit No. *58*

(1) OWNER:

Name THE PLATEAU FARMS

Address

City State

(2) TYPE OF WORK (check): See pg. 1

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air <input type="checkbox"/>	Driven <input type="checkbox"/>	Domestic <input type="checkbox"/>	Industrial <input type="checkbox"/>	Municipal <input type="checkbox"/>
Rotary Mud <input type="checkbox"/>	Dug <input type="checkbox"/>	Irrigation <input type="checkbox"/>	Test Well <input type="checkbox"/>	Other <input type="checkbox"/>
C <input type="checkbox"/>	Bored <input type="checkbox"/>	Thermal: <input type="checkbox"/>	Withdrawal <input type="checkbox"/>	Reinjection <input type="checkbox"/>

(4) PROPOSED USE (check):

CASING INSTALLED:	Steel <input type="checkbox"/>	Plastic <input type="checkbox"/>
	Threaded <input type="checkbox"/>	Welded <input type="checkbox"/>

....." Diam. from ft. to ft. Gauge
....." Diam. from ft. to ft. Gauge

LINER INSTALLED:

....." Diam. from ft. to ft. Gauge

(6) PERFORATIONS:

Perforated? Yes No

Type of perforator used

Size of perforations	in. by	in.

	perforations from	ft. to ft.

	perforations from	ft. to ft.

	perforations from	ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name

Type Model No.

Diam. Slot Size Set from ft. to ft.

Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered
below static levelWas a pump test made? Yes No If yes, by whom?

gal./min. with	ft. drawdown after	hrs.
"	"	"

Air test gal./min. with drill stem at ft. hrs.

Bailer test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes No

Well seal—Material used

Well sealed from land surface to ft.

Diameter of well bore to bottom of seal in.

Diameter of well bore below seal in.

Number of sacks of cement used in well seal sacks

How was cement grout placed?

Was pump installed? Type HP Depth ft.

Was a drive shoe used? Yes No Plugs Size: location ft.Did any strata contain unusable water? Yes No

Type of Water? depth of strata

Method of sealing strata off

Was well gravel packed? Yes No Size of gravel:

Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County GILLAM Driller's well number 80-7

NW 1/4 NW 1/4 Section 1 T. 1N R. 21 E. W.M.

Tax Lot # Lot Blk Subdivision

Address at well location:

(11) WATER LEVEL: Completed well.

Depth at which water was first found See pg. 1 ft.

Static level ft. below land surface. Date

Artesian pressure lbs. per square inch. Date

(12) WELL LOG: Diameter of well below casing

Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Basalt Blk. Very hard	838	855	
Basalt blk hard fract.	855	898	
Basalt blk. very hard	898	966	
Basalt blk. fract. WB	966	981	370
Basalt blk. hard	981	1009	
Basalt blk. fract.	1009	1026	
Basalt blk. hard	1026	1056	
Basalt blk. med fract. WR	1056	1066	380
Clay green soft	1066	1072	
Basalt fract W/Clay green	1072	1076	
Basalt blk. hard	1076	1086	

Liner set to 528 ft. and first water
cut off. Drilled 12 in. hole to 1000'
and reduced hole diameter to 10" for balance
of hole

Work started 19 Completed 19

Date well drilling machine moved off of well 19

Drilling Machine Operator's Certification: *See Pg 1*

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] (Drilling Machine Operator) Date 19

Drilling Machine Operator's License No.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name MARINELLI & AUSTIN DRILLING (Person, firm or corporation) Type or print

Address P.O. Box 302 The Dalles, OR. 97058

[Signed] *Marinelli & Austin* (Water Well Contractor)

Contractor's License No. 672 Date 15 Sept. 81, 19