STATE OF OREGON

GILL 50641

Page 1 of 2 WELL V.D. LABEL# L 112254

WATER SUPPLY WELL REPORT		ST	ART CARD #	10203	14	
(as required by ORS 537.765 & OAR 690-205-0210)	7/3/2013	ORIG	INAL LOG#	GILLIA	M 59	
(1) LAND OWNER Owner Well I.D.				-		
First Name ROBERT Last Name WEATHE	RFORD . (0)	LOCATION OF W	VELL (logal	decerin	tion)	
Company	[\(\cdot \)					E
Address 4012 NE 129TH PL.		nty GILLIAM Twp				
City PORTLAND State OR Zip		33 SW 1/4				
(2) TYPE OF WORK New Well X Deepening	Conversion	Map Number		1		·
X Alteration (complete 2a & 10) Abs	undonmont/complete 5a) Lat	0	" or			_ DMS or DD
(2a) PRE-ALTERATION	Long		" or			_ DMS or DD
Dia + From To Gauge Stl Plste	Wld Thrd	Street address of	•			
Casing: 8 X 1 36 .25 •	X 171	40 MIDDLE ROCK CRE	EEK LN ARLI	NGTON.	OR	
Material From To Amt sacks/						
Seal: Cement 0 35 6 Sack		CTL TIC WATER				
(3) DRILL METHOD	. [' '	STATIC WATER		e sw		C11/1 . C5
X Rotary Air Rotary Mud Cable Auger	Cable Mud	Existing Well / Pre-Alter			L(psi) +	SWL(ft) 115
Reverse Rotary Other		Completed Well				115
(4) PROPOSED USE Domestic X Irrigation			ng Artesian?		Hole?	113
Industrial/ Commercial Livestock Dewatering	-					
	J	ER BEARING ZONES			first found _	
Thermal Injection Other	S	VI. Date From	To E	st Flow	SWL(psi)	+ SWL(ft)
(5) BORE HOLE CONSTRUCTION Special S	andard (Attach copy) 6/	28/2013 475	485	250		115
Depth of Completed Well 555.00 ft.	7/	1/2013 545	555	250		115
BORE HOLE SEAL	sacks/					
Dia From To Material From	To Amt Ibs					
12 0 35						
8 35 555						
		WELL LOG	Court Flores			
	<u> </u>		Ground Elevati	on	Г	
How was seal placed: Method A B C		Material			From 0	To 16.1
Other	EXIS Bloo	ting well k Basalt			464	464
Backfill placed fromft. toft. Material	Soft	Black Basalt w/Green Cl	avstone		475	485
Filter pack from ft. to ft. Material	5.20	k Basalt	ay stone		485	545
Explosives used: Yes Type Amount		k Basalt w/Green Clavsto	one		545	555
(5a) ABANDONMENT USING UNHYDRATED B						
Proposed Amount Actual Amoun						
(6) CASING/LINER					O BY O	MAD
	Stl Plste Wid Thrd				J BY U	74.
(•) (8 X 2 0 .25)			DEC	EIN H		
			- NL		201	h
				11	23 70	73
				701	3 3 50'	
						10
Shoe Inside Outside Other Location of	of shoc(s)				ALEM,)
Temp casing Yes Dia From From				3	16-	
(7) PERFORATIONS/SCREENS						
Perforations Method						
Screens Type Materia	Date	e Started6/28/2013	Con	plete	7/2/2013	
	lot # of Tele/	- Started 0/26/2015		ipiete .	77472015	
		oonded) Water Well Co	nstructor Certi	fication		
		rtify that the work I per				
		donment of this well				
		truction standards. Mate		nformatio	n reported a	ibove are true to
		est of my knowledge and				
	Liec	nse Number 1735		Date <u>7/3</u>	/2013	<u>_</u>
(8) WELL TESTS: Minimum testing time is 1 hour	Sigr	ed OLLAD COURTNI	237 (E) (21 - 3)			
Pump Bailer • Air) Flowing Artesian	ed <u>CHAD COURTNE</u>	EY (E-filed)			
Yield gal/min Drawdown Drill stem/Pump depth	Duration (hr) (bon	ded) Water Well Const	ructor Certifica	tion		
500 555		ept responsibility for th	e construction,	deepening	g, alteration	or abandonme
		performed on this well of				
		ormed during this time				
Temperature 64 °F Lab analysis Yes By	cons	truction standards. This	report is true to t	he best of	fmy knowle	edge and belief.
	nount Lice	nse Number [88]	Ι	Date 7/3/2	2013	
Water quality concerns? Yes (describe below) TDS an Description	Amount Units					
	Sign	CHILLIAN TO THE				
	Con	act Info (optional) Garry	/ Zollmans			

GIL		Page 2 c	
WATER SUPPLY WELL REPORT - continuation page	GILL 50641 7/3/2013	WELL I.D. LABEL# I START CARD # ORIGINAL LOG #	1020314
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plste Wld Thrd	Water Qualit		Amount Units
Material From To Amt sacks/lbs			

Material	From	То А	mt sacks/lbs			
Bentonite	0	35	6 Sacks			
		-				
S) BORE HOLE	CONSTRI	CTION				
BORE HOLE			SEAL			sacks/
Dia From	То м	aterial	From	To	Amt	ibs
			-			
				-	_	+
EU TED D	L					
FILTER PA	ACK Material	Size				

From	То	Material	Size	
1				

Casing Liner	Dia	+	From	То	Gauge	Stl Plste Wld Thrd

Casing/ Liner		From	То	Sern/slot width	Slot length	# of slots	Tele/ pipe size
						ļ	
	-	-		-			-
 <u> </u>			_				
 	1			-		-	-

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr	
	-			
	-			

0) STATION SWL Date			SWL(psi)	+ SWL(fit
		1	 	
	1	-		
		-	 	
	_		 	
	<u> </u>	<u> </u>		LL
		·	 	

WELL LOG			
Material		From	То
	-		
		_	
			<u> </u>
			ļ .
		-	
	DECE	IVED B	Y OV
	NEOL	TVLD	
		UL 23	การ
		UL 23	1013
		SALEM,	OR

mments/Remarks	
med existing 6" hole from 407' to 464' to 8". Deepened from 464' to 55	5'