NOTICE TO WATER WELL CONTROL IN The original and first copy of the resources DEPARTMENT 61977 STATE OF		083 W	eu DIF -	33dc
WATER RESOURCES DEPARTMENT 5 19// STATE OF SALEM, OREGON 97310 within 30 days from the AFER RESOURCES DE Passe type of well completion. SALEM, CLECON Do not write at	e or print) CILL	' '/		-01
(1) OWNER:	(10) LOCATION OF WELL:			<del></del>
Name FARL WESTHERFORD	County GILLIAM Driller's well in	number		
Address Orlington, Ol	14 14 Section T.	R.		W.M.
0 1	Bearing and distance from section or subdivision corner			
(2) TYPE OF WORK (check):	1200' WEST OF SWEERNE			34
New Well Deepening Reconditioning Abandon	60' NORTH OF BESTLING IN, 21 E			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed v	<del></del>		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Don'th at subjet mater man first formal			
Rotary Driven Domestic Industrial Municipal				
Cable		surface.	Date 8	<u>-/ - 77</u>
	Artesian pressure lbs. per squa	re inch.	Date	
CASING INSTALLED: Threaded Welded 250	(12) WELL LOG: Diameter of well			2/4
	Depth drilled 528 ft. Depth of comp	*		8 ft.
	Formation: Describe color, texture, grain size and show thickness and nature of each strate	and struct	ture of n	naterials;
OFDEOD ATIONS.	with at least one entry for each change of form.	ation. Repo	ort each o	change in
PERFORATIONS: Perforated? ☐ Yes ☐ No.	position of Static Water Level and indicate pri	ncipal wat	er-bearin	ıg strata.
Lype of perforator used	MATERIAL	From	То	SWL
Size of perforations in. by in.	Soil	0	5	
perforations from ft. to ft.	GRavel	5	17	
perforations from ft. to ft.	Bas ALT Black	17	35	
perforations from ft. to ft.	BROWN	35	42	
(7) SCREENS: Well screen installed?   Yes   No	" GREY	42	60	
Manufacturer's Name	BLOCK -55		80	
Type Model No.	Bleck		175	
Diam. Slot size Set from ft. to ft.	Blech -55	$\overline{}$	185	
Diam. Slot size Set from ft. to ft.	DIFCH	185	305	
	Besolt Black 55	305	3/5	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Black SS	315	325	<del></del>
Was a pump test made? Wes Do If yes, by whom? FRINGRE	11 Black-DRN-55	345	345	
	" GREY		4/0	
gal./min. with ft. drawdown after hrs.	" Black DRY -SS	410	431	
	Block		455	<del></del>
	11 BLK -BRN - 55	455	470	
Bailer test gal./min. with ft. drawdown after hrs.	BLK	470	524	
Artesian flow g.p.m.	" PLH BR - 35	524	548	
erature of water 62 Depth artesian flow encountered ft.	Work started 7 - 25 1977 Complet	ed 🕽 -	7	1977
9) CONSTRUCTION:	Date well drilling machine moved off of well	8-/		1977
Well seal—Material used PORTLEUP CEMENT	Deilling Washing Openstants Cartelline		···	
Vell seal—Material used	Drilling Machine Operator's Certification: This well was constructed under my		en non	uiaiaa
Diameter of well bore to bottom of seal	Materials used and information reported	above a	re true	to my
Diameter of well bore to bottom of sealin.	best knowledge and belief.	•		
Jumber of sacks of cement used in well seal sacks	[Signed] (Drifting Machine Operator)	Date	<u>1</u>	, 19.7. <i>7</i>
Now was cement grout placed? 6 R 2 V 1 T Y	Drilling Machine Operator's License No.	73	3	
and comein group piaceur paratition with the				
	Water Well Contractor's Certification:			
	This well was drilled under my jurisdiction and this report is			
Vas a drive shoe used?   Yes No Plugs Size: location ft.	true to the best of my knowledge and bel		1 8	٠,
old any strata contain unusable water?   Yes	Name La RRY BURD Well (Person, firm or corporation)		CCIN	) (ð
ype of water? depth of strata	Address 5543 Sw. Dougle			
Method of sealing strata off	n 1	жЖ( <b>Д</b>	V	#.!#. <del></del> .
	[Signed] Jan Bud (Water Well Control			•••••
Vas well gravel packed? ☐ Yes ♠ No Size of gravel:	Contractor's License No. 544 Date	•	,	10 7 7
riave, placed Hulli II. IO ft	CONTRACTOR'S LICENSE NO 🜙 Tr Deta	/1 /	•	10 7 1