The original and first copy of this report are to be filed with the	ALIO 1 E 10 /A
filed with the JAN VISTS STATE OF OREGON AUG 15 1974 State Well No.	
STATE ENGINEER, SALEM, OREGOSTATE ENGINEER (Please type or print) within 30 days from the date within 30 days from the date STATE ENGINEER STATE ENGINEER STATE ENGINEER	
of well completion. NALEM, OREGORO not write above this line AI FM OREGON	
Bond # 1684023	
(1) OWNER:	(10) LOCATION OF WELL:
Name W, B. Inomas	County 6- vant Driller's well number
Address Kimberly Ore, 17848	NW 4 SE 4 Section T. 95 R. 26E, W.M.
	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	Map was enclosed with original
New Well 👗 Deepening 🗌 Reconditioning 🗍 Abandon 🗆	<u>Log.</u>
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 26 ft.
	00/11/
Cable Jetted D	
Dug Bored I Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date
ASING INSTALLED: Threaded Welded We	(12) WELL LOG: Diameter of well below casing
"Diam. from	Depth drilled 3 8 2 ft. Depth of completed well 3 8 2 ft.
"Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,
Diam. Non.	with at least one entry for each change of formation. Report each change in
PERFORATIONS: Perforated? Tyes No.	position of Static Water Level and indicate principal water-bearing strata.
_ype of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	Float Rock + Soil 1 19
perforations from	C/au (gray) 19 27
perforations from ft. to ft.	Layers of Chat Brive 27 34 21
perforations from ft. to ft.	Clad John Day For (gray) 34467 22
	Taxture Same as
(7) SCREENS: Well screen installed? Yes No	John Day Formation
Manufacturer's Name	but Blde in Color
Type	With small Layers win con an
Diam. Slot size Set from ft. to ft.	OT 9 44 77 L 1 46/ 5 60 20
Diam. Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? Yes No If yes, by whom?	
Yield: 25 gal./min. with 2 ft. drawdown after / hrs.	
" " "	
" " "	
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
perature of water Depth artesian flow encountered ft.	Work started Aug. 8 1973 Completed Jan. 16 1974
peranate of many	Date well drilling michine moved off of well Jan. 16 1974
(9) CONSTRUCTION:	
Well seal-Material used Cement,	Drilling Machine Operator's Certification:
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used and information reported above are true to my
Diameter of well bore to bottom of sealin.	best knowledge and belief.
Diameter of well bore below seal in.	[Signed] Sc/f Date /// Date /// 19.74
Number of sacks of cement used in well sealsacks	
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No.
Brand name of bentonite	Water Well Contractor's Certification:
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this report is
of water lbs./100 gals.	true to the best of my knowledge and belief.
Was a drive shoe used? Yes 🗆 No Plugs Size: location ft.	Name (Person, firm or corporation) (Type or print)
Did any strata contain unusable water? Yes No	
Type of water? depth of strata	Address
Method of sealing strata off	[Signed]
Was well gravel packed? ☐ Yes Y No Size of gravel:	[Signed] (Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No Date