## STATE OF OREGON WATER SUPPLY WELL REPORT

**GRAN 51337** 

WELL I.D. LABEL# L130033**START CARD** # 1039313

(as required by ORS 537.765 & OAR 690-205-0210)	7/11/2	2018	ORIGINAL LOG#		
) LAND OWNER Owner Well I.D.				·	
First Name Last Name		(9) LOCATION OF WELL (legal description)			
ompany SILVIES VALLEY RANCH			Twp 17.00 S N/S	-	E E/W WI
Idress 7610 SE. 162ND AVE	07226		V 1/4 of the SE		
ty PORTLAND State OR Zip  TYPE OF WORK New Well Deepenin	97236	Tax Map Number		Lot	
Alteration (complete 2a & 10) Ab	conversion	Lat °	" or 44.06519000		DMS or DD
PRE-ALTERATION	andonnent(complete 3a)	Long°	" or 44.06519000 " or -118.9831000	)0	_ DMS or DD
Dia + From To Gauge Stl Plstc		Stree	t address of well   Nea	rest address	
Casing:			SILVIES VALLEY ON HW	Y 395 TAKE FS R	RD. 37 TO THE
Material From To Amt sacks	<u>'lbs</u>	WEST. T			
Seal: DRILL METHOD		(10) STATIC	WATER LEVEL		
X Rotary Air Rotary Mud Cable Auger	Cable Mud		Date	SWL(psi) +	SWL(ft)
Reverse Rotary Other	]		/ Pre-Alteration		
		Completed W			95
PROPOSED USE Domestic Irrigation	_		Flowing Artesian?		
Industrial/ Commercial X Livestock Dewatering		WATER BEARING	G ZONES Depth wat	er was first found _	95.00
Thermal Injection Other		SWL Date	From To Est l	Flow SWL(psi)	+ SWL(ft)
BORE HOLE CONSTRUCTION Special S	Standard (Attach copy)	6/27/2018	95 305 5	600	95
Depth of Completed Well 305.00 ft.		0,21,200	77   700		
BORE HOLE SEAL					
Dia From To Material From					
12 0 78 Bentonite 0	78 45 S Calculated 44.23				
0 70 505		<del></del>			
	Calculated	(11) WELL L(	OG Ground Elevation		
How was seal placed: Method A B	C D E	N	<b>M</b> aterial	From	То
X Other BENT FROM SURFACE		top soil with rocks		0	2
Backfill placed from ft. to ft. Materia		fractured shale bro		2	4
Filter pack from ft. to ft. Material Size		more solid shale brown fractured shale black		31	31 45
Explosives used: Yes Type Amount		fractured shale bro		45	51
ABANDONMENT USING UNHYDRATED I	BENTONITE	fractured shale bla		51	59
Proposed Amount Actual Amount		hard shale black		59	95
CASING/LINER		highly fractured sh	ale rock black	95	305
Casing Liner Dia + From To Gauge	Stl Plstc Wld Thrd				
● 8 × 2.5 78 .250					
6 2.5 305 SDR-1					
	1 <del>                                    </del>				
	$+ \bowtie \bowtie \vdash \vdash \vdash \vdash \vdash$				
Shoe Inside Outside Other Location	of shoe(s) 78				
	To				
PERFORATIONS/SCREENS Perforations Method saw					
Screens Type Materi		Date Started 6/2	5/2018 Comr	oleted 6/28/2018	
	Slot # of Tele/		<u>-</u>		
	ength slots pipe size	,	er Well Constructor Certific		. a. alt'
Perf         Liner         6         245         305         .125	4 400 6		work I performed on the cor this well is in compliance		
			lards. Materials used and info		
	<del>-      </del>		owledge and belief.		
		License Number	1978 Dat	te 7/11/2018	
WELL TESTS: Minimum testing time is 1 hour		- -			
Pump Bailer ( ) Air	Flowing Artesian	Signed JAKE I	KINGREY (E-filed)		
Yield gal/min Drawdown Drill stem/Pump depth		(bonded) Water V	Well Constructor Certification	on	
300 300	2	I accept responsib	pility for the construction, de	epening, alteration,	
		work performed or	n this well during the construc	ction dates reported	above. All we
			this time is in compliance		
Temperature 56 °F Lab analysis Yes By			ards. This report is true to the	-	age and belief
Water quality concerns? Yes (describe below) TDS a From To Description	mount 103 ppm Amount Units	License Number	1899 Dat	7/11/2018	
1 Description	7 mount omts	Signed SAM K	INGREY (E-filed)		
		<u> </u>	onal)		
		Commet mito (optio			
ORIGINAL	- WATER RESOURCES DE	EDARTMENT			